

No compromise in function and aesthetics



No compromise in function a

Direct technique for implant supra-structures

Quick and easy fabrication:

GI-MASK Automix New Formula is automatically mixed and applied directly out of the cartridge. The short setting time of 7 minutes enables a fast production of the gingival mask.

Elasticity and stability:

All soft tissue reproduction materials are subject to strain and deformation by insertion and extraction during manufacturing. GI-MASK Automix New Formula has outstanding elasticity and high tensile strength, which eliminates problems throughout the entire fabrication process.

Precision and esthetics:

GI-MASK Automix New Formula provides accurate reproduction of soft tissue structure. The A-silicone based gingival mask, provides all information for implant supra-structures and metal/ceramic work. GI-MASK Automix New Formula mimics gingival soft tissue with life-like coloring.

Indications:

Precise reproduction of the gingival soft tissue, interdental spaces and papilles. GI-MASK Automix New Formula facilitates the preparation of esthetically pleasant and perfect functioning crown and bridge work. In addition, it helps prepare the ideal conditions for periodontal hygiene.

Specifically with the implant suprastructure, the use of a soft tissue reproduction material is neccessary.

The direct technique can produce soft tissue reproduction faster and easier. The gingival soft tissue material is applied directly around the mounted model analogues in the impression.

Obviously consistency is very important. Thus, a material is needed with ideal properties. For this, Coltène/ Whaledent AG has developed GI-MASK Automix New Formula and filled it into a 50 ml cartridge with safety features.


Thanks to the small Mixing Tips, the material is mixed automatically. GI-MASK Automix New Formula is

thixotropic and self-leveling, which means that the material is pliable without slumping.


After setting, the stone model is completed in one step by pouring gypsum into the impression.



Isolation of the impression using GI-MASK Universal Separator.



2 Direct application of GI-MASK Automix New Formula into the impression.



3 Optimal thixotropic consistency.



4 Fabrication of the stone model.



Model with GI-MASK Automix New Formula.

and aesthetics

Indirect technique for crown and bridge work



Unsectioned model with Lab-Putty impression.



Isolation of the silicone matrix key using 2 GI-MASK Universal Separator.



Injection of GI-MASK Automix New Formula material.



Model with GI-MASK Automix New Formula.



5 Restoration on the model.



6 Finished restoration.

TIPS

Easy to grind and cut

Due to the optimized stability, it is possible to grind (a trimmer for silicone is included in the starter kit) or cut in the pontic areas. The use of a scalpel offers the advantage that the piece cut-off will remain available for eventual control.






Place marker

Place a wax layer around the visible part of the impression post up to the screwed-on analogue (place marker). The same can also be done on places inside the impression where bridge segments will be prepared. This saves you grinding or cutting time.

Application times for the direct and indirect technique





Picture Credits:









Order Information

8060 GI-MASK Automix New Formula Starter Kit

8065 GI-MASK Automix New Formula Refill Kit		6900 Dispenser 50 ml/75 ml	1 pc
Trimmer for silicones	1 pc	6555 Oral Tips, yellow	100 pcs
Oral Tips, yellow	12 pcs		
Mixing Tips yellow	12 pcs	6550 Mixing Tips yellow	40 pcs
GI-MASK Universal Separator	$1 \times 50 \text{ ml}$		
GI-MASK Automix New Formula cartridge	$2 \times 50 \text{ ml}$	8000 GI-MASK Universal Separator	$1 \times 50 \text{ ml}$

GI-MASK Automix New Formula cartridge 2 × 50 ml
Mixing Tips yellow 12 pcs **8075 Trimmer for silicones** 1 pc
Oral Tips, yellow 12 pcs

© 2013 Coltène/Whaledent AG – www.coltene.com

Coltène/Whaledent AG

Feldwiesenstr. 20 9450 Altstätten/Switzerland Tel. + 41 71 757 53 00 Fax + 41 71 757 53 01 info.ch@coltene.com

Coltène/Whaledent Inc.

235 Ascot Parkway Cuyahoga Falls, Ohio 44223/USA Tel. + 1 330 916 8800 Fax + 1 330 916 7077 info.us@coltene.com

Coltène/Whaledent Ltd.

The President Suite A Kendal House, Burgess Hill Victoria Way West Sussex, RH15 9NF/U.K. Tel. + 44 1444 235486 Fax + 44 1444 870640 info.uk@coltene.com

