

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name: Articulating Paper

Manufacturer: Dr. Jean Bausch GmbH & Co.KG

SDS Expiry: Current SDS displayed on Website as at April 2021

Supplier Details: Henry Schein New Zealand

23 William Pickering Drive, Albany

PO Box 101 140, North Shore, Auckland 0745

Ph. 0800 808 855

www.henryschein.co.nz

Emergency Contacts: Poisons/Hazardous Chemical Info Centre –

0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: Non-Hazardous

HSNO Group Standard: Non-Hazardous

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared - April 2021

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.





# 1 Identification of the Substance/Preparation and of the Company/Undertaking

1.1 Product Type: Articulating Papers impregnated 200 micron

1.2 Trade Name: Bausch Articulating Papers with progressive color transfer

1.2.1 Ref-No.: BK 01, BK 1001, BK 03, BK 05, BK 02, BK 04, BK 1002, BK 101, BK 102

1.3 Company: Dr. Jean Bausch GmbH & Co.KG

Oskar-Schindler-Straße 4 D-50769 Köln – Germany Phone: +49-221-70936-0 Fax: +49-221-70969-66 E-Mail: info@bauschdental.de Transportation: +49-221-70936-0 Emergencies: +49-172-2601451

#### 2 Hazard Identification

The product contains no hazard ingredient. No unusual hazards expected from normal use.

## 3 Composition/Information on Ingredients

Paper-like nonwoven impregnated with oil, pigment, wax mixture

SubstanceCAS NumberConcentration, %Pigment blue C.I.2725869-00-510 %CI Pigment red 1702786-76-710 %white mineral oilpharmaceutical quality50 %natural waxescosmetic/pharmaceutical quality30 %

#### 4 First-Aid Measures

Skin Contact: Skin discoloration may occur, wash off with soap and water.

Ingestion - not known, but if ingested - seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

## 5 Fire-Fighting Measures

Flash Point: 300°F and above

Extinguishing Media: Water, water fog, foam, CO2, dry chemicals

Special Fire Fighting Procedures: No special procedures

Fire & Explosion Hazard: No unusual hazards.

Änd.-Datum: 2015-05-12 durch Peter Bausch Template: F G MSDS Sheet F-MSDS 1.1 Papers 200µ R03\_2014-11-17.docx gedruckt am: 12.05.15 16:07 Seite 1 von 2

# 1.1 Bausch Articulating Papers 200 µ



#### 6 Accidental Release Measures

Clean up excess material & place in container for disposal, treat as office waste.

# 7 Handling and Storage

Store in cool dry areas avoid sparks, flame and excessive heat

## 8 Exposure Controls/Personal Protection

General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use.

# 9 Physical and Chemical Properties

Paper, no distinct odor

# 10 Stability and Reactivity

- · Chemical Stability: Stable
- · Hazardous Polymerization: Will not occur
- Reacts with: None Known

## 11 Toxicological Information

No data available

#### 12 EcologicalData

No data available

## 13 Disposal Consederations

Dispose of all waste material in accordance with all applicable federal, state and local regulations

#### 14 Transport Information

DOT Information: No regulated

#### 15 Regulatory Information

International: Canada: All components are either listed on or exempt from Canadian (DSL).

Federal (USA): All components are either listed on or exempt from TSCA.

Prepared By: Peter Bausch

Date: 2014-11-17

Date: 2014-11-17

Date: 2014-11-17



Dr. Jean Bausch GmbH & Co. KG Oskar-Schindler-Str. 4 D-50769 Köln - Germany Tel: +49 (221) - 70 93 6-0 Fax: +49 (221) - 70 93 6-66 www.bausch.nef

P.M

This is the real copy of the original document

1 2. MAI 2015

and/ or registration certificate Dr.Jean Bausch GmbH & Co.KG

PM



# 1 Identification of the Substance/Preparation and of the Company/Undertaking

**1.1 Product Type:** Articulating Papers impregnated 100 micron

**1.2 Trade Name:** Bausch Articulating Papers with progressive color transfer

1.2.1 Ref-No.: BK 51, BK 52, BK 53, BK 54, BK 57, BK 58

1.3 Company: Dr. Jean Bausch GmbH & Co.KG

Oskar-Schindler-Straße 4 D-50769 Köln – Germany Phone: +49-221-70936-0 Fax: +49-221-70969-66 E-Mail: info@bauschdental.de Transportation: +49-221-70936-0 Emergencies: +49-172-2601451

#### 2 Hazard Identification

The product contains no hazard ingredient. No unusual hazards expected from normal use.

## 3 Composition/Information on Ingredients

Paper-like nonwoven impregnated with oil, pigment, wax mixture

SubstanceCAS NumberConcentration, %Pigment blue C.I.2725869-00-510 %CI Pigment red 1702786-76-710 %white mineral oilpharmaceutical quality50 %natural waxescosmetic/pharmaceutical quality30 %

#### 4 First-Aid Measures

Skin Contact: Skin discoloration may occur, wash off with soap and water.

Ingestion - not known, but if ingested - seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

# 5 Fire-Fighting Measures

Flash Point: 300°F and above

Extinguishing Media: Water, water fog, foam, CO2, dry chemicals

Special Fire Fighting Procedures: No special procedures

Fire & Explosion Hazard: No unusual hazards.

Änd.-Datum: 2015-05-12 durch Peter Bausch Template: F G MSDS Sheet F-MSDS 1.2 Papers 100µ R01\_2014-11-17.docx gedruckt am: 12.05.15 16:18 Seite 1 von 2

# 1.2 Bausch Articulating Papers 100 µ



#### 6 Accidental Release Measures

Clean up excess material & place in container for disposal, treat as office waste.

# 7 Handling and Storage

Store in cool dry areas avoid sparks, flame and excessive heat

# 8 Exposure Controls/Personal Protection

General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use.

# 9 Physical and Chemical Properties

Paper, no distinct odor

# 10 Stability and Reactivity

- Chemical Stability: Stable
- · Hazardous Polymerization: Will not occur
- · Reacts with: None Known

# 11 Toxicological Information

No data available

#### 12 EcologicalData

No data available

#### 13 Disposal Consederations

Dispose of all waste material in accordance with all applicable federal, state and local regulations

#### 14 Transport Information

DOT Information: No regulated

#### 15 Regulatory Information

International: Canada: All components are either listed on or exempt from Canadian (DSL).

Federal (USA): All components are either listed on or exempt from TSCA.

Prepared By: Peter Bausch

Date: 2014-11-17

Date: 2014-11-17

Date: 2014-11-17



Dr. Jean Bausch GmbH & Co. KG
Oskar-Schindler-Str. 4
D-50769 Köln - Germany
Tel: +49 (221) - 70 93 6-0
Fax: +49 (221) - 70 93 6-66
www.bausch.net

P.M

This is the real copy of the original document

1 2. MAI 2015

and/ or registration certificate Dr.Jean Bausch GmbH & Co.KG

P.M

Änd.-Datum: 2015-05-12 durch Peter Bausch

Template: F G MSDS Sheet

F-MSDS 1.2 Papers 100μ R01\_2014-11-17.docx gedruckt am: 12.05.15 16:18 Seite 2 von 2



# 1 Identification of the Substance/Preparation and of the Company/Undertaking

1.1 Product Type: Occlusion Test Papers 40 micron

1.2 Trade Name: Bausch Arti-Check Occlusion Papers micro thin 40µ

1.2.1 Ref-No.: BK 09, BK 10, BK 11, BK 12, BK 13, BK 14, BK 15, BK 16, BK 17, BK 18

BK 61, BK 62, BK 63, BK 80, BK 81, BK 1013, BK 1014, BK 1015, BK 1016

1.3 Company: Dr. Jean Bausch GmbH & Co.KG

Oskar-Schindler-Straße 4 D-50769 Köln – Germany Phone: +49-221-70936-0 Fax: +49-221-70969-66 E-Mail: info@bauschdental.de Transportation: +49-221-70936-0 Emergencies: +49-172-2601451

#### 2 Hazard Identification

The product contains no hazard ingredient. No unusual hazards expected from normal use.

# 3 Composition/Information on Ingredients

Paper-like nonwoven impregnated with oil, pigment, wax mixture

Substance	CAS Number	Concentration, %
Pigment blue C.I.27	25869-00-5	10 %
CI Pigment red 170	2786-76-7	10 %
CI Pigment red 48:2	7023-61-2	12 %
Pigment blue 61	1324-76-1	12 %
Poly-(vinylchloride-co-vinyl)-acetate	9003-22-9	17 %
castor oil	8001-79-4	50 %

#### 4 First-Aid Measures

Skin Contact: Skin discoloration may occur, wash off with soap and water.

Ingestion - not known, but if ingested - seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

# 5 Fire-Fighting Measures

Flash Point: 300°F and above

Extinguishing Media: Water, water fog, foam, CO2, dry chemicals

Special Fire Fighting Procedures: No special procedures

Fire & Explosion Hazard: No unusual hazards.

Änd.-Datum: 2015-05-13 durch Peter Bausch Template: F G MSDS Sheet F-MSDS 1.4 Papers 40µ R01\_2014-11-17.docx gedruckt am: 13.05.15 14:04 Seite 1 von 2

# 1.1 Bausch Arti-Check Papers 40µ



#### 6 Accidental Release Measures

Clean up excess material & place in container for disposal, treat as office waste.

# 7 Handling and Storage

Store in cool dry areas avoid sparks, flame and excessive heat

## 8 Exposure Controls/Personal Protection

General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use.

# 9 Physical and Chemical Properties

Paper, no distinct odor

# 10 Stability and Reactivity

- · Chemical Stability: Stable
- · Hazardous Polymerization: Will not occur
- Reacts with: None Known

## 11 Toxicological Information

No data available

#### 12 EcologicalData

No data available

# 13 Disposal Consederations

Dispose of all waste material in accordance with all applicable federal, state and local regulations

## 14 Transport Information

DOT Information: No regulated

#### 15 Regulatory Information

International: Canada: All components are either listed on or exempt from Canadian (DSL).

Federal (USA): All components are either listed on or exempt from TSCA.

Prepared By: Peter Bausch

Date: 2014-11-17

Date: 2014-11-17

Date: 2014-11-17



Dr. Jean Bausch Grob H 1979, 1980 Oskar-Schindler 1980 D-50769 Köln - German Tel: +49 (221) - 70 93 199 Fax: +49 (221) - 70 93 199 www.bausch.neg

PM

This is the real copy of the original document

1 2. MAI 2015

and/ or registration certificate Dr.Jean Bausch GmbH & Co.KG

P. M/

Änd.-Datum: 2015-05-13 durch Peter Bausch Template: F G MSDS Sheet F-MSDS 1.4 Papers 40μ R01\_2014-11-17.docx gedruckt am: 13.05.15 14:04 Seite 2 von 2

# F G MSDS Sheet 2.3 Gnatho-Film 16 micron



# 1 Identification of the Substance/Preparation and of the Company/Undertaking

1.1 Product Type: Gnatho-Film 16 micron

**1.2 Trade Name:** Bausch Gnatho-Film 16 micron

1.2.1 Ref-No.: BK 120, BK 121, BK 122, BK 123, BK 170, BK 171, BK 172, BK 173

1.3 Company: Dr. Jean Bausch GmbH & Co.KG

Oskar-Schindler-Straße 4 D-50769 Köln – Germany Phone: +49-221-70936-0 Fax: +49-221-70969-66 E-Mail: info@bauschdental.de Transportation: +49-221-70936-0 Emergencies: +49-172-2601451

#### 2 Hazard Identification

The product contains no hazard ingredient. No unusual hazards expected from normal use.

# 3 Composition/Information on Ingredients

Polyethylen Film coated on one side with oil, pigment, wax mixture

<u>Substance</u>	CAS Number	max.Concentration, %
Pigment blue C.I.27	25869-00-5	10 %
CI Pigment red 170	2786-76-7	10 %
Pigment Red 48:2	7023-61-2	10 %
Pigment Red 52:2	12238-31-2	10 %
C.I.Pigment 15:1	147-14-8	10 %
Pigment Green 7	1328-53-6	10 %
C.I.Pigment Black 6,7	2786-76-7	10 %
77891 Pigment White 6	13463-67-7	10 %
natural waxes	cosmetic/pharmaceutical quality	40 %
Vegetable waxes	n.a.	30 %
Liquid Paraffin	8042-47-5	50 %
Paraffin Wax	64724-51-4	30 %
Additive	31566-31-1	1-2 %

## 4 First-Aid Measures

Skin Contact: Skin discoloration may occur, wash off with soap and water.

Ingestion – not known, but if ingested – seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

## 5 Fire-Fighting Measures

Flash Point: 300°F and above

Extinguishing Media: Water, water fog, foam, CO2, dry chemicals

Special Fire Fighting Procedures: No special procedures

Fire & Explosion Hazard: No unusual hazards.

Änd.-Datum: 2015-05-20 durch Peter Bausch
Template: F G MSDS Sheet

F G MSDS Sheet 2.3 Gnatho-Film 16µ R01 2015-05-20.docx
gedruckt am: 20.05.15 14:38

Seite 1 von 2

# F G MSDS Sheet 2.3 Gnatho-Film 16 micron



#### 6 Accidental Release Measures

Clean up excess material & place in container for disposal, treat as office waste.

# 7 Handling and Storage

Store in cool dry areas avoid sparks, flame and excessive heat

# 8 Exposure Controls/Personal Protection

General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use.

## 9 Physical and Chemical Properties

Polyester Film, no distinct odor

# 10 Stability and Reactivity

- Chemical Stability: Stable
- · Hazardous Polymerization: Will not occur
- · Reacts with: None Known

## 11 Toxicological Information

No data available

## 12 EcologicalData

No data available

## 13 Disposal Consederations

Dispose of all waste material in accordance with all applicable federal, state and local regulations

## 14 Transport Information

DOT Information: No regulated

## 15 Regulatory Information

International: Canada: All components are either listed on or exempt from Canadian (DSL).

Federal (USA): All components are either listed on or exempt from TSCA.

Prepared By: Peter Bausch

Date: 2015-05-20

Date: 2015-05-20



Dr. Jean Bausch GmbH & Co. KG Oskar-Schindler-Str. 4 D-50769 Köln - Germany Tel: +49 (221) - 70 93 6-0 Fax: +49 (221) - 70 93 6-66 www.bausch.net

www.bausch.net

This is the real copy of the original document

2 0. MAI 2015

and/ or registration certificate Dr.Jean Bausch GmbH & Co.KG

P.M

# F G MSDS Sheet 2.2 Arti-Fol Metallic 12 micron



# I Identification of the Substance/Preparation and of the Company/Undertaking

**1.1 Product Type:** Arti-Fol Metallic 12 micron

**1.2 Trade Name:** Bausch Arti-Fol Metallic 12 micron

1.2.1 Ref-No.: BK 28, BK 1028, BK 30, BK 31, BK 32, BK 33, BK 35, BK 38, BK 39

1.3 Company: Dr. Jean Bausch GmbH & Co.KG

Oskar-Schindler-Straße 4 D-50769 Köln – Germany Phone: +49-221-70936-0 Fax: +49-221-70969-66 E-Mail: info@bauschdental.de Transportation: +49-221-70936-0 Emergencies: +49-172-2601451

#### 2 Hazard Identification

The product contains no hazard ingredient. No unusual hazards expected from normal use.

## 3 Composition/Information on Ingredients

Polyester Film coated on one or two sides with oil, pigment, wax mixture

<u>Substance</u>	CAS Number	max.Concentration, %
Pigment blue C.I.27	25869-00-5	10 %
Cl Pigment red 170	2786-76-7	10 %
Pigment Red 48:2	7023-61-2	10 %
Pigment Red 52:2	12238-31-2	10 %
C.I.Pigment 15:1	147-14-8	10 %
Pigment Green 7	1328-53-6	10 %
C.I.Pigment Black 6,7	2786-76-7	10 %
77891 Pigment White 6	13463-67-7	10 %
natural waxes	cosmetic/pharmaceutical quality	40 %
Vegetable waxes	n.a.	30 %
Liquid Paraffin	8042-47-5	50 %
Paraffin Wax	64724-51- <del>4</del>	30 %
Additive	31566-31-1	1-2 %

## 4 First-Aid Measures

Skin Contact: Skin discoloration may occur, wash off with soap and water.

Ingestion – not known, but if ingested – seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

## 5 Fire-Fighting Measures

Flash Point: 300°F and above

Extinguishing Media: Water, water fog, foam, CO2, dry chemicals

Special Fire Fighting Procedures: No special procedures

Fire & Explosion Hazard: No unusual hazards.

# F G MSDS Sheet 2.2 Arti-Fol Metallic 12 micron



#### 6 Accidental Release Measures

Clean up excess material & place in container for disposal, treat as office waste.

# 7 Handling and Storage

Store in cool dry areas avoid sparks, flame and excessive heat

## 8 Exposure Controls/Personal Protection

General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use.

# 9 Physical and Chemical Properties

Polyester Film, no distinct odor

# 10 Stability and Reactivity

- · Chemical Stability: Stable
- · Hazardous Polymerization: Will not occur
- · Reacts with: None Known

## 11 Toxicological Information

No data available

## 12 EcologicalData

No data available

#### 13 Disposal Consederations

Dispose of all waste material in accordance with all applicable federal, state and local regulations

## 14 Transport Information

DOT Information: No regulated

#### 15 Regulatory Information

International: Canada: All components are either listed on or exempt from Canadian (DSL).

Federal (USA): All components are either listed on or exempt from TSCA.

Prepared By: Peter Bausch

Date: 2015-05-20

Date: 2015-05-20



Dr. Jean Bausch GmbH & Co. KG Oskar-Schindler-Str. 4 D-50769 Köln - Germany Tel: +49 (221) - 70 93 6-0 Fax: +49 (221) - 70 93 6-66 www.bausch.net This is the real copy of the original document

2 0. MAI 23.3

and/ or registration certificate Dr.Jean Bausch GmbH & Co.KG

PM

# F G MSDS Sheet 2.1 Arti-Fol 8 micron



# 1 Identification of the Substance/Preparation and of the Company/Undertaking

**1.1 Product Type:** Arti-Fol 8 micron

1.2 Trade Name: Bausch Arti-Fol 8 micron

1.2.1 Ref-No.: BK 20, BK 21, BK 22, BK 23, BK 24, BK 25, BK 26, BK 27, BK 29, BK 70,

BK 71, BK 72, BK 73, BK 74, BK 75, BK 76, BK 77, BK 79, BK 1020, BK 1021, BK 1022, BK 1023, BK 1024, BK 1025, BK 1026, BK 1027.

**BK 1029** 

1.3 Company: Dr. Jean Bausch GmbH & Co.KG

Oskar-Schindler-Straße 4 D-50769 Köln – Germany Phone: +49-221-70936-0 Fax: +49-221-70969-66 E-Mail: info@bauschdental.de Transportation: +49-221-70936-0

Emergencies: +49-172-2601451

#### 2 Hazard Identification

The product contains no hazard ingredient. No unusual hazards expected from normal use.

# 3 Composition/Information on Ingredients

Polyester Film coated on one or two sides with oil, pigment, wax mixture

<u>Substance</u>	CAS Number	max.Concentration, %
Pigment blue C.I.27	25869-00-5	10 %
CI Pigment red 170	2786-76-7	10 %
Pigment Red 48:2	7023-61-2	10 %
Pigment Red 52:2	12238-31-2	10 %
C.I.Pigment 15:1	147-14-8	10 %
Pigment Green 7	1328-53-6	10 %
C.Ī.Pigment Black 6,7	2786-76-7	10 %
77891 Pigment White 6	13463-67-7	10 %
natural waxes	cosmetic/pharmaceutical quality	40 %
Vegetable waxes	n.a.	30 %
Liquid Paraffin	8042-47-5	50 %
Paraffin Wax	64724-51-4	30 %
Additive	31566-31-1	1-2 %

#### 4 First-Aid Measures

Skin Contact: Skin discoloration may occur, wash off with soap and water.

Ingestion – not known, but if ingested – seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

## 5 Fire-Fighting Measures

Flash Point: 300°F and above

Extinguishing Media: Water, water fog, foam, CO2, dry chemicals

# F G MSDS Sheet 2.1 Arti-Fol 8 micron



Special Fire Fighting Procedures: No special procedures Fire & Explosion Hazard: No unusual hazards.

#### 6 Accidental Release Measures

Clean up excess material & place in container for disposal, treat as office waste.

# 7 Handling and Storage

Store in cool dry areas avoid sparks, flame and excessive heat

# 8 Exposure Controls/Personal Protection

General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use.

# 9 Physical and Chemical Properties

Polyester Film, no distinct odor

# 10 Stability and Reactivity

- Chemical Stability: Stable
- · Hazardous Polymerization: Will not occur
- Reacts with: None Known

# 11 Toxicological Information

No data available

## 12 EcologicalData

No data available

#### 13 Disposal Consederations

Dispose of all waste material in accordance with all applicable federal, state and local regulations

## 14 Transport Information

DOT Information: No regulated

## 15 Regulatory Information

- International: Canada: All components are either listed on or exempt from Canadian (DSL).
- Federal (USA): All components are either listed on or exempt from TSCA.

Prepared By: Peter Bausch	Translated By:
Date: 2015 -03- 20	Date: 2015 -03- 2 0

This is the real copy of the original document

2 0, MRZ. 2015

and/ or registration certificate Dr.Jean Bausch GmbH & Co.KG

P.M

Änd.-Datum: 2015-03-20 durch Peter Bausch Template: R05 F Vorlage Formblatt Word hoch

# 7.1 Grinding/Polishing Paste



# 1 Identification of the Substance/Preparation and of the Company/Undertaking

1.1 Product Type: Grinding/Polishing Paste BK 97 (Paste with abrasive particles)

1.2 Trade Name: Bausch Grinding Paset

1.2.1 Ref-No.: BK 97

1.3 Company: Dr. Jean Bausch GmbH & Co.KG

Oskar-Schindler-Straße 4 D-50769 Köln – Germany Phone: +49-221-70936-0 Fax: +49-221-70969-66 E-Mail: info@bauschdental.de Transportation: +49-221-70936-0 Emergencies: +49-172-2601451

#### 2 Hazard Identification

The product contains no hazard ingredient. No unusual hazards expected from normal use.

# 3 Composition/Information on Ingredients

Substance	CAS Number	Concentration, %
Silicon Carbide	409-21-2	25 %
Alumnium Oxide	1344-28-1	10 %
Calciumcarbonatee	471-34-1	10 %
Propandiol	57-55-6	10 %
Sodium Carboxymethylcellulose	9004-32-4	1,5 %
Mint Oil	90063-97-1	1,5 %

## 4 First-Aid Measures

Skin Contact: Skin irritation may occur, wash off with soap and water.

Ingestion – not known, but if ingested – seek medical attention.

Manufactured materials listed as non-toxic.

Eye contact: Remove contact lenses. Begin flushing them immediately with cool water and continue to do so for approximately 15 minutes. Seek immediate medical attention.

## 5 Fire-Fighting Measures

Flash Point: 500°F and above

Extinguishing Media: Water, water fog, foam, CO2, dry chemicals

Special Fire Fighting Procedures: No special procedures

Fire & Explosion Hazard: No unusual hazards.

#### 6 Accidental Release Measures

Clean up excess material & place in container for disposal, treat as office waste.

## 7 Handling and Storage

Store in cool dry areas avoid sparks, flame and excessive heat

Änd.-Datum: 2014-09-29 durch Peter Bausch Template: R05 F Vorlage Formblatt Word hoch

# 7.1 Grinding/Polishing Paste



#### 8 **Exposure Controls/Personal Protection**

General room ventilation plus local exhaust at points of emission to reduce exposure to vapors during processing. No personal protective equipment required for normal use.

# **Physical and Chemical Properties**

Mint Oil

# 10 Stability and Reactivity

- Chemical Stability: Stable
- Hazardous Polymerization: Will not occur
- Reacts with: None Known

## 11 Toxicological Information

No data available

## 12 EcologicalData

No data available

# 13 Disposal Consederations

Dispose of all waste material in accordance with all applicable federal, state and local regulations

#### 14 Transport Information

DOT Information: No regulated

## 15 Regulatory Information

International: Canada: All components are either listed on or exempt from Canadian (DSL).

Federal (USA): All components are either listed on or exempt from TSCA.

Prepared By: Peter Bausch Translated By: Date: 2014-09-29 Date:





Dr. Jean Bausch GmbH & Co. KG Oskar-Schindler-Str. 4 D-50769 Köln - Germany Tel: +49 (221) - 70 93 6-0 Fax: +49 (221) - 70 93 6-66

www.bausch.net

This is the real copy of the original document

2 9. SEP. 2014

and/ or registration certificate Dr. Jean Bausch GmbH & Co.KG

Änd.-Datum: 2014-09-29 durch Peter Bausch Template: R05 F Vorlage Formblatt Word hoch

MSDS Grinding Paste BK 97 R01 2014-09-29.docx gedruckt am: 29.09.14 15:46 Seite 2 von 2