



Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name: Duraphat Fluoride Varnish

Supplier: Colgate-Palmolive Ltd.

SDS Expiry: 23 May 2028

Supplier Details: Henry Schein New Zealand

243-249 Bush Road, Rosedale, Auckland, 0632 PO Box 101 140, North Shore, Auckland 0745

Ph. 0800 808 855

www.henryschein.co.nz

Emergency Contacts: Poisons/Hazardous Chemical Info Centre –

0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 3 / 6

HSNO Group Standard: Dental Products Flammable Group Standard 2020 HSR002556

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared – April 2025

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.





This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.05.2023

 1.1
 23.05.2023
 660000018219
 Date of first issue: 23.05.2023

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Colgate Duraphat Fluoride Varnish Single Dose

Product code : B06711630000

: 100000216513

Manufacturer or supplier's details

Address : Colgate-Palmolive Pty Ltd., 420 George St, Sydney, New South

Wales, Australia 2000.

Telephone : CONSUMER AFFAIRS: - AU 1800 802 307 (Mon – Fri 7 - 5)

Emergency telephone number : CHEMTREC Australia +(61)-290372994

Global-CHEMTREC- +1 703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : Fluoride varnish for the treatment of hypersensitive teeth

5% sodium fluoride Single Dose

It provides proven occlusion of dentinal tubules.

Medical Device class II a based on rule 5 of Directive

93/42/EEC on Medical Devices, Annex IX.

### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye irri-

: Category 2

tation

Skin sensitisation : Category 1

**GHS** label elements



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 23.05.2023 1.1 23.05.2023 660000018219 Date of first issue: 23.05.2023

Hazard pictograms





Signal word Warning

Hazard statements H226 Flammable liquid and vapour.

> H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

Precautionary statements

#### Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting equip-

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P261 Avoid breathing mist or vapours.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

### Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse mouth.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

#### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 23.05.2023 1.1 23.05.2023 660000018219 Date of first issue: 23.05.2023

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
ETHANOL (ETHYL ALCOHOL)	64-17-5	>= 30 -< 40
Propylene Glycol	57-55-6	>= 5 -< 10
Sodium Fluoride	7681-49-4	>= 5 -< 10
Menthol	89-78-1	>= 3 -< 5
L-MENTHOL	2216-51-5	>= 1 -< 3
D-LIMONENE	5989-27-5	>= 1 -< 3
VANILLIN	121-33-5	>= 1 -< 3
TRANS-MENTHONE	89-80-5	>= 0.1 -< 1

#### **SECTION 4. FIRST AID MEASURES**

General advice Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

If symptoms persist, call a physician.

In case of skin contact If skin irritation persists, call a physician.

> If on skin, rinse well with water, If on clothes, remove clothes.

In case of eye contact Immediately flush eye(s) with plenty of water.

> Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Keep respiratory tract clear.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms

and effects, both acute and

delayed

Harmful if swallowed. Causes skin irritation.

May cause an allergic skin reaction.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.05.2023

 1.1
 23.05.2023
 660000018219
 Date of first issue: 23.05.2023

Causes serious eye irritation.

Notes to physician : Treat symptomatically.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Alcohol-resistant foam

Carbon dioxide (CO2)

Dry chemical

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod- :

ucts

No hazardous combustion products are known

Specific extinguishing meth-

ods

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

For safety reasons in case of fire, cans should be stored sepa-

rately in closed containments.

Use a water spray to cool fully closed containers.

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment. Remove all sources of ignition.

Evacuate personnel to safe areas.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against : Do not spray on a naked flame or any incandescent material.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.05.2023

 1.1
 23.05.2023
 660000018219
 Date of first issue: 23.05.2023

fire and explosion Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapours).

Keep away from open flames, hot surfaces and sources of

ignition.

Advice on safe handling : Avoid formation of aerosol.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

Conditions for safe storage : No smoking.

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ETHANOL (ETHYL ALCOHOL)	64-17-5	TWA	1,000 ppm 1,880 mg/m3	AU OEL
		STEL	1,000 ppm	ACGIH
Propylene Glycol	57-55-6	TWA (particulate)	10 mg/m3	AU OEL



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

VersionRevision Date:SDS Number:Date of last issue: 23.05.20231.123.05.2023660000018219Date of first issue: 23.05.2023

		TWA (Total (vapour and particles))	150 ppm 474 mg/m3	AU OEL
Sodium Fluoride	7681-49-4	TWA	2.5 mg/m3 (Fluorine)	AU OEL
		TWA	2.5 mg/m3 (Fluorine)	ACGIH

### **Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling	Permissible concentra-	Basis
				time	tion	
Sodium Fluoride	7681-49-4	Fluoride	Urine	Prior to	2 mg/l	ACGIH
		(Fluorine)		shift (16		BEI
				hours		
				after		
				exposure		
				ceases)		
		Fluoride	Urine	End of	3 mg/l	ACGIH
		(Fluorine)		shift (As		BEI
				soon as		
				possible		
				after		
				exposure		
				ceases)		

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.05.2023

 1.1
 23.05.2023
 660000018219
 Date of first issue: 23.05.2023

Colour : white

Odour : No data available

pH : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : > 29 °C

Upper explosion limit / Upper :

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : No data available

Solubility(ies)

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Particle size : No data available

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.05.2023

 1.1
 23.05.2023
 660000018219
 Date of first issue: 23.05.2023

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Not applicable

Hazardous decomposition

products

No data available

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Acute toxicity**

Harmful if swallowed.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: 1,086 mg/kg

Method: Calculation method

**Components:** 

**Propylene Glycol:** 

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Sodium Fluoride:

Acute oral toxicity : LD50 (Rat): 177 - 272 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Menthol:

Acute oral toxicity : LD50 (Rat): 2,500 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Remarks: No data available

L-MENTHOL:

Acute oral toxicity : LD50 (Rat): 3,400 mg/kg

Acute inhalation toxicity : Remarks: No data available



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.05.2023

 1.1
 23.05.2023
 660000018219
 Date of first issue: 23.05.2023

**D-LIMONENE:** 

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

**VANILLIN:** 

Acute oral toxicity : LD50 (Rat): 3,500 mg/kg

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: No information available.

TRANS-MENTHONE:

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Method: No information available.

Skin corrosion/irritation

Causes skin irritation.

**Components:** 

**ETHANOL (ETHYL ALCOHOL):** 

Result : No skin irritation

**Propylene Glycol:** 

Result : No skin irritation

Sodium Fluoride:

Result : Severe skin irritation

Remarks : May cause skin irritation in susceptible persons.

Menthol:

Result : Skin irritation

L-MENTHOL:

Result : May irritate skin.

**D-LIMONENE:** 

Species : Rabbit



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.05.2023

 1.1
 23.05.2023
 660000018219
 Date of first issue: 23.05.2023

Result : Mild skin irritation

**VANILLIN:** 

Species : Rat Exposure time : 24 h

Result : No skin irritation

GLP : yes

TRANS-MENTHONE:

Result : Irritating to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

**Components:** 

ETHANOL (ETHYL ALCOHOL):

Species : Rabbit

Result : Moderate eye irritation

**Propylene Glycol:** 

Result : No eye irritation

**Sodium Fluoride:** 

Result : Irritation to eyes, reversing within 21 days

Remarks : May cause irreversible eye damage.

Menthol:

Result : Irritation to eyes, reversing within 21 days

L-MENTHOL:

Remarks : May cause irreversible eye damage.

D-LIMONENE:

Species : Rabbit

Result : No eye irritation

VANILLIN:

Species : Rat

Result : Moderate eye irritation
Method : OECD Test Guideline 405



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.05.2023

 1.1
 23.05.2023
 660000018219
 Date of first issue: 23.05.2023

TRANS-MENTHONE:

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

**Components:** 

ETHANOL (ETHYL ALCOHOL):

Exposure routes : Inhalation

Remarks : No data available

Exposure routes : Dermal

Result : Does not cause skin sensitisation.

Propylene Glycol:

Exposure routes : Inhalation

Remarks : No data available

Exposure routes : Dermal

Result : Does not cause skin sensitisation.

**Sodium Fluoride:** 

Exposure routes : Inhalation

Result : Does not cause respiratory sensitisation.

Exposure routes : Dermal

Result : Does not cause skin sensitisation.

Menthol:

Exposure routes : Inhalation

Remarks : No data available

Exposure routes : Dermal

Result : Does not cause skin sensitisation.

L-MENTHOL:

Exposure routes : Inhalation

Remarks : No data available

Exposure routes : Dermal

Result : Does not cause skin sensitisation.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 23.05.2023 1.1 23.05.2023 660000018219 Date of first issue: 23.05.2023

**D-LIMONENE:** 

Exposure routes Dermal Species Mouse

Remarks Causes sensitisation.

VANILLIN:

Exposure routes Inhalation

Result Does not cause respiratory sensitisation.

Exposure routes Dermal

Result Does not cause skin sensitisation.

TRANS-MENTHONE:

Exposure routes : Inhalation

Remarks : No data available

Exposure routes Dermal

Result May cause sensitisation by skin contact.

**Chronic toxicity** 

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

**D-LIMONENE:** 

Genotoxicity in vitro Test Type: gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Result: negative

Genotoxicity in vivo Test Type: comet assay

Species: Rat (male) Application Route: Oral

Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

**Components:** 

**Sodium Fluoride:** 

Effects on fertility Remarks: No data available



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 23.05.2023 1.1 23.05.2023 660000018219 Date of first issue: 23.05.2023

Effects on foetal develop-

ment

Remarks: No data available

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

**Components:** 

**D-LIMONENE:** 

Species Rat, male : 825 mg/kg NOAEL

**Application Route** Oral

Method : OECD Test Guideline 407

**Aspiration toxicity** 

Not classified based on available information.

**Components:** 

**D-LIMONENE:** 

May be fatal if swallowed and enters airways.

**Further information** 

**Product:** 

Remarks Solvents may degrease the skin.

**SECTION 12. ECOLOGICAL INFORMATION** 

**Ecotoxicity** 

**Components:** 

**ETHANOL (ETHYL ALCOHOL):** 

Toxicity to fish (Chronic tox- : No data available:

icity)

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

No data available:

**Propylene Glycol:** 

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.1

**Revision Date:** 23.05.2023

SDS Number: 660000018219 Date of last issue: 23.05.2023 Date of first issue: 23.05.2023

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): 18,880 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 19,000

mg/l

Exposure time: 96 h

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

No data available:

**Sodium Fluoride:** 

Toxicity to fish LC50 (Cyprinodon variegatus (sheepshead minnow)): > 500

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Crangon crangon (shrimp)): > 300 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Selenastrum capricornutum (green algae)): 272 mg/l

Exposure time: 96 h

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

No data available:

Menthol:

Toxicity to fish LC50 (Danio rerio (zebra fish)): 22.3 mg/l

Exposure time: 96 h

Toxicity to fish (Chronic tox-

icity)

No data available:

L-MENTHOL:

Toxicity to fish LC50: 10 mg/l

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other : No data available:



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.1

Revision Date: 23.05.2023

SDS Number: 660000018219

Date of last issue: 23.05.2023 Date of first issue: 23.05.2023

aquatic invertebrates (Chronic toxicity)

**D-LIMONENE:** 

Toxicity to fish : LC50 (Fish): 0.72 mg/l

Exposure time: 96 h

M-Factor (Acute aquatic tox-

icity)

: 1

Toxicity to fish (Chronic tox-:

icity)

NOEC (Fish): < 0.01 mg/l

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

No data available:

M-Factor (Chronic aquatic

toxicity)

1

**VANILLIN:** 

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 88 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna Straus): 36.79 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 120

mg/l

Exposure time: 72 h

**TRANS-MENTHONE:** 

Toxicity to fish : LC50 (Fish): 10 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to fish (Chronic tox-

icity)

NOEC (Fish): 100 mg/l Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

No data available:



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.1 Revision Date: 23.05.2023

SDS Number: 660000018219

Date of last issue: 23.05.2023 Date of first issue: 23.05.2023

Persistence and degradability

**Components:** 

**ETHANOL (ETHYL ALCOHOL):** 

Biodegradability : Result: Readily biodegradable.

**Propylene Glycol:** 

Biodegradability : Result: Readily biodegradable.

Sodium Fluoride:

Biodegradability : Remarks: Not applicable

Menthol:

Biodegradability : Result: Readily biodegradable.

L-MENTHOL:

Biodegradability : Result: Readily biodegradable.

**D-LIMONENE:** 

Biodegradability : Result: Readily biodegradable.

**VANILLIN:** 

Biodegradability : Result: Readily biodegradable.

TRANS-MENTHONE:

Biodegradability : Result: Not readily biodegradable.

**Bioaccumulative potential** 

**Components:** 

**ETHANOL (ETHYL ALCOHOL):** 

Bioaccumulation : Bioconcentration factor (BCF): 1

Partition coefficient: n-

octanol/water

log Pow: -0.14

**Propylene Glycol:** 

Bioaccumulation : Bioconcentration factor (BCF): < 100

**Sodium Fluoride:** 

Bioaccumulation : Remarks: No data available



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.1

Revision Date: 23.05.2023

SDS Number: 660000018219

Date of last issue: 23.05.2023 Date of first issue: 23.05.2023

Partition coefficient: n-

octanol/water

: Remarks: No data available

Menthol:

Bioaccumulation : Bioconcentration factor (BCF): 4.6 - 11

Partition coefficient: n-

octanol/water

log Pow: 3.38

L-MENTHOL:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

log Pow: 3.13

**D-LIMONENE:** 

Bioaccumulation : Bioconcentration factor (BCF): 864.8

Partition coefficient: n-

octanol/water

log Pow: 4.38

**VANILLIN:** 

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

log Pow: 1.05

TRANS-MENTHONE:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

log Pow: 2.87

Mobility in soil

No data available

Other adverse effects

**Product:** 

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.05.2023

 1.1
 23.05.2023
 660000018219
 Date of first issue: 23.05.2023

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

#### **SECTION 14. TRANSPORT INFORMATION**

**ADG (Australian Dangerous** 

**Goods) 7.6** 

UN 1986 ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.(ETHANOL, Bubble

Gum Flavor,), 3(6.1), II. HazChem code: •3WE Index number: 336

NZS (New Zealand's Standards) :

5433

UN 1986 ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.(ETHANOL, Bubble

Gum Flavor,), 3(6.1), II. HazChem code: •3WE Index number: 336

IATA :

UN 1986 alcohols, flammable, toxic, N.O.S.(Ethanol, Bubble Gum Fla-

vor,), 3(6.1), II.

IMDG

UN 1986 ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.(ETHANOL, Bubble

Gum Flavor,), 3(6.1), II.

IMDG EmS Number: F-E, S-D

ADR :

UN 1986 ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.(ETHANOL, Bubble Gum Flavor,), 3(6.1), II.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.05.2023

 1.1
 23.05.2023
 660000018219
 Date of first issue: 23.05.2023

Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations. Product may be shipped as Limited Quantity in retail packaging. The shipper is responsible for identifying any exemptions including Limited Quantity, that may apply based on package size.

#### **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : No poison schedule number allocated

Scheduling of Medicines and

**Poisons** 

Prohibition/Licensing Requirements : There is no applicable prohibition,

authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regula-

tions.

The components of this product are reported in the following inventories:

AIIC : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

### **SECTION 16. OTHER INFORMATION**

Revision Date : 23.05.2023

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

AU OEL : Australia. Workplace Exposure Standards for Airborne Con-

taminants.

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

VersionRevision Date:SDS Number:Date of last issue: 23.05.20231.123.05.2023660000018219Date of first issue: 23.05.2023

Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified: Nch - Chilean Norm: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN