

Versi 1.2	on	Revision Date: 27.03.2025		S Number: 0000002772	Date of last issue: 10.02.2020 Date of first issue: 03.11.2017				
Secti	ion 1: I	dentification							
I	Product name		:	: COLGATE NEUTRAFLUOR 5000 PLUS FRESHMINT PROFESSIONAL TOOTHPASTE					
I	Product	code	:	B06710240000 20000050910					
I	Manufa	acturer or supplier's d	letai	ils					
,	Address		:	Colgate-Palmolive Ltd 105 Carlton Gore Rd Newmarket Auckland 1023, New Zealand					
-	Teleph	one	:	CONSUMER AFI	FAIRS: - NZ 0800 441 740 (Mon – Fri 9 - 7)				
I	Emerge	ency telephone number	r:	Global-CHEMTREC- +1 703-741-5970 CHEMTREC New Zealand +(64)-98010034					
l	Recommended use : Dentifrice.								
Secti	011 2. 1	Hazard identification							
:		lassification s eye damage/eye irri-	:	Category 2					
		bel elements pictograms	:	<u>(!)</u>					
:	Signal	word	:	Warning					
I	Hazard	statements	:	H319 Causes sei	rious eye irritation.				
I	Precautionary statements		:	P280 Wear eye p	thoroughly after handling. protection/ face protection.				
	Response:								
				1 / 16					



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 10.02.2020
1.2	27.03.2025	66000002772	Date of first issue: 03.11.2017

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Components

Chemical name	CAS-No.	Concentration (% w/w)
Hydrated Silica	112926-00-8	>= 10 -< 20
TETRAPOTASSIUM PYROPHOSPHATE	7320-34-5	>= 1 -< 3
SODIUM LAURYL SULFATE	151-21-3	>= 1 -< 3
Sodium Fluoride	7681-49-4	>= 1 -< 3
L-Carvone	6485-40-1	>= 0.1 -< 1

Section 4: First-aid measures

General advice	:	If poisoning occurs, immediately contact a doctor or Poisons Information Centre (Phone Australia 131126; New Zealand 0800 764 766), and follow the advice given.
If inhaled	:	If unconscious, place in recovery position and seek medical advice.
In case of skin contact	:	If symptoms persist, call a physician. If skin irritation persists, call a physician. If on skin, rinse well with water.
In case of eye contact	:	If on clothes, remove clothes. Immediately flush eye(s) with plenty of water.
		Remove contact lenses. Protect unharmed eye.
		Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Administer milk but do not induce vomiting. Never give anything by mouth to an unconscious person.
Most important symptoms		If symptoms persist, call a physician. Causes serious eye irritation.
and effects, both acute and delayed	•	
Notes to physician	:	Treat symptomatically.

Section 5: Fire-fighting measures



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Vers 1.2	ion Revision Date: 27.03.2025		OS Number: 0000002772	Date of last issue: 10.02.2020 Date of first issue: 03.11.2017	
	Suitable extinguishing media		Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.		
	Unsuitable extinguishing media		High volume water jet		
	Hazardous combustion prod- ucts		No hazardous cor	nbustion products are known	
	Specific extinguishing meth- ods		Standard procedure for chemical fires.		
	Special protective equipment for firefighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-	

Section 6: Accidental release measures

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

Section 7: Handling and storage

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.			
Advice on safe handling	:	Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Dispose of rinse water in accordance with local and national regulations.			
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.			
Conditions for safe storage	:				
2/16					



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date: 27.03.2025	SDS Number:	Date of last issue: 10.02.2020
1.2		660000002772	Date of first issue: 03.11.2017
	ner information on stor- stability	place. Electrical installa the technologica	tightly closed in a dry and well-ventilated ations / working materials must comply with al safety standards. on if stored and applied as directed.

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrated Silica	112926-00-8	WES-TWA	10 mg/m3	NZ OEL
Sodium Fluoride	7681-49-4	WES-TWA	2.5 mg/m3 (Fluorine)	NZ OEL
	Further information monitoring	ation: Exposure	can also be estimated	d by biological
		TWA	2.5 mg/m3 (Fluorine)	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
Sodium Fluoride	7681-49-4	Fluoride (Fluorine)	Urine	Prior to shift	2 mg/l	NZ BEI
		Fluoride (Fluorine)	Urine	End of shift	3 mg/l	NZ BEI
		Fluoride (Fluorine)	Urine	Prior to shift (16 hours after exposure ceases)	2 mg/l	ACGIH BEI
		Fluoride (Fluorine)	Urine	End of shift (As soon as possible after exposure ceases)	3 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection

: No personal respiratory protective equipment normally required.

Hand protection



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.2	Revision Date: 27.03.2025	SDS Number: 660000002772	Date of last issue: 10.02.2020 Date of first issue: 03.11.2017			
Remarks		: The suitability for a specific workplace should be discussed with the producers of the protective gloves.				
Eye protection		: Eye wash bott Tightly fitting s	le with pure water			
Skin and body protection		Choose body	Impervious clothing Choose body protection according to the amount and con- centration of the dangerous substance at the work place.			

Section 9: Physical and chemical properties

Appearance	:	paste
Colour	:	blue
Odour	:	No data available
рН	:	7.0 - 9.0
Melting point/ range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	No data available
Solubility(ies) Solubility in other solvents	:	No data available
Partition coefficient: n-	:	No data available
octanol/water Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

1.2 27.03.2025 66000002772 Date of first issue: 03.11.2017	Version 1.2	Revision Date: 27.03.2025	SDS Number: 66000002772	Date of last issue: 10.02.2020 Date of first issue: 03.11.2017	
--	----------------	---------------------------	----------------------------	---	--

Particle characteristics Particle size : No data available

Section 10: Stability and reactivity

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac-	:	No decomposition if stored and applied as directed.
tions		
Conditions to avoid	:	No data available
Incompatible materials	:	Not applicable
Hazardous decomposition products	:	No hazardous decomposition products are known.

Section 11: Toxicological information

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method						
Acute dermal toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method						
Components:								
Hydrated Silica:								
Acute oral toxicity	:	LD50 (Rat): > 22,500 mg/kg Method: No information available.						
Acute inhalation toxicity	:	Remarks: No data available						
Acute dermal toxicity	:	Remarks: No data available						
TETRAPOTASSIUM PYROPHOSPHATE:								
Acute oral toxicity	:	Remarks: No data available						
Acute inhalation toxicity	:	Remarks: No data available						

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402



Versi 1.2	on Revision Date: 27.03.2025		9S Number: 0000002772	Date of last issue: 10.02.2020 Date of first issue: 03.11.2017			
	SODIUM LAURYL SULFATE	:					
			: LD50 (Rat): 977 mg/kg Method: OECD Test Guideline 401				
	Acute inhalation toxicity		Remarks: No data available				
,	Acute dermal toxicity		LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402				
	Sodium Fluoride:						
	Acute oral toxicity		LD50 (Rat): 177 - 272 mg/kg				
	Acute inhalation toxicity	:	Remarks: No data available				
,	Acute dermal toxicity :		LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402				
i	L-Carvone:						
	Acute oral toxicity	: LD50 (Rat): 2,500 mg/kg		mg/kg			
,	Acute inhalation toxicity	:	LC50 (Rat): > 5.66 mg/l Test atmosphere: No information available. Method: OECD Test Guideline 403				
	Acute dermal toxicity		LD50 (Rabbit): 3,800 mg/kg				
	Skin corrosion/irritation						
	Not classified based on availab Components:		information.				
-	Hydrated Silica:						
	Remarks	:	No data available				
-	TETRAPOTASSIUM PYROPHOSPHATE:						
ļ	Result	: Severe skin irritation		on			
:	SODIUM LAURYL SULFATE	:					
;	Species	:	Rabbit				
	Exposure time	:	24 h				
	Assessment Method	:	irritating OECD Test Guide	line 404			
	Result	:	irritating	1111E 404			
	Sodium Fluoride:						



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Ver 1.2	sion	Revision Date: 27.03.2025		05 Number: 0000002772	Date of last issue: 10.02.2020 Date of first issue: 03.11.2017			
	Result Remarks		:	: Severe skin irritation				
			:	: May cause skin irritation in susceptible persons.				
	L-Carvone:							
	Remarks Remarks		:	: No data available				
			:	May cause skin irritation and/or dermatitis.				
	Serious eye damage/eye irri Causes serious eye irritation.		itati	on				
		onents:						
	Hydrat Remar	ed Silica: ks	:	No data available				
	TETRA		HO	SPHATE:				
	Result		:	Irritation to eyes,	reversing within 21 days			
	SODIUM LAURYL SULFATE Result							
			:	Irreversible effects	s on the eye			
	Remar	ks	:	May cause irreven	sible eye damage.			
	Sodiur	n Fluoride:						
	Result		:	Irritation to eyes,	reversing within 21 days			
	Remar	ks	:	May cause irreve	sible eye damage.			
	L-Carv	one:						
	Specie	S	:	Rabbit				
	Result		:	No eye irritation				
	Assess	sment	:	No eye irritation				
	Remar	ks	:	Vapours may cau and the skin.	se irritation to the eyes, respiratory system			

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

APJ



		SDS Number: 660000002772	Date of last issue: 10.02.2020 Date of first issue: 03.11.2017				
Respi							
Not classified based on available information.							
<u>Comp</u>	oonents:						
Hydra	ated Silica:						
Expos Rema	sure routes rks	: Inhalation : No data availa	able				
Expos Rema	sure routes rks	: Dermal : No data availa	able				
TETRAPOTASSIUM PYROPHOSPHATE:							
Expos Resul	sure routes t	: Inhalation : Does not caus	se respiratory sensitisation.				
Expos Resul	sure routes t	: Dermal : Does not caus	se skin sensitisation.				
SODI	UM LAURYL SULFA	TE:					
Expos Rema	sure routes rks	: Inhalation : No data availa	able				
Expos Resul	sure routes t	: Dermal : Does not caus	se skin sensitisation.				
Sodiu	ım Fluoride:						
Expos Resul	sure routes t	: Inhalation : Does not caus	se respiratory sensitisation.				
Expos Resul	sure routes t	: Dermal : Does not caus	se skin sensitisation.				
L-Car	vone:						
Expos Rema	sure routes rks	: Inhalation : No data availa	able				
Expos Specie	sure routes	: Dermal : Mouse					
Rema		: Causes sensit	isation.				
Rema	rks	: Causes sensit	isation.				



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

1.2 27.03.2025 66000002772 Date of first issue: 03.11.2017	Version 1.2	Revision Date: 27.03.2025	SDS Number: 66000002772	Date of last issue: 10.02.2020 Date of first issue: 03.11.2017
--	----------------	---------------------------	----------------------------	---

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

SODIUM LAURYL SULFATE:

Genotoxicity in vitro	:	Test Type: reverse mutation assay Test system: Escherichia coli Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative
Genotoxicity in vivo	:	Test Type: dominant lethal test Species: Mouse (male and female) Application Route: Oral Method: OECD Test Guideline 478 Result: negative
L-Carvone:		
Genotoxicity in vitro	:	Test Type: reverse mutation assay Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation

Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

Sodium Fluoride:

Effects on fertility : Remar	ks: No data available
------------------------------	-----------------------

Effects on foetal develop- : Remarks: No data available

ment STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

SODIUM LAURYL SULFATE:



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Vers 1.2	sion	Revision Date: 27.03.2025		DS Number: 60000002772	Date of last issue: 10.02.2020 Date of first issue: 03.11.2017			
	Specie: Applica	s Ition Route	:	Rat 488 mg/kg Oral				
Species Application Route		s	:	Mouse 488 mg/kg Dermal				
	L-Carvone: Species NOAEL Application Route Method Aspiration toxicity Not classified based on availabl Further information							
			:	 Mouse, male and female 375 mg/kg Oral OECD Test Guideline 408 				
			ilable	information.				
	Produc	ct:						
	Remarl		:	formula was revie Safety Assurance determined to be taken into conside	not been tested as a whole. However, this wed by expert toxicologists in the Product Department of Colgate-Palmolive and is safe for its intended use. This review has eration available safety-related information tion on individual ingredients, similar formu-			

Section 12: Ecological information

Ecotoxicity		
Components:		
Hydrated Silica:		
Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): > 10,000 mg/l Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to fish (Chronic tox- icity)	:	No data available:
Toxicity to daphnia and other	:	No data available:
		11 / 16

statements in Section 2 of the SDS.

las and potential ingredient interactions. This review is a component of the hazard determination used to prepare the



Vers 1.2	ion	Revision Date: 27.03.2025	-	05 Number: 0000002772	Date of last issue: 10.02.2020 Date of first issue: 03.11.2017				
	aquatic ic toxici	invertebrates (Chron- ty)							
	TETRA	POTASSIUM PYROP	но	SPHATE:					
	Toxicity to fish		:	: Remarks: No data available					
		to daphnia and other invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): > 100 mg/l 3 h				
	Toxicity plants	to algae/aquatic	:	ErC50 (Desmodesmus subspicatus (green algae)): > 1 Exposure time: 72 h					
	Toxicity icity)	to fish (Chronic tox-	:	No data available	:				
	Toxicity	to daphnia and other invertebrates (Chron- ty)	:	No data available	:				
	SODIU	M LAURYL SULFATE							
	Toxicity	r to fish	:	LC50 (Oncorhync Exposure time: 96 Method: static tes Remarks: mortalit	t				
		to daphnia and other invertebrates	 LC50 (Daphnia magna (Water flea)): 3.15 mg Exposure time: 48 h 						
	Toxicity plants	r to algae/aquatic	: LC50 (Chlamydomonas reinhard Exposure time: 72 h		nonas reinhardtii (green algae)): 18.8 mg/l 2 h				
	Sodiun	n Fluoride:							
	Toxicity		:	LC50 (Cyprinodor mg/l Exposure time: 96	n variegatus (sheepshead minnow)): > 500 S h				
		to daphnia and other invertebrates	:	EC50 (Crangon c Exposure time: 48	rangon (shrimp)): > 300 mg/l 3 h				
	Toxicity plants	r to algae/aquatic	:	ErC50 (Selenastro Exposure time: 96	um capricornutum (green algae)): 272 mg/l S h				
		to fish (Chronic tox-	:	No data available	:				
		r to daphnia and other invertebrates (Chron- ty)	:	No data available	:				
	L-Carv	one:							



ersion .2	Revision Date: 27.03.2025		OS Number: 0000002772	Date of last issue: 10.02.2020 Date of first issue: 03.11.2017
Toxici	Toxicity to fish		LC50 (Fish): 6.1 mg/l Exposure time: 96 h	
Toxici icity)	• · · ·		Test substance: No data available	
Persi	stence and degradabi	lity		
<u>Comp</u>	oonents:			
Hydra	ated Silica:			
Biode	Biodegradability		Remarks: Not applicable	
TETR	APOTASSIUM PYROF	РНО	SPHATE:	
Biode	Biodegradability		Remarks: Not ap	plicable
SODI	UM LAURYL SULFAT	E:		
Biode	gradability	:	Result: Readily b	iodegradable.
Sodiu	ım Fluoride:			
Biode	gradability	:	Remarks: Not ap	plicable
L-Car	vone:			
Biode	Biodegradability		Result: Readily b	iodegradable.
Bioad	cumulative potential			
Comp	oonents:			
Hydra	ated Silica:			
Bioac	cumulation	:	Remarks: No dat	a available
	Partition coefficient: n- octanol/water		log Pow: 0.53	
TETR	APOTASSIUM PYROP	РНО	SPHATE:	
Bioac	cumulation	:	Remarks: No dat	a available
	ion coefficient: n- ol/water	:	Remarks: No dat	a available
Sodiu	ım Fluoride:			
Bioac	cumulation	:	Remarks: No dat	a available
	ion coefficient: n- ol/water	:	Remarks: No dat	a available
ootan				



Version 1.2	Revision Date: 27.03.2025		S Number: 0000002772	Date of last issue: 10.02.2020 Date of first issue: 03.11.2017	
Bio	accumulation	:	Remarks: No data	available	
	Partition coefficient: n- : octanol/water		log Pow: 2.74		
	Mobility in soil No data available				
Oth	Other adverse effects				
Pro	oduct:				
	Additional ecological infor- : mation		No data available		
Section	13: Disposal consideration	ons			
Dis	posal methods				
Wa	ste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with cal or used container. 		e ponds, waterways or ditches with chemi- ner.	
Co	ntaminated packaging	 Send to a licensed waste management company. Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. 			
Section	14: Transport informatio	n			
	G (Australian Dangerous ods) 7.8		:		
			Not regulated	d.	
	NZS (New Zealand's Standards 5433		:		
			Not regulated	d .	
ΙΑΊ	A		:		
			Not regulated	ł.	
IMI	DG		:		
			Not regulated	d.	
			IMDG EmS I	Number :Not applicable.	



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.2	Revision Date: 27.03.2025	SDS Number: 66000002772	Date of last issue: 10.02.2020 Date of first issue: 03.11.2017		
ADR		:			
Not regulated.					

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Restricted Medicine: Medsafe Product details TT50-5697/8

Tolerable Exposure Limits (TEL)

Not applicable

Environmental Exposure Limits (EEL)

Not applicable

Section 16: Other information

Revision Date Date format	:	27.03.2025 dd.mm.yyyy			
Full text of other abbreviations					
ACGIH ACGIH BEI NZ BEI NZ OEL	:	USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI) New Zealand. Biological Exposure Indices New Zealand. Workplace Exposure Standards for Atmospher- ic Contaminants			
ACGIH / TWA NZ OEL / WES-TWA	:	8-hour, time-weighted average Workplace Exposure Standard - Time Weighted average			

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 10.02.2020
1.2	27.03.2025	66000002772	Date of first issue: 03.11.2017

Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / EN