



Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name: NEUTRAFLUOR 5000 PROFESSIONAL TOOTHPASTE

SENSITIVE

Manufacturer: Colgate-Palmolive Ltd.

SDS Expiry: 10 February 2025

Supplier Details: Henry Schein New Zealand

243-249 Bush Road, Rosedale, Auckland, 0632 PO Box 101 140, North Shore, Auckland 0745

Ph. 0800 808 855

www.henryschein.co.nz

Emergency Contacts: Poisons/Hazardous Chemical Info Centre –

0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 6

HSNO Group Standard: Dental Products Subsidiary Hazard Group Standard 2020

HSR002558

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared – June 2023

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.





This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03.11.2017

 1.2
 10.02.2020
 660000002766
 Date of first issue: 03.11.2017

Section 1: Identification

Product name : COLGATE NEUTRAFLUOR 5000 PROFESSIONAL

TOOTHPASTE SENSITIVE

Product code : B06709550004

200000050814

Manufacturer or supplier's details

Address : Colgate-Palmolive Ltd.

Level 4, 45 Knights Road, Lower Hutt P.O.Box 38077, Wellington Mail centre

Wellington, 5045, New Zealand.

Telephone

CONSUMER AFFAIRS: - NZ 0800 441 740 (Mon – Fri 9 - 7)

Emergency telephone number : Global-CHEMTREC- +1 703-741-5970

CHEMTREC New Zealand +(64)-98010034

Recommended use of the chemical and restrictions on use

Recommended use : Dentifrice.

Section 2: Hazard identification

GHS Classification

Serious eye damage/eye irri-

tation

Category 2A

GHS label elements

Hazard pictograms



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 03.11.2017
1.2 10.02.2020 660000002766 Date of first issue: 03.11.2017

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ at-

tention.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Components

Chemical name	CAS-No.	Concentration (% w/w)
amorphous silica or silicates	112926-00-8	>= 10 -< 20
SODIUM LAURYL SULFATE	151-21-3	>= 1 -< 3
Sodium Fluoride	7681-49-4	>= 1 -< 3
TRANS-MENTHONE	89-80-5	>= 0.1 -< 1
ANETHOLE	104-46-1	>= 0.1 -< 1

Section 4: First-aid measures

General advice : If poisoning occurs, immediately contact a doctor or Poisons

Information Centre (Phone Australia 131126; New Zealand

0800 764 766), and follow the advice given.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Administer milk but do not induce vomiting.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.2

Revision Date: 10.02.2020

SDS Number: 660000002766 Date of last issue: 03.11.2017 Date of first issue: 03.11.2017

Most important symptoms

and effects, both acute and delayed

Causes serious eye irritation.

Section 5: Fire-fighting measures

Unsuitable extinguishing

media

High volume water jet

Hazardous combustion prod: :

ucts

No hazardous combustion products are known

Specific extinguishing meth-

ods

Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Section 6: Accidental release measures

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

Section 7: Handling and storage

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling Do not breathe vapours/dust.

> Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

When using do not eat or drink. Hygiene measures

When using do not smoke.

Wash hands before breaks and at the end of workday.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 03.11.2017
1.2 10.02.2020 660000002766 Date of first issue: 03.11.2017

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Electrical installations / working materials must comply with

the technological safety standards.

Store below 25°C

Further information on stor-

age stability

No decomposition if stored and applied as directed.

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis	
		exposure)	concentration		
amorphous silica or silicates	112926-00-8	WES-TWA	10 mg/m3	NZ OEL	
Sodium Fluoride	7681-49-4	WES-TWA	2.5 mg/m3 (Fluorine)	NZ OEL	
	Further information: Exposure can also be estimated by biological monitoring				
		TWA	2.5 mg/m3 (Fluorine)	ACGIH	

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentration	Basis
Sodium Fluoride	7681-49-4	Fluoride (Fluorine)	Urine	Prior to shift	2 mg/l	NZ BEI
		Fluoride (Fluorine)	Urine	End of shift	3 mg/l	NZ BEI
		Fluoride (Fluorine)	Urine	Prior to shift (16 hours after exposure ceases)	2 mg/l	ACGIH BEI
		Fluoride (Fluorine)	Urine	End of shift (As soon as possible after exposure ceases)	3 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 03.11.2017
1.2 10.02.2020 660000002766 Date of first issue: 03.11.2017

quired.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Section 9: Physical and chemical properties

Appearance : paste

Colour : green

pH : 7.9

Flash point : No data available

Section 10: Stability and reactivity

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Section 11: Toxicological information

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: 4,438 mg/kg



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03.11.2017

 1.2
 10.02.2020
 660000002766
 Date of first issue: 03.11.2017

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

amorphous silica or silicates:

Acute oral toxicity : LD50 (Rat): > 22,500 mg/kg

Method: No information available.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

SODIUM LAURYL SULFATE:

Acute oral toxicity : LD50 (Rat): 977 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

Sodium Fluoride:

Acute oral toxicity : LD50 (Rat): 177 - 272 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

TRANS-MENTHONE:

Acute oral toxicity : LD50 (Rat): 2,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Method: No information available.

ANETHOLE:

Acute oral toxicity : LD50 (Rat): 2,090 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03.11.2017

 1.2
 10.02.2020
 660000002766
 Date of first issue: 03.11.2017

Skin corrosion/irritation

Not classified based on available information.

Components:

amorphous silica or silicates:

Remarks : No data available

SODIUM LAURYL SULFATE:

Result : Severe skin irritation

Remarks : Extremely corrosive and destructive to tissue.

Sodium Fluoride:

Result : Severe skin irritation

Remarks : May cause skin irritation in susceptible persons.

TRANS-MENTHONE:

Result : Severe skin irritation

Remarks : May cause skin irritation and/or dermatitis.

ANETHOLE:

Result : Irritating to skin.

Remarks : May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

amorphous silica or silicates:

Remarks : No data available

SODIUM LAURYL SULFATE:

Result : Irreversible effects on the eye

Remarks : May cause irreversible eye damage.

Sodium Fluoride:

Result : Irritation to eyes, reversing within 21 days



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03.11.2017

 1.2
 10.02.2020
 660000002766
 Date of first issue: 03.11.2017

Remarks : May cause irreversible eye damage.

TRANS-MENTHONE:

Result : No eye irritation

Remarks : Vapours may cause irritation to the eyes, respiratory system

and the skin.

ANETHOLE:

Remarks : No data available

Remarks : Vapours may cause irritation to the eyes, respiratory system

and the skin.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

amorphous silica or silicates:

Exposure routes : Inhalation

Remarks : No data available

Dermal

Remarks : No data available

SODIUM LAURYL SULFATE:

Exposure routes : Inhalation

Remarks : No data available

Dermal

Result : Does not cause skin sensitisation.

Sodium Fluoride:

Exposure routes : Inhalation

Result : Does not cause respiratory sensitisation.

: Dermal

: Does not cause skin sensitisation.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03.11.2017

 1.2
 10.02.2020
 660000002766
 Date of first issue: 03.11.2017

TRANS-MENTHONE:

Exposure routes : Inhalation

Remarks : No data available

: Dermal

Result : May cause sensitisation by skin contact.

Remarks : Causes sensitisation.

ANETHOLE:

Exposure routes : Inhalation

Remarks : No data available

Dermal

Result : May cause sensitisation by skin contact.

Remarks : Causes sensitisation.

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

Sodium Fluoride:

Effects on fertility : Remarks: No data available

Effects on foetal develop: Remarks: No data available

ment

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03.11.2017

 1.2
 10.02.2020
 660000002766
 Date of first issue: 03.11.2017

Remarks : This product has not been tested as a whole. However, this

formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the

statements in Section 2 of the SDS.

Section 12: Ecological information

Ecotoxicity

Components:

amorphous silica or silicates:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 10,000 mg/l

Exposure time: 72 h

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

No data available:

SODIUM LAURYL SULFATE:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.62 mg/l

Exposure time: 96 h Method: static test Remarks: mortality

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 3.15 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

LC50 (Chlamydomonas reinhardtii (green algae)): 18.8 mg/l

Exposure time: 72 h

Sodium Fluoride:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): > 500



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Revision Date: Date of last issue: 03.11.2017 Version SDS Number: 1.2 10.02.2020 Date of first issue: 03.11.2017 660000002766

mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Crangon crangon (shrimp)): > 300 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Selenastrum capricornutum (green algae)): 272 mg/l

Exposure time: 96 h

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

No data available:

TRANS-MENTHONE:

Toxicity to fish Remarks: No data available

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 30.6 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

No data available:

ANETHOLE:

Toxicity to daphnia and other :

aquatic invertebrates

(Daphnia magna (Water flea)): 5 mg/l

Exposure time: 48 h

Persistence and degradability

Components:

amorphous silica or silicates:

Biodegradability Remarks: Not applicable

SODIUM LAURYL SULFATE:

Biodegradability Result: Readily biodegradable.

Sodium Fluoride:



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03.11.2017

 1.2
 10.02.2020
 660000002766
 Date of first issue: 03.11.2017

Biodegradability : Remarks: Not applicable

TRANS-MENTHONE:

Biodegradability : Result: Not readily biodegradable.

ANETHOLE:

Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

Components:

amorphous silica or silicates:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

log Pow: 0.53

Sodium Fluoride:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

: Remarks: No data available

TRANS-MENTHONE:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

: log Pow: 2.87

Mobility in soil
No data available

Other adverse effects

Product:

Additional ecological infor-

: No data available

mation

Section 13: Disposal considerations

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with chemi-



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03.11.2017

 1.2
 10.02.2020
 660000002766
 Date of first issue: 03.11.2017

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Section 14: Transport information

ADG (Australian Dangerous

Goods) 7.6

Not regulated.

NZS (New Zealand's Standards) :

5433

Not regulated.

IATA :

Not regulated.

IMDG :

Not regulated.

ADR :

Not regulated.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand Medicines and Medical Devices Safety Authority Number: TT50-5697/8a

Section 16: Other information

Date format : dd.mm.yyyy



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 03.11.2017
1.2 10.02.2020 660000002766 Date of first issue: 03.11.2017

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
NZ BEI : New Zealand. Biological Exposure Indices

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospher-

ic Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / EN