

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.03.2024

 1.4
 30.09.2024
 660000019666
 Date of first issue: 23.11.2023

Section 1: Identification

Product name : Colgate Optic White Stain Fighter Enamel Care Toothpaste

Gentle Mint

Product code : B05413880000

200000070427

Manufacturer or supplier's details

Address : Colgate-Palmolive Ltd

105 Carlton Gore Rd

Newmarket

Auckland 1023, New Zealand

Telephone : CONSUMER AFFAIRS: - NZ 0800 441 740 (Mon – Fri 9 - 7)

Emergency telephone number : CHEMTREC New Zealand +(64)-98010034

Global-CHEMTREC- +1 703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : Dentifrice.

Section 2: Hazard identification

GHS Classification

Skin corrosion/irritation : Category 2

Serious eye damage/eye irri-

tation

Category 2

GHS label elements

Hazard pictograms

Signal word : Warning

Hazard statements : H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements : Prevention:



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.03.2024

 1.4
 30.09.2024
 660000019666
 Date of first issue: 23.11.2023

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/ atten-

tion.

P337 + P313 If eye irritation persists: Get medical advice/ at-

tention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Components

Chemical name	CAS-No.	Concentration (% w/w)	
Propylene Glycol	57-55-6	>= 30 -< 40	
Glycerin	56-81-5	>= 5 -< 10	
Fumed Silica	112945-52-5	>= 3 -< 5	
TETRASODIUM PYROPHOSPHATE	7722-88-5	>= 1 -< 3	
SODIUM LAURYL SULFATE	151-21-3	>= 1 -< 3	
SODIUM MONOFLUOROPHOSPHATE	7631-97-2	>= 1 -< 3	
L-MENTHOL	2216-51-5	>= 1 -< 3	
HYDROGEN PEROXIDE	7722-84-1	>= 1 -< 3	
DISODIUM PYROPHOSPHATE	7758-16-9	>= 0.1 -< 1	
Anethole	104-46-1	>= 0.1 -< 1	
METHYL SALICYLATE	119-36-8	>= 0.1 -< 1	
TRANS-MENTHONE	89-80-5	>= 0.1 -< 1	
EUCALYPTOL	470-82-6	>= 0.1 -< 1	

Section 4: First-aid measures

General advice : If poisoning occurs, immediately contact a doctor or Poisons

Information Centre (Phone Australia 131126; New Zealand

0800 764 766), and follow the advice given.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.03.2024

 1.4
 30.09.2024
 660000019666
 Date of first issue: 23.11.2023

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Administer milk but do not induce vomiting.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

Most important symptoms and effects, both acute and

delayed

Causes skin irritation.

Causes serious eye irritation.

Notes to physician : Treat symptomatically.

Section 5: Fire-fighting measures

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

No hazardous combustion products are known

Specific extinguishing meth-

ods

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.03.2024

 1.4
 30.09.2024
 660000019666
 Date of first issue: 23.11.2023

Section 6: Accidental release measures

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Keep in suitable, closed containers for disposal.

Section 7: Handling and storage

Advice on protection against :

fire and explosion

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.03.2024

 1.4
 30.09.2024
 660000019666
 Date of first issue: 23.11.2023

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propylene Glycol	57-55-6	WES-TWA (particulate)	10 mg/m3	NZ OEL
		WES-TWA (Vapour and particulates)	150 ppm 474 mg/m3	NZ OEL
Glycerin	56-81-5	WES-TWA (Mist)	10 mg/m3	NZ OEL
TETRASODIUM PYROPHOSPHATE	7722-88-5	WES-TWA	5 mg/m3	NZ OEL
HYDROGEN PEROXIDE	7722-84-1	WES-TWA	1 ppm 1.4 mg/m3	NZ OEL
		TWA	1 ppm	ACGIH
		TWA	1 ppm	ACGIH

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Choose body protection according to the amount and con-

centration of the dangerous substance at the work place.

Section 9: Physical and chemical properties

Appearance : paste

Colour : white

Odour : No data available

pH : 7.4 - 8.4



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.4 Revision Date: 30.09.2024

SDS Number: 660000019666

Date of last issue: 12.03.2024 Date of first issue: 23.11.2023

Melting point/ range

No data available

Boiling point/boiling range

No data available

Flash point

: No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : No data available

Solubility(ies)

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Particle characteristics

Particle size : No data available

Section 10: Stability and reactivity

Reactivity : No decomposition if stored and applied as directed.

Chemical stability: No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : No data available



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.03.2024

 1.4
 30.09.2024
 660000019666
 Date of first issue: 23.11.2023

Incompatible materials : Not applicable

Hazardous decomposition

products

No hazardous decomposition products are known.

Section 11: Toxicological information

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

Propylene Glycol:

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Fumed Silica:

Acute oral toxicity : LD50 (Rat): 3,160 mg/kg

Method: No information available.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

TETRASODIUM PYROPHOSPHATE:

Acute oral toxicity : LD50 (Rat): 1,624 mg/kg

Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rabbit): > 0.58 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.03.2024

 1.4
 30.09.2024
 660000019666
 Date of first issue: 23.11.2023

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

SODIUM LAURYL SULFATE:

Acute oral toxicity : LD50 (Rat): 977 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

SODIUM MONOFLUOROPHOSPHATE:

Acute oral toxicity : LD50 (Rat): 888 mg/kg

Method: No information available.

Acute inhalation toxicity : LC50 (Rabbit): 1.5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Acute toxicity estimate

Acute dermal toxicity : LD50 (Rabbit): 1,100 mg/kg

Method: Acute toxicity estimate

L-MENTHOL:

Acute oral toxicity : LD50 (Rat): 3,400 mg/kg

Acute inhalation toxicity : Remarks: No data available

HYDROGEN PEROXIDE:

Acute oral toxicity : LD50 (Rat): 1,026 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC0 (Rat): > 0.17 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Remarks: Harmful by inhalation.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.03.2024

 1.4
 30.09.2024
 660000019666
 Date of first issue: 23.11.2023

DISODIUM PYROPHOSPHATE:

Acute oral toxicity : LD50 (Mouse): 2,650 mg/kg

Method: No information available.

Acute inhalation toxicity : LC50 (Rabbit): > 0.58 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: OPPTS 870.1300

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

Anethole:

Acute oral toxicity : LD50 (Rat): 3,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

METHYL SALICYLATE:

Acute oral toxicity : LD50 (Rat): 890 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Method: No information available.

TRANS-MENTHONE:

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Method: No information available.

EUCALYPTOL:

Acute oral toxicity : LD50 (Rat): 2,480 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: No information available.

Skin corrosion/irritation

Causes skin irritation.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.03.2024

 1.4
 30.09.2024
 660000019666
 Date of first issue: 23.11.2023

Components:

Propylene Glycol:

Result : No skin irritation

Glycerin:

Result : No skin irritation

Fumed Silica:

Result : Severe skin irritation

TETRASODIUM PYROPHOSPHATE:

Result : No skin irritation

Remarks : May cause skin irritation in susceptible persons.

SODIUM LAURYL SULFATE:

Species : Rabbit Exposure time : 24 h Assessment : irritating

Method : OECD Test Guideline 404

Result : irritating

SODIUM MONOFLUOROPHOSPHATE:

Result : Severe skin irritation

Remarks : May cause skin irritation in susceptible persons.

L-MENTHOL:

Result : May irritate skin.

HYDROGEN PEROXIDE:

Species : Rabbit Exposure time : 4 h

Method : OECD Test Guideline 404

Result : Corrosive after 3 minutes or less of exposure

DISODIUM PYROPHOSPHATE:

Result : Mild skin irritation

Anethole:

Result : Mild skin irritation



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.03.2024

 1.4
 30.09.2024
 660000019666
 Date of first issue: 23.11.2023

Remarks : May cause skin irritation and/or dermatitis.

METHYL SALICYLATE:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Mild skin irritation

TRANS-MENTHONE:

Result : Irritating to skin.

EUCALYPTOL:

Result : No eye irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Propylene Glycol:

Result : No eye irritation

Glycerin:

Result : No eye irritation

Fumed Silica:

Result : Irritation to eyes, reversing within 21 days

TETRASODIUM PYROPHOSPHATE:

Result : Irritation to eyes, reversing within 21 days

Remarks : May cause irreversible eye damage.

SODIUM LAURYL SULFATE:

Result : Irreversible effects on the eye

Remarks : May cause irreversible eye damage.

SODIUM MONOFLUOROPHOSPHATE:

Result : Irritation to eyes, reversing within 21 days

Remarks : May cause irreversible eye damage.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.03.2024

 1.4
 30.09.2024
 660000019666
 Date of first issue: 23.11.2023

L-MENTHOL:

Remarks : May cause irreversible eye damage.

HYDROGEN PEROXIDE:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

DISODIUM PYROPHOSPHATE:

Result : Irritation to eyes, reversing within 21 days

Anethole:

Result : No eye irritation

Remarks : Vapours may cause irritation to the eyes, respiratory system

and the skin.

METHYL SALICYLATE:

Species : Rabbit
Result : Eye irritation
Assessment : irritating

TRANS-MENTHONE:

Result : No eye irritation

EUCALYPTOL:

Result : Mild eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Propylene Glycol:

Exposure routes : Inhalation

Remarks : No data available

Exposure routes : Dermal



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.03.2024

 1.4
 30.09.2024
 660000019666
 Date of first issue: 23.11.2023

Result : Does not cause skin sensitisation.

Glycerin:

Exposure routes : Inhalation

Remarks : No data available

Exposure routes : Dermal

Result : Does not cause skin sensitisation.

Fumed Silica:

Exposure routes : Inhalation

Result : Does not cause respiratory sensitisation.

Exposure routes : Dermal

Result : Does not cause skin sensitisation.

TETRASODIUM PYROPHOSPHATE:

Exposure routes : Inhalation

Result : Does not cause respiratory sensitisation.

Exposure routes : Dermal

Result : Does not cause skin sensitisation.

SODIUM LAURYL SULFATE:

Exposure routes : Inhalation

Remarks : No data available

Exposure routes : Dermal

Result : Does not cause skin sensitisation.

SODIUM MONOFLUOROPHOSPHATE:

Exposure routes : Inhalation

Result : Does not cause respiratory sensitisation.

Exposure routes : Dermal

Result : Does not cause skin sensitisation.

L-MENTHOL:

Exposure routes : Inhalation

Remarks : No data available

Exposure routes : Dermal

Result : Does not cause skin sensitisation.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.03.2024

 1.4
 30.09.2024
 660000019666
 Date of first issue: 23.11.2023

HYDROGEN PEROXIDE:

Exposure routes : Dermal Species : Guinea pig

Result : Does not cause skin sensitisation.

Exposure routes : inhalation (vapour)

Species : Mouse

Result : Does not cause respiratory sensitisation.

DISODIUM PYROPHOSPHATE:

Exposure routes : Inhalation

Result : Does not cause respiratory sensitisation.

Exposure routes : Dermal

Result : Does not cause skin sensitisation.

Anethole:

Exposure routes : Inhalation

Remarks : No data available

Exposure routes : Dermal

Result : The product is a skin sensitiser, sub-category 1B.

Remarks : Causes sensitisation.

METHYL SALICYLATE:

Exposure routes : Inhalation

Remarks : No data available

Exposure routes : Dermal

Remarks : No data available

TRANS-MENTHONE:

Exposure routes : Inhalation

Remarks : No data available

Exposure routes : Dermal

Result : May cause sensitisation by skin contact.

EUCALYPTOL:

Exposure routes : Inhalation

Remarks : No data available

Exposure routes : Dermal

Result : May cause sensitisation by skin contact.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 12.03.2024 30.09.2024 660000019666 Date of first issue: 23.11.2023 1.4

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

SODIUM LAURYL SULFATE:

Genotoxicity in vitro Test Type: reverse mutation assay

Test system: Escherichia coli

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo Test Type: dominant lethal test

Species: Mouse (male and female)

Application Route: Oral

Method: OECD Test Guideline 478

Result: negative

METHYL SALICYLATE:

Genotoxicity in vitro Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Result: negative

Genotoxicity in vivo Test Type: in vivo assay

> Species: Mouse Application Route: Oral

Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

METHYL SALICYLATE:

sessment

Reproductive toxicity - As- : Suspected of damaging fertility or the unborn child.

STOT - single exposure

Not classified based on available information.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.03.2024

 1.4
 30.09.2024
 660000019666
 Date of first issue: 23.11.2023

Components:

HYDROGEN PEROXIDE:

Exposure routes : Inhalation

Target Organs : Respiratory system

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

SODIUM LAURYL SULFATE:

Species : Rat

488 mg/kg

Application Route : Oral

Species : Mouse

488 mg/kg

Application Route : Dermal

METHYL SALICYLATE:

Species : Rat NOAEL : 50 mg/kg Application Route : Oral

Species : Rat

NOEC : 700 mg/l

Application Route : Inhalation

Test atmosphere : vapour

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : This product has not been tested as a whole. However, this

formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a com-

ponent of the hazard determination used to prepare the

statements in Section 2 of the SDS.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: 30.09.2024

SDS Number: 660000019666

Date of last issue: 12.03.2024 Date of first issue: 23.11.2023

Section 12: Ecological information

Ecotoxicity

Components:

Propylene Glycol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): 18,880 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 19,000

mg/l

Exposure time: 96 h

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

No data available:

Glycerin:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

Remarks: No data available

Fumed Silica:

Toxicity to fish : (Brachydanio rerio (zebrafish)): > 10,000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

(Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 24 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to fish (Chronic tox- : No data available:



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.4

Revision Date: 30.09.2024

SDS Number: 660000019666 Date of last issue: 12.03.2024 Date of first issue: 23.11.2023

icity)

Toxicity to daphnia and other : No data available: aquatic invertebrates (Chron-

ic toxicity)

TETRASODIUM PYROPHOSPHATE:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

No data available:

SODIUM LAURYL SULFATE:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 4.62 mg/l

Exposure time: 96 h Method: static test Remarks: mortality

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 3.15 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

LC50 (Chlamydomonas reinhardtii (green algae)): 18.8 mg/l

Exposure time: 72 h

SODIUM MONOFLUOROPHOSPHATE:

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia (water flea)): > 100 mg/l

Exposure time: 48 h

L-MENTHOL:

LC50: 10 mg/l Toxicity to fish

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other : No data available:



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 12.03.2024 30.09.2024 660000019666 Date of first issue: 23.11.2023 1.4

aquatic invertebrates (Chronic toxicity)

HYDROGEN PEROXIDE:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 16.4 mg/l

aquatic invertebrates

Toxicity to daphnia and other : LC50 (Daphnia pulex (Water flea)): 2.4 mg/l

Exposure time: 24 h

Toxicity to algae/aquatic

plants

NOEC (Marine Diatom): 0.63 mg/l

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.63 mg/l

DISODIUM PYROPHOSPHATE:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 840 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

No data available:

Anethole:

Toxicity to fish LC50 (Fish): 5 mg/l

Exposure time: 96 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Fish): > 2 mg/l

Test substance: No data available

METHYL SALICYLATE:

LC50 (Danio rerio (zebra fish)): 19.8 mg/l Toxicity to fish

Exposure time: 96 h



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 12.03.2024 30.09.2024 660000019666 Date of first issue: 23.11.2023 1.4

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna Straus): 28 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

NOEC: 6.25 mg/l Exposure time: 72 h

Test Type: static test

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

No data available:

TRANS-MENTHONE:

Toxicity to fish LC50 (Fish): 10 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to fish (Chronic tox-

icity)

NOEC (Fish): 100 mg/l Exposure time: 96 h

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

No data available:

EUCALYPTOL:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna Straus): > 100 mg/l

Exposure time: 48 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Fish): 32 mg/l

Persistence and degradability

Components:

Propylene Glycol:

Biodegradability Result: Readily biodegradable.

Glycerin:

Biodegradability Result: Readily biodegradable.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.03.2024

 1.4
 30.09.2024
 660000019666
 Date of first issue: 23.11.2023

Fumed Silica:

Biodegradability : Remarks: Not applicable

TETRASODIUM PYROPHOSPHATE:

Biodegradability : Remarks: Not applicable

SODIUM LAURYL SULFATE:

Biodegradability : Result: Readily biodegradable.

SODIUM MONOFLUOROPHOSPHATE:

Biodegradability : Remarks: Not applicable

L-MENTHOL:

Biodegradability : Result: Readily biodegradable.

HYDROGEN PEROXIDE:

Biodegradability : Remarks: Not applicable

DISODIUM PYROPHOSPHATE:

Biodegradability : Remarks: Not applicable

Anethole:

Biodegradability : Result: Readily biodegradable.

METHYL SALICYLATE:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 98 % Exposure time: 28 d

TRANS-MENTHONE:

Biodegradability : Result: Not readily biodegradable.

EUCALYPTOL:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

Propylene Glycol:

Bioaccumulation : Bioconcentration factor (BCF): < 100



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.03.2024

 1.4
 30.09.2024
 660000019666
 Date of first issue: 23.11.2023

Glycerin:

Bioaccumulation : Remarks: No data available

Fumed Silica:

Bioaccumulation : Bioconcentration factor (BCF): 3.16

Partition coefficient: n-

octanol/water

log Pow: 0.53

TETRASODIUM PYROPHOSPHATE:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

Remarks: No data available

L-MENTHOL:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

: log Pow: 3.13

HYDROGEN PEROXIDE:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

: log Pow: -1.57

DISODIUM PYROPHOSPHATE:

Bioaccumulation : Bioconcentration factor (BCF): 3.16

Partition coefficient: n-

octanol/water

log Pow: -6.77

METHYL SALICYLATE:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

: log Pow: 2.6

TRANS-MENTHONE:

Bioaccumulation : Remarks: No data available



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.03.2024

 1.4
 30.09.2024
 660000019666
 Date of first issue: 23.11.2023

Partition coefficient: n-

octanol/water

: log Pow: 2.87

EUCALYPTOL:

Bioaccumulation : Bioconcentration factor (BCF): 83.0 - 125

Partition coefficient: n-

octanol/water

: log Pow: 3.13

Mobility in soil

No data available

Other adverse effects

Components:

TETRASODIUM PYROPHOSPHATE:

Additional ecological infor-

mation

No data available

Section 13: Disposal considerations

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Section 14: Transport information

ADG (Australian Dangerous

Goods) 7.8

Not regulated

NZS (New Zealand's Standards) :

5433

Not regulated

IATA :



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.03.2024

 1.4
 30.09.2024
 660000019666
 Date of first issue: 23.11.2023

Not regulated

IMDG

Not regulated

IMDG EmS Number : Not applicable.

ADR :

Not regulated

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mix-

HSNO Approval Number

HSR002558

Dental Products (Subsidiary Hazard) Group Standard 2020

Tolerable Exposure Limits (TEL)

Not applicable

Environmental Exposure Limits (EEL)

Not applicable

The components of this product are reported in the following inventories:

AIIC : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

Section 16: Other information

Revision Date : 30.09.2024

Date format : dd.mm.yyyy

Full text of other abbreviations



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12.03.2024

 1.4
 30.09.2024
 660000019666
 Date of first issue: 23.11.2023

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospher-

ic Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals: ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / EN