

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 19.04.2021

 1.1
 01.11.2021
 660000013357
 Date of first issue: 19.04.2021

**Section 1: Identification** 

Product name : Colgate Optic White Teeth Whitening Treatment 6% HP

Product code : B05494590001

200000063799

Manufacturer or supplier's details

Address : Colgate-Palmolive Ltd.

Level 4, 45 Knights Road, Lower Hutt P.O.Box 38077, Wellington Mail centre

Wellington, 5045, New Zealand.

Telephone

CONSUMER AFFAIRS: - NZ 0800 441 740 (Mon - Fri 9 - 7)

Emergency telephone number : Global-CHEMTREC- +1 703-741-5970

CHEMTREC New Zealand +(64)-98010034

Recommended use of the chemical and restrictions on use

Recommended use : Tooth whitening

### Section 2: Hazard identification

**GHS Classification** 

Flammable liquids Category 2

Skin irritation Category 2

Serious eye damage/eye irri-

tation

Category 1

**GHS** label elements

Hazard pictograms





Signal word : Danger



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 19.04.2021

 1.1
 01.11.2021
 660000013357
 Date of first issue: 19.04.2021

Hazard statements : H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking. P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting equip-

ment.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediate-

ly all contaminated clothing. Rinse skin with water.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/ doctor.

P332 + P313 If skin irritation occurs: Get medical advice/ atten-

tion.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

## Other hazards which do not result in classification

None known.

## Section 3: Composition/information on ingredients

### Components

Chemical name	CAS-No.	Concentration (% w/w)
ETHANOL (ETHYL ALCOHOL)	64-17-5	>= 70 -<= 80
HYDROGEN PEROXIDE	7722-84-1	>= 5 -< 10

#### Section 4: First-aid measures

General advice : If poisoning occurs, immediately contact a doctor or Poisons

Information Centre (Phone Australia 131126; New Zealand

0800 764 766), and follow the advice given.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 19.04.2021

 1.1
 01.11.2021
 660000013357
 Date of first issue: 19.04.2021

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Immediate medical treatment is necessary as untreated

wounds from corrosion of the skin heal slowly and with difficul-

ty.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

Most important symptoms and effects, both acute and

delayed

Causes serious eye damage.

Causes severe burns.

Notes to physician : Treat symptomatically.

## Section 5: Fire-fighting measures

Suitable extinguishing media : Alcohol-resistant foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

No hazardous combustion products are known

Specific extinguishing meth-

ods

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 19.04.2021

 1.1
 01.11.2021
 660000013357
 Date of first issue: 19.04.2021

be disposed of in accordance with local regulations.

For safety reasons in case of fire, cans should be stored sepa-

rately in closed containments.

Use a water spray to cool fully closed containers.

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

#### Section 6: Accidental release measures

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

## Section 7: Handling and storage

Advice on protection against : fire and explosion

Do not spray on a naked flame or any incandescent material.

Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapours).

Use only explosion-proof equipment.

Keep away from open flames, hot surfaces and sources of

ignition.

Advice on safe handling : Avoid formation of aerosol.

Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national

regulations.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 19.04.2021

 1.1
 01.11.2021
 660000013357
 Date of first issue: 19.04.2021

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

Conditions for safe storage : No smoking.

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

### Section 8: Exposure controls/personal protection

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ETHANOL (ETHYL ALCOHOL)	64-17-5	WES-TWA	1,000 ppm 1,880 mg/m3	NZ OEL
		STEL	1,000 ppm	ACGIH
HYDROGEN PEROXIDE	7722-84-1	WES-TWA	1 ppm 1.4 mg/m3	NZ OEL
		TWA	1 ppm	ACGIH
		TWA	1 ppm	ACGIH

## Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 19.04.2021

 1.1
 01.11.2021
 660000013357
 Date of first issue: 19.04.2021

## Section 9: Physical and chemical properties

Appearance : liquid

Colour : colourless

pH : No data available

Flash point : 20 °C

#### Section 10: Stability and reactivity

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac- :

tions

No decomposition if stored and applied as directed.

Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Not applicable

## **Section 11: Toxicological information**

#### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

**Components:** 

**HYDROGEN PEROXIDE:** 

Acute oral toxicity : LD50 (Rat): 1,026 mg/kg



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 19.04.2021

 1.1
 01.11.2021
 660000013357
 Date of first issue: 19.04.2021

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC0 (Rat): > 0.17 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Remarks: Harmful by inhalation.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

#### Skin corrosion/irritation

Causes skin irritation.

## **Components:**

# **ETHANOL (ETHYL ALCOHOL):**

Result : No skin irritation

## **HYDROGEN PEROXIDE:**

Species : Rabbit Exposure time : 4 h

Method : OECD Test Guideline 404

Result : Corrosive after 3 minutes or less of exposure

## Serious eye damage/eye irritation

Causes serious eye damage.

## **Components:**

## ETHANOL (ETHYL ALCOHOL):

Species : Rabbit

Result : Moderate eye irritation

#### **HYDROGEN PEROXIDE:**

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

## Respiratory or skin sensitisation

## Skin sensitisation

Not classified based on available information.

## Respiratory sensitisation

Not classified based on available information.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 19.04.2021

 1.1
 01.11.2021
 660000013357
 Date of first issue: 19.04.2021

#### **Components:**

## **ETHANOL (ETHYL ALCOHOL):**

Exposure routes : Inhalation

Remarks : No data available

Dermal

Result : Does not cause skin sensitisation.

## **HYDROGEN PEROXIDE:**

Exposure routes : Dermal Species : Guinea pig

Result : Does not cause skin sensitisation.

: inhalation (vapour)

Mouse

Does not cause respiratory sensitisation.

## **Chronic toxicity**

## Germ cell mutagenicity

Not classified based on available information.

## Carcinogenicity

Not classified based on available information.

# Reproductive toxicity

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

#### **Components:**

#### **HYDROGEN PEROXIDE:**

Exposure routes : Inhalation

Target Organs : Respiratory system

Assessment : May cause respiratory irritation.

#### STOT - repeated exposure

Not classified based on available information.

#### **Aspiration toxicity**

Not classified based on available information.

## **Further information**

#### **Product:**

Remarks : This product has not been tested as a whole. However, this

formula was reviewed by expert toxicologists in the Product



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.1

**Revision Date:** 01.11.2021

SDS Number: 660000013357 Date of last issue: 19.04.2021 Date of first issue: 19.04.2021

Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the statements in Section 2 of the SDS.

## **Section 12: Ecological information**

## **Ecotoxicity**

#### **Components:**

# **ETHANOL (ETHYL ALCOHOL):**

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

No data available:

### **HYDROGEN PEROXIDE:**

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 16.4 mg/l

Toxicity to daphnia and other : LC50 (Daphnia pulex (Water flea)): 2.4 mg/l

Exposure time: 24 h

aquatic invertebrates

Toxicity to algae/aquatic

plants

NOEC (Marine Diatom): 0.63 mg/l

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.63 mg/l

## Persistence and degradability

## **Components:**

## ETHANOL (ETHYL ALCOHOL):

Biodegradability Result: Readily biodegradable.

#### **HYDROGEN PEROXIDE:**

Biodegradability Remarks: Not applicable



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.1

Revision Date: 01.11.2021

SDS Number: 660000013357

Date of last issue: 19.04.2021 Date of first issue: 19.04.2021

## **Bioaccumulative potential**

## **Components:**

## **ETHANOL (ETHYL ALCOHOL):**

Bioaccumulation : Bioconcentration factor (BCF): 1

Partition coefficient: n-

octanol/water

log Pow: -0.14

#### **HYDROGEN PEROXIDE:**

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

: log Pow: -1.57

#### Mobility in soil

No data available

## Other adverse effects

No data available

# Section 13: Disposal considerations

## **Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

## **Section 14: Transport information**

**ADG (Australian Dangerous** 

Goods) 7.7

:

UN 1170 ETHANOL SOLUTION, 3, II.

Hazchem code: •2YE Index number: 33

NZS (New Zealand's Standards) :

5433



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 19.04.2021

 1.1
 01.11.2021
 660000013357
 Date of first issue: 19.04.2021

UN 1170 ETHANOL SOLUTION, 3, II.

Hazchem code: •2YE Index number: 33

IATA

UN 1170 Ethanol solution, 3, II.

IMDG

UN 1170 ETHANOL SOLUTION, 3, II (20°C c.c.)

IMDG EmS Number: F-E, S-D

ADR :

UN 1170 ETHANOL SOLUTION, 3, II.

## **Section 15: Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **HSNO Approval Number**

HSR002556

Dental Products (Flammable) Group Standard 2020

## The components of this product are reported in the following inventories:

AICS : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

## **Section 16: Other information**

Date format : dd.mm.yyyy

#### Full text of other abbreviations



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 19.04.2021

 1.1
 01.11.2021
 660000013357
 Date of first issue: 19.04.2021

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospher-

ic Contaminants

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide: GHS - Globally Harmonized System: GLP - Good Laboratory Practice: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet: TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS -Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / EN