

Version	Revision Date:	SDS Number:	Date of last issue: 31.10.2019
1.3	11.02.2020	66000006031	Date of first issue: 28.05.2018

Section 1: Identification

Product name	:	Savacol Antiseptic Mouth And Throat Rinse Mint
Product code		B06701120001 200000022821
Manufacturer or supplier's de	eta	ils
Address	:	Colgate-Palmolive Ltd. Level 4, 45 Knights Road, Lower Hutt P.O.Box 38077, Wellington Mail centre Wellington, 5045, New Zealand.
Telephone	:	CONSUMER AFFAIRS: - NZ 0800 441 740 (Mon – Fri 9 - 7)
Emergency telephone number	:	CHEMTREC New Zealand +(64)-98010034 Global-CHEMTREC- +1 703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use	: A formulated mouth wash

Section 2: Hazard identification

GHS Classification Flammable liquids	Category 3
Serious eye damage/eye irri- tation	Category 2A
GHS label elements Hazard pictograms	
Signal word	: Warning
Hazard statements	 H226 Flammable liquid and vapour. H319 Causes serious eye irritation.
Precautionary statements	 Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.



ersion .3	Revision Date: 11.02.2020	SDS Number: 66000006031	Date of last issue: 31.10.2019 Date of first issue: 28.05.2018
		P240 Ground/k P241 Use expl ment. P242 Use only P243 Take pre P264 Wash sk	ntainer tightly closed. bond container and receiving equipment. losion-proof electrical/ventilating/lighting equip r non-sparking tools. ecautionary measures against static discharge. in thoroughly after handling. otective gloves/ eye protection/face protection.
		immediately all shower. P305 + P351 + for several min easy to do. Co P337 + P313 li tention. P370 + P378 li	 P353 IF ON SKIN (or hair): Remove/ Take off I contaminated clothing. Rinse skin with water/ P338 IF IN EYES: Rinse cautiously with water outes. Remove contact lenses, if present and ntinue rinsing. f eye irritation persists: Get medical advice/ at- n case of fire: Use dry sand, dry chemical or nt foam for extinction.
		Storage:	
		P403 + P235 S	Store in a well-ventilated place. Keep cool.
		Disposal:	
		P501 Dispose disposal plant.	of contents/ container to an approved waste
	r hazards which do r known.	ot result in classifica	tion

Section 3: Composition/information on ingredients

Components

Chemical name	CAS-No.	Concentration (% w/w)
ETHANOL (ETHYL ALCOHOL)	64-17-5	>= 10 -< 20

General advice	:	If poisoning occurs, immediately contact a doctor or Poisons Information Centre (Phone Australia 131126; New Zealand 0800 764 766), and follow the advice given.
lf inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If on skin, rinse well with water.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.3	Revision Date: 11.02.2020		DS Number: 0000006031	Date of last issue: 31.10.2019 Date of first issue: 28.05.2018			
In case of eye contact		:	 If on clothes, remove clothes. Immediately flush eye(s) with plenty of water. Remove contact lenses. 				
			Protect unharmed Keep eye wide op If eye irritation pe				
If swallowed		:	Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.				
Most important symptoms and effects, both acute and delayed		:	Causes serious e	ye irritation.			

Section 5: Fire-fighting measures

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored sepa- rately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.

Section 6: Accidental release measures

Personal precautions, protec-	:	Use personal protective equipment.
tive equipment and emer-		Remove all sources of ignition.
gency procedures		Evacuate personnel to safe areas.
		Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.
		lions. Vapours can accumulate in low areas.



Versio 1.3	on Revision Date: 11.02.2020		0S Number: 0000006031	Date of last issue: 31.10.2019 Date of first issue: 28.05.2018	
E	Environmental precautions		Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.		
	Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible ab- sorbent material, (e.g. sand, earth, diatomaceous earth, ver- miculite) and place in container for disposal according to local / national regulations (see section 13).		
Section	on 7: Handling and storage				
	Advice on protection against ire and explosion	:	Take necessary a (which might caus	naked flame or any incandescent material. ction to avoid static electricity discharge se ignition of organic vapours). open flames, hot surfaces and sources of	
A	Advice on safe handling	:	Smoking, eating a plication area. Take precautiona Provide sufficient Open drum carefu	pours/dust.	
F	lygiene measures	:	When using do no When using do no Wash hands befo		
C	Conditions for safe storage	:	place. Containers which kept upright to pre Observe label pre	cautions. ions / working materials must comply with safety standards.	
	Further information on stor- ige stability	:	No decompositior	if stored and applied as directed.	

APJ



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 31.10.2019
1.3	11.02.2020	66000006031	Date of first issue: 28.05.2018

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
ETHANOL (ETHYL ALCOHOL)	64-17-5	WES-TWA	1,000 ppm 1,880 mg/m3	NZ OEL
		STEL	1,000 ppm	ACGIH
Personal protective equipme	nt			
Respiratory protection	: No personal quired.	respiratory prote	ctive equipment norm	nally re-
Hand protection				
Remarks		ty for a specific w ducers of the prot	orkplace should be di ective gloves.	iscussed
Eye protection	Tightly fitting	ottle with pure wa g safety goggles hield and protecti	ter ve suit for abnormal p	processing
Skin and body protection		y protection acco	rding to the amount a ubstance at the work	

Section 9: Physical and chemical properties

Appearance	:	liquid
Colour	:	green
рН	:	6.0
Flash point	:	41 °C

Section 10: Stability and reactivity

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.3	Revision Date: 11.02.2020		S Number: 0000006031	Date of last issue: 31.10.2019 Date of first issue: 28.05.2018
Poss tions	ibility of hazardous reac-	:		on if stored and applied as directed. m explosive mixture with air.
Conc	litions to avoid	:	Heat, flames and	d sparks.

Section 11: Toxicological information

Acute toxicity

Not classified based on available information.

Components:

ETHANOL (ETHYL ALCOHOL):							
Acute oral toxicity	:	LD50 (Rat): 10,470 mg/kg					
Acute inhalation toxicity	:	LC50 (Rabbit): 124.7 mg/l Exposure time: 4 h Test atmosphere: No information available. Method: No information available.					
Acute dermal toxicity	:	LD50 (Rat): > 15,800 mg/kg Method: No information available.					

Skin corrosion/irritation

Not classified based on available information.

Components:

ETHANOL (ETHYL ALCOHOL):

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

ETHANOL (ETHYL ALCOHOL):

Species	:	Rabbit
Result	:	Moderate eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 31.10.2019
1.3	11.02.2020	66000006031	Date of first issue: 28.05.2018

Components:

ETHANOL (ETHYL ALCOHO	L):	
Exposure routes	:	Inhalation
Remarks	:	No data available
Result	:	Dermal Does not cause skin sensitisation.

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks

: This product has not been tested as a whole. However, this formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the statements in Section 2 of the SDS.

Section 12: Ecological information

Ecotoxicity

Components:

ETHANOL (ETHYL ALCOHOL):

1

Toxicity to fish

LC50 (Pimephales promelas (fathead minnow)): 14.2 mg/l Exposure time: 96 h



sion	Revision Date: 11.02.2020		0S Number: 0000006031	Date of last issue: 31.10.2019 Date of first issue: 28.05.2018
Toxicit aquati	y to daphnia and other c invertebrates	:	EC50 (Daphnia m Exposure time: 44	nagna Straus): 5,012 mg/l 3 h
Toxicit plants	y to algae/aquatic	:	EC50 (Desmodes Exposure time: 72	smus subspicatus (green algae)): > 100 m 2 h
Toxicit icity)	y to fish (Chronic tox-	:	No data available	:
	y to daphnia and other c invertebrates (Chron- city)	:	No data available	:
Persis	stence and degradabili	ity		
<u>Comp</u>	onents:			
	NOL (ETHYL ALCOHO gradability	• L): :	Result: Readily bi	odegradable.
Bioac	cumulative potential			
Comp	onents:			
	NOL (ETHYL ALCOHO)L):		
	cumulation	:	Bioconcentration	factor (BCF): 1
	on coefficient: n- l/water	:	log Pow: -0.14	
	ty in soil a available			
Other	adverse effects			
	ct:			
Produ		:	An environmental	hazard cannot be excluded in the event of

Disposal methods		
Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Send to a licensed waste management company.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.3	Revision Date: 11.02.2020	SDS Number: 66000006031	Date of last issue: 31.10.2019 Date of first issue: 28.05.2018	
Co	ntaminated packaging	Do not re-use	ng contents. unused product. empty containers. r use a cutting torch on, the empty drum.	
Section	14: Transport information	on		
	G (Australian Dangerous ods) 7.6		lated (As per Special provision 144)	
NZ 543	S (New Zealand's Standa 33	n rds) : Not regu	ated.	
ΤΑΙ	A	:		
		Not Reg	lated (As per Special provision A58)	
IMI	DG	:		
		Not Reg	ulated (As per Special provision 144)	
AD	R	:		
		Not Reg	lated (As per Special provision 144)	

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mix-ture

New Zealand Medicines and Medical Devices Safety Authority Number : TT50-3165/1

Section 16: Other information					
Date format	: dd.mm.yyyy				
Full text of other abbreviations					
ACGIH	: USA. ACGIH Threshold Limit Values (TLV)				



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.3	Revision Date: 11.02.2020	SDS Number: 66000006031	Date of last issue: 31.10.2019 Date of first issue: 28.05.2018	
NZ OEL		: New Zealand. Workplace Exposure Standards for Atmospher-		
ACGIH / STEL		ic Contaminants Short-term exposure limit		

NZ OEL / WES-TWA : Short-term exposure limit NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / EN

APJ