

COLGATE SENSITIVE PRO-RELIEF REPAIR & PREVENT TOOTHPASTE

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 03.07.2019
1.3	05.12.2019	660000003451	Date of first issue: 10.09.2018

Section 1: Identification

Product name : COLGATE SENSITIVE PRO-RELIEF REPAIR & PREVENT
TOOTHPASTE

Product code : B05453580001
: 200000051815

Manufacturer or supplier's details

Address : Colgate-Palmolive Ltd.
Level 4, 45 Knights Road, Lower Hutt
P.O.Box 38077, Wellington Mail centre
Wellington, 5045, New Zealand.

Telephone : CONSUMER AFFAIRS: - NZ 0800 441 740 (Mon – Fri 9 - 7)

Emergency telephone number : CHEMTREC New Zealand +(64)-98010034
Global-CHEMTREC- +1 703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : Dentifrice.

Section 2: Hazard identification

GHS Classification

Serious eye damage/eye irritation : Category 2A

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P280 Wear eye protection/ face protection.

COLGATE SENSITIVE PRO-RELIEF REPAIR & PREVENT TOOTHPASTE

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 03.07.2019
1.3	05.12.2019	660000003451	Date of first issue: 10.09.2018

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Components

Chemical name	CAS-No.	Concentration (% w/w)
SODIUM MONOFLUOROPHOSPHATE	7631-97-2	>= 1 -< 3
Cocamidopropyl Betaine	61789-40-0	>= 1 -< 3
ZINC OXIDE	1314-13-2	>= 1 -< 3

Section 4: First-aid measures

- General advice : If poisoning occurs, immediately contact a doctor or Poisons Information Centre (Phone Australia 131126; New Zealand 0800 764 766), and follow the advice given.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Administer milk but do not induce vomiting.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and : Causes serious eye irritation.

COLGATE SENSITIVE PRO-RELIEF REPAIR & PREVENT TOOTHPASTE

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 03.07.2019
1.3	05.12.2019	660000003451	Date of first issue: 10.09.2018

delayed

Section 5: Fire-fighting measures

- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Section 6: Accidental release measures

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
- Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

Section 7: Handling and storage

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national

COLGATE SENSITIVE PRO-RELIEF REPAIR & PREVENT TOOTHPASTE

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 03.07.2019
1.3	05.12.2019	660000003451	Date of first issue: 10.09.2018

regulations.

- Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ZINC OXIDE	1314-13-2	WES-STEL (Fumes)	10 mg/m ³	NZ OEL
		WES-TWA (Fume, respirable fraction)	3 mg/m ³	NZ OEL
		WES-TWA (Respirable dust)	10 mg/m ³	NZ OEL
		TWA (Respirable fraction)	2 mg/m ³	ACGIH
		STEL (Respirable fraction)	10 mg/m ³	ACGIH

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

COLGATE SENSITIVE PRO-RELIEF REPAIR & PREVENT TOOTHPASTE

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 03.07.2019
1.3	05.12.2019	660000003451	Date of first issue: 10.09.2018

Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Section 9: Physical and chemical properties

Appearance	:	paste
Colour	:	white
pH	:	8.90
Flash point	:	Not applicable

Section 10: Stability and reactivity

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	No data available
Incompatible materials	:	No data available
Hazardous decomposition products	:	No data available

Section 11: Toxicological information

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 10 mg/l Exposure time: 4 h

COLGATE SENSITIVE PRO-RELIEF REPAIR & PREVENT TOOTHPASTE

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 03.07.2019
1.3	05.12.2019	660000003451	Date of first issue: 10.09.2018

Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

SODIUM MONOFLUOROPHOSPHATE:

Acute oral toxicity : LD50 (Rat): 888 mg/kg
Method: No information available.

Acute inhalation toxicity : LC50 (Rabbit): 1.5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Acute toxicity estimate

Acute dermal toxicity : LD50 (Rabbit): 1,100 mg/kg
Method: Acute toxicity estimate

Cocamidopropyl Betaine:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50: > 2,000 mg/kg

ZINC OXIDE:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rabbit): > 5.7 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Not classified based on available information.

Components:

SODIUM MONOFLUOROPHOSPHATE:

Result : Severe skin irritation

COLGATE SENSITIVE PRO-RELIEF REPAIR & PREVENT TOOTHPASTE

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 03.07.2019
1.3	05.12.2019	660000003451	Date of first issue: 10.09.2018

Remarks : May cause skin irritation in susceptible persons.

Cocamidopropyl Betaine:

Result : Skin irritation

ZINC OXIDE:

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

SODIUM MONOFLUOROPHOSPHATE:

Result : Irritation to eyes, reversing within 21 days

Remarks : May cause irreversible eye damage.

Cocamidopropyl Betaine:

Result : Irreversible effects on the eye

ZINC OXIDE:

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

SODIUM MONOFLUOROPHOSPHATE:

Exposure routes : Inhalation

Result : Does not cause respiratory sensitisation.

: Dermal

: Does not cause skin sensitisation.

Cocamidopropyl Betaine:

Exposure routes : Dermal

Result : Not a skin sensitizer.

COLGATE SENSITIVE PRO-RELIEF REPAIR & PREVENT TOOTHPASTE

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 03.07.2019
1.3	05.12.2019	660000003451	Date of first issue: 10.09.2018

ZINC OXIDE:

Exposure routes : Inhalation
Result : Does not cause respiratory sensitisation.

: Dermal
: Does not cause skin sensitisation.

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : This product has not been tested as a whole. However, this formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the statements in Section 2 of the SDS.

Section 12: Ecological information

Ecotoxicity

Components:

SODIUM MONOFLUOROPHOSPHATE:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): > 100 mg/l
Exposure time: 48 h

COLGATE SENSITIVE PRO-RELIEF REPAIR & PREVENT TOOTHPASTE

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 03.07.2019
1.3	05.12.2019	660000003451	Date of first issue: 10.09.2018

Cocamidopropyl Betaine:

- Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 2 mg/l
Exposure time: 96 h
Test Type: static test
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna Straus): 6.4 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (algae): Exposure time: 48 h
Test Type: static test
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.16 mg/l
Exposure time: 28 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.9 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

ZINC OXIDE:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.33 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.7 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (algae)): > 0.1 - 1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to fish (Chronic toxicity) : NOEC: 0.24 mg/l
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : No data available:
- M-Factor (Chronic aquatic toxicity) : 1

COLGATE SENSITIVE PRO-RELIEF REPAIR & PREVENT TOOTHPASTE

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 03.07.2019
1.3	05.12.2019	660000003451	Date of first issue: 10.09.2018

Persistence and degradability

Components:

Cocamidopropyl Betaine:

Biodegradability : Result: Readily biodegradable.

ZINC OXIDE:

Biodegradability : Remarks: Not applicable

Bioaccumulative potential

Components:

Cocamidopropyl Betaine:

Bioaccumulation : Bioconcentration factor (BCF): 70.79

Partition coefficient: n-octanol/water : log Pow: -1.28

ZINC OXIDE:

Bioaccumulation : Bioconcentration factor (BCF): 4.74

Partition coefficient: n-octanol/water : log Pow: 1.53

Mobility in soil

No data available

Other adverse effects

Components:

SODIUM MONOFLUOROPHOSPHATE:

Additional ecological information : No data available

Section 13: Disposal considerations

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

COLGATE SENSITIVE PRO-RELIEF REPAIR & PREVENT TOOTHPASTE

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 03.07.2019
1.3	05.12.2019	660000003451	Date of first issue: 10.09.2018

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

Section 14: Transport information

ADG (Australian Dangerous Goods) 7.6 :
Not regulated.

NZS (New Zealand's Standards) 5433 :
Not regulated.

IATA :
Not regulated.

IMDG :
Not regulated.

ADR :
Not regulated.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand Medicines and Medical Devices Safety Authority Number: 160829-WAND-6MM9O8

Section 16: Other information

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

COLGATE SENSITIVE PRO-RELIEF REPAIR & PREVENT TOOTHPASTE

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 03.07.2019
1.3	05.12.2019	660000003451	Date of first issue: 10.09.2018

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

ACGIH / TWA : 8-hour, time-weighted average

ACGIH / STEL : Short-term exposure limit

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

NZ OEL / WES-STEEL : Workplace Exposure Standard - Short-Term Exposure Limit

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / EN