

Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2018
1.1	25.01.2019	66000004911	Date of first issue: 09.02.2018

## **Section 1: Identification**

Product name :	Colgate Total Advanced Clean Antibacterial & Fluoride Toothpaste				
Product code :	B05477400000 200000053350				
Manufacturer or supplier's deta	ails				
Address :	Colgate-Palmolive Ltd. Level 4, 45 Knights Road, Lower Hutt P.O.Box 38077, Wellington Mail centre Wellington, 5045, New Zealand.				
Telephone :	CONSUMER AFFAIRS: - NZ 0800 441 740 (Mon – Fri 9 - 7)				
Emergency telephone number :	CHEMTREC New Zealand +(64)-98010034 Global-CHEMTREC- +1 703-741-5970				
Recommended use of the chemical and restrictions on use					

Recommended use	Dentifrice.

## Section 2: Hazard identification

GHS Classification Serious eye damage/eye irri- tation	:	2A
GHS label elements		
Hazard pictograms	:	
		$\mathbf{V}$
Signal word	:	Warning
Hazard statements	:	H319 Causes serious eye irritation.
Precautionary statements	:	<b>Prevention:</b> P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2018
1.1	25.01.2019	66000004911	Date of first issue: 09.02.2018

## **Response:**

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention.

# Other hazards which do not result in classification

None known.

## Section 3: Composition/information on ingredients

## Components

Chemical name	CAS-No.	Concentration (% w/w)
GLYCERIN	56-81-5	>= 30 -< 40
SILICA	7631-86-9	>= 10 -< 20
amorphous silica or silicates	112926-00-8	>= 10 -< 20
SODIUM LAURYL SULFATE	151-21-3	>= 1 -< 3
ZINC OXIDE	1314-13-2	>= 1 -< 3
SODIUM FLUORIDE	7681-49-4	>= 0.1 -< 1
CARVONE	99-49-0	>= 0.1 -< 1

## Section 4: First-aid measures

General advice :	If poisoning occurs, immediately contact a doctor or Poisons Information Centre (Phone Australia 131126; New Zealand 0800 764 766), and follow the advice given.
If inhaled :	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact :	If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact :	Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed :	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.



Version 1.1	Revision Date: 25.01.2019		DS Number: 0000004911	Date of last issue: 09.02.2018 Date of first issue: 09.02.2018
and e	Most important symptoms and effects, both acute and delayed		Causes serious eye irritation.	
Section 5	: Fire-fighting measure	s		
Unsui media	itable extinguishing a	:	High volume wate	er jet
Speci fightir	fic hazards during fire- ng	:	Do not allow run- courses.	off from fire fighting to enter drains or water
Haza ucts	rdous combustion prod-	:	No hazardous co	mbustion products are known
Speci ods	fic extinguishing meth-	:	: Collect contaminated fire extinguishing water separately must not be discharged into drains. Fire residues and contaminated fire extinguishing water be disposed of in accordance with local regulations.	
	al protective equipment efighters	:	Wear self-contair essary.	ned breathing apparatus for firefighting if neo
Section 6	: Accidental release me	eas	ures	
tive e	onal precautions, protec- quipment and emer- / procedures	:	Use personal pro	tective equipment.
Envir	onmental precautions	:	Prevent further le	rom entering drains. eakage or spillage if safe to do so. ntaminates rivers and lakes or drains inform rities.
	ods and materials for inment and cleaning up	:	: Soak up with inert absorbent material (e.g. sand, silica ge acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	
ection 7	: Handling and storage			
	e on protection against nd explosion	:	Normal measures	s for preventive fire protection.
Advice on safe handling		:	Avoid contact wit For personal prot	obtain special instructions before use.
			3 / 17	



Version 1.1	Revision Date: 25.01.2019	SDS Number: 660000004911	Date of last issue: 09.02.2018 Date of first issue: 09.02.2018
		regulations. Persons susce allergies, chro	se water in accordance with local and national eptible to skin sensitisation problems or asthma, nic or recurrent respiratory disease should not n any process in which this mixture is being
Hyg	iene measures	When using do	o not eat or drink. o not smoke. efore breaks and at the end of workday.
Conditions for safe storage		place. Containers wh kept upright to Electrical insta	er tightly closed in a dry and well-ventilated ich are opened must be carefully resealed and prevent leakage. Illations / working materials must comply with cal safety standards.
	her information on stor- stability	: No decomposi	tion if stored and applied as directed.

## Section 8: Exposure controls/personal protection

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
GLYCERIN	56-81-5	WES-TWA (Mist)	10 mg/m3	NZ OEL
amorphous silica or silicates	112926-00-8	WES-TWA	10 mg/m3	NZ OEL
ZINC OXIDE	1314-13-2	WES-STEL (Fumes)	10 mg/m3	NZ OEL
		WES-TWA (Fume, res- pirable frac- tion)	3 mg/m3	NZ OEL
		WES-TWA (Respirable dust)	10 mg/m3	NZ OEL
		TWA (Res- pirable frac- tion)	2 mg/m3	ACGIH
		STEL (Res- pirable frac- tion)	10 mg/m3	ACGIH
SODIUM FLUORIDE	7681-49-4	WES-TWA	2.5 mg/m3 (Fluorine)	NZ OEL



Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2018
1.1	25.01.2019	66000004911	Date of first issue: 09.02.2018

Further information: Exposure can also be estimated by biological monitoring			
	TWA	2.5 mg/m3 (Fluorine)	ACGIH

## **Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
SODIUM FLUORIDE	7681-49-4	Fluoride (Fluorine)	Urine	Prior to shift	160 mi- cromol per litre	NZ BEI
		Fluoride (Fluorine)	Urine	Prior to shift	3 mg/l	NZ BEI
		Fluoride (Fluorine)	Urine	End of shift	530 mi- cromol per litre	NZ BEI
		Fluoride (Fluorine)	Urine	End of shift	10 mg/l	NZ BEI
		Fluoride (Fluorine)	Urine	Prior to shift (16 hours after exposure ceases)	2 mg/l	ACGIH BEI
		Fluoride (Fluorine)	Urine	End of shift (As soon as possible after exposure ceases)	3 mg/l	ACGIH BEI

Personal protective equipmen	t
Respiratory protection :	No personal respiratory protective equipment normally re- quired.
Hand protection	
Remarks :	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection :	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection :	Impervious clothing Choose body protection according to the amount and con-



Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2018
1.1	25.01.2019	66000004911	Date of first issue: 09.02.2018

centration of the dangerous substance at the work place.

Section 9: Physical and chemica	al pr	operties
Appearance	:	paste
Colour	:	white
рН	:	7.8
Flash point	:	No data available
Density	:	1.31 g/cm3

## Section 10: Stability and reactivity

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	No data available

## Section 11: Toxicological information

Acute toxicity Not classified based on avail	Acute toxicity Not classified based on available information.				
Product:					
Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method			
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method			
Components:					
GLYCERIN:					
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg			
Acute inhalation toxicity	:	(Rat, male): > 2.75 mg/l Exposure time: 4 h			
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg Method: No information available.			

APJ



Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2018
1.1	25.01.2019	66000004911	Date of first issue: 09.02.2018

## SILICA:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): > 58.8 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Method: No information available.
amorphous silica or silicate	s:	
Acute oral toxicity	:	LD50 (Rat): > 22,500 mg/kg Method: No information available.
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	Remarks: No data available
SODIUM LAURYL SULFATE	:	
Acute oral toxicity	:	LD50 (Rat): 977 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402
ZINC OXIDE:		
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rabbit): > 5.7 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402
SODIUM FLUORIDE:		
Acute oral toxicity	:	LD50 (Rat): 177 - 272 mg/kg
Acute inhalation toxicity	:	Remarks: No data available



APJ

**Colgate Total Advanced Clean Antibacterial & Fluoride Toothpaste** *This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.* 

Version 1.1	Revision Date: 25.01.2019	-	OS Number: 0000004911	Date of last issue: 09.02.2018 Date of first issue: 09.02.2018
Acute	e dermal toxicity	:	LD50 (Rat): > 2,0 Method: OECD Te	
CAR	VONE:			
	e oral toxicity	:	LD50 (Rat): 1,640 Method: Directive	) mg/kg 67/548/EEC, Annex V, B.1.
Acute	e inhalation toxicity	:	Remarks: No data	a available
Acute	e dermal toxicity	:	LD50 (Rat): 2,000 Method: No inform	
	corrosion/irritation	able	information.	
<u>Com</u>	ponents:			
<b>GLY</b> Resu	CERIN: It	:	No skin irritation	
SILIC	A:			
Resu		:	No skin irritation	
amor	phous silica or silicate	es:		
Rema	arks	:	No data available	
SOD	IUM LAURYL SULFATI	E:		
Resu	lt	:	Severe skin irritat	ion
ZINC	OXIDE:			
Resu	lt	:	No skin irritation	
SOD	IUM FLUORIDE:			
Resu	lt	:	Severe skin irritat	ion
CAR	VONE:			
Resu	lt	:	No skin irritation	
Serio	ous eye damage/eye irı	ritati	ion	
	,,.			

Not classified based on available information.



Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2018
1.1	25.01.2019	66000004911	Date of first issue: 09.02.2018

Components:		
GLYCERIN: Result	:	No eye irritation
SILICA: Result	:	No eye irritation
<b>amorphous silica or silicate</b> Remarks	es: :	No data available
SODIUM LAURYL SULFATE Result	<b>:</b>	Irreversible effects on the eye
<b>ZINC OXIDE:</b> Result	:	No eye irritation
SODIUM FLUORIDE: Result	:	Irritation to eyes, reversing within 21 days
CARVONE: Result	:	No eye irritation
Respiratory or skin sensitis	satio	on
Skin sensitisation	o oti	
May cause an allergic skin re Respiratory sensitisation	acu	on.
Not classified based on availa	able	information.
Components:		
GLYCERIN:		
Exposure routes Remarks	:	Inhalation No data available
Result	:	Dermal Does not cause skin sensitisation.
SILICA:		
Exposure routes Result	:	Inhalation Does not cause respiratory sensitisation.
	•	Dermal



Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2018
1.1	25.01.2019	660000004911	Date of first issue: 09.02.2018

		Deep not acres alvia considiration
	-	Does not cause skin sensitisation.
amorphous silica or silicate	s:	
Exposure routes Remarks	-	Inhalation No data available
Remarks	:	Dermal No data available
SODIUM LAURYL SULFATE		
Exposure routes Remarks	:	Inhalation No data available
Result	:	Dermal Does not cause skin sensitisation.
ZINC OXIDE:		
Exposure routes Result	:	Inhalation Does not cause respiratory sensitisation.
	:	Dermal Does not cause skin sensitisation.
SODIUM FLUORIDE:		
Exposure routes Result	:	Inhalation Does not cause respiratory sensitisation.
	:	Dermal Does not cause skin sensitisation.
CARVONE:		
Exposure routes Remarks	:	Inhalation No data available
Result	:	Dermal May cause sensitisation by skin contact.
Chronic toxicity		
Germ cell mutagenicity		
Not classified based on availa	ble	information.

## Carcinogenicity

Not classified based on available information.

APJ



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2018
1.1	25.01.2019	66000004911	Date of first issue: 09.02.2018

## Reproductive toxicity

Suspected of damaging fertility or the unborn child.

## Components:

## **SODIUM FLUORIDE:**

Effects on fertility	:	Remarks: No data available
Effects on foetal develop- ment	:	Remarks: No data available

## STOT - single exposure

Not classified based on available information.

## STOT - repeated exposure

Not classified based on available information.

## Aspiration toxicity

Not classified based on available information.

## Further information

## Product:

Remarks

This product has not been tested as a whole. However, this formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the statements in Section 2 of the SDS.

## Section 12: Ecological information

Ecotoxicity		
Components:		
GLYCERIN:		
Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna Straus): > 10,000 mg/l Exposure time: 48 h
Toxicity to algae	:	Exposure time: Remarks: No data available



Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2018
1.1	25.01.2019	66000004911	Date of first issue: 09.02.2018

## amorphous silica or silicates:

Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): > 10,000 mg/l Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae	:	Remarks: No data available
Toxicity to fish (Chronic tox- icity)	:	No data available:
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	No data available:
ZINC OXIDE:		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 0.33 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1.7 mg/l Exposure time: 48 h
Toxicity to algae	:	EC50 (Pseudokirchneriella subcapitata (algae)): > 0.1 - 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox- icity)	:	1
Toxicity to fish (Chronic tox- icity)	:	NOEC: 0.24 mg/l
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	No data available:
M-Factor (Chronic aquatic toxicity)	:	1
SODIUM FLUORIDE:		
Toxicity to fish	:	LC50 (Cyprinodon variegatus (sheepshead minnow)): > 500 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Crangon crangon (shrimp)): > 300 mg/l Exposure time: 48 h



APJ

**Colgate Total Advanced Clean Antibacterial & Fluoride Toothpaste** *This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.* 

rsion	Revision Date: 25.01.2019		9S Number: 0000004911	Date of last issue: 09.02.2018 Date of first issue: 09.02.2018	
Toxicit	y to algae	:	ErC50 (Selenastr Exposure time: 9	rum capricornutum (green algae)): 272 mg/l 6 h	
Toxicit icity)	y to fish (Chronic tox-	:	No data available	2	
	y to daphnia and other c invertebrates (Chron- city)	:	No data available	2:	
CARV	ONE:				
Toxicit icity)	y to fish (Chronic tox-	:	No data available	):	
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)		:	No data available	x:	
Persis	tence and degradabili	ity			
<u>Comp</u>	onents:				
GLYC	ERIN:				
Biode	gradability	:	Result: Readily b	iodegradable.	
amorp	hous silica or silicate	s:			
	gradability	:	Remarks: Not ap	plicable	
ZINC	OXIDE:				
Biode	gradability	:	Remarks: Not ap	plicable	
SODIL	JM FLUORIDE:				
Biode	gradability	:	Remarks: Not ap	plicable	
CARV	ONE:				
Biode	gradability	:	Result: Not readil	y biodegradable.	
Bioac	cumulative potential				
<u>Comp</u>	onents:				
	ERIN:				
OLIC					

13 / 17



ersion .1	Revision Date: 25.01.2019		9S Number: 0000004911	Date of last issue: 09.02.2018 Date of first issue: 09.02.2018	
	ion coefficient: n- ol/water	:	log Pow: 0.53		
amor	phous silica or silic	ates:			
	cumulation	:	Remarks: No d	ata available	
	ion coefficient: n- ol/water	:	log Pow: 0.53		
ZINC	OXIDE:				
Bioac	cumulation	:	Bioconcentratio	n factor (BCF): 4.74	
	ion coefficient: n- ol/water	:	log Pow: 1.53		
SODI	UM FLUORIDE:				
Bioac	cumulation	:	Remarks: No d	ata available	
	ion coefficient: n- ol/water	:	: Remarks: No data available		
CAR	VONE:				
Bioac	cumulation	:	Remarks: No d	ata available	
	ion coefficient: n- ol/water	:	log Pow: 3.07		
Mobi	lity in soil				
No da	ata available				
	r adverse effects				
No da	ata available				

Section 13: Disposal considerations

Disposal methods	
Waste from residues	<ul> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Send to a licensed waste management company.</li> </ul>
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2018
1.1	25.01.2019	66000004911	Date of first issue: 09.02.2018

Section 14: Transport information		
ADG (Australian Dangerous Goods) 7.5	:	Not regulated.
NZS (New Zealand's Standards) 5433	:	Not regulated.
ΙΑΤΑ	:	
		Not regulated.
IMDG	:	
		Not regulated.
ADR	:	
		Not regulated.

## Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

### HSNO Approval Number

HSR002552 Cosmetic Products Group Standard 2017

The components of this product are reported in the following inventories:			
NZIoC	: On the inventory, or in compliance with the inventory		
AICS	: On the inventory, or in compliance with the inventory		

## Section 16: Other information

Date format

: dd.mm.yyyy



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2018
1.1	25.01.2019	66000004911	Date of first issue: 09.02.2018

## Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)	
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)	
NZ BEI		New Zealand. Biological Exposure Indices	
NZ OEL		New Zealand. Workplace Exposure Standards for Atmospher-	
		ic Contaminants	
ACGIH / TWA	:	8-hour, time-weighted average	
ACGIH / STEL	:	Short-term exposure limit	
NZ OEL / WES-TWA	:	Workplace Exposure Standard - Time Weighted average	
NZ OEL / WES-STEL	:	Workplace Exposure Standard - Short-Term Exposure Limit	

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide: GHS - Globally Harmonized System: GLP - Good Laboratory Practice: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS -Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2018
1.1	25.01.2019	66000004911	Date of first issue: 09.02.2018

NZ / EN