

<u>Safety Data Sheet Cover-Sheet</u> – This page provides additional New Zealand specific information for this product, and must be read in conjunction with the Safety Data Sheet (SDS) attached.

Product Name:	Total Gum Health Antibacterial & Fluoride Toothpaste					
Manufacturer:	Colgate-Palmolive Ltd					
SDS Expiry:	25 January 2024					
Supplier Details:	Henry Schein New Zealand 23 William Pickering Drive, Albany PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz					
Emergency Contacts:	Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police					
HSNO Class/Category:	6					
HSNO Group Standard:	Dental Products Toxic 6.7 Group Standard 2017 HSR002560					
Statements/Pictograms: As per attached Safety Data Sheet (SDS)						
Date Prepared:	This coversheet was prepared on 21 February 2019					

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.

23 William Pickering Drive, Albany, North Shore 0632, New Zealand P O Box 101140, North Shore, Auckland 0745, New Zealand





Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.01.2019	66000004909	Date of first issue: 25.01.2019

### **Section 1: Identification**

Product name	:	Colgate Total Gum Health Antibacterial & Fluoride Tooth- paste
Product code	:	B05477860000 20000053555
Manufacturer or supplier's de	eta	ils
Address	:	Colgate-Palmolive Ltd. Level 4, 45 Knights Road, Lower Hutt P.O.Box 38077, Wellington Mail centre Wellington, 5045, New Zealand.
Telephone	:	CONSUMER AFFAIRS: - NZ 0800 441 740 (Mon – Fri 9 - 7)
Emergency telephone number	:	Global-CHEMTREC- +1 703-741-5970 CHEMTREC New Zealand +(64)-98010034

## Recommended use of the chemical and restrictions on use

Recommended use : De	entifrice.
----------------------	------------

### Section 2: Hazard identification

GHS Classification Serious eye damage/eye irri- tation	:	2A
GHS label elements Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H319 Causes serious eye irritation.
Precautionary statements	:	<b>Prevention:</b> P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.01.2019	66000004909	Date of first issue: 25.01.2019

### **Response:**

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention.

# Other hazards which do not result in classification

None known.

## Section 3: Composition/information on ingredients

### Components

Chemical name	CAS-No.	Concentration (% w/w)
GLYCERIN	56-81-5	>= 30 -< 40
amorphous silica or silicates	112926-00-8	>= 20 -< 30
SODIUM LAURYL SULFATE	151-21-3	>= 1 -< 3
ZINC OXIDE	1314-13-2	>= 1 -< 3
SODIUM FLUORIDE	7681-49-4	>= 0.1 -< 1
CARVONE	99-49-0	>= 0.1 -< 1

## Section 4: First-aid measures

General advice	:	If poisoning occurs, immediately contact a doctor or Poisons Information Centre (Phone Australia 131126; New Zealand 0800 764 766), and follow the advice given.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms	:	Causes serious eye irritation.



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.01.2019	66000004909	Date of first issue: 25.01.2019

and effects, both acute and delayed

### Section 5: Fire-fighting measures

Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.

### Section 6: Accidental release measures

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.
Section 7: Handling and storage		
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8.

plication area.

Smoking, eating and drinking should be prohibited in the ap-



Version 1.0	Revision Date: 25.01.2019	SDS Number: 660000004909	Date of last issue: - Date of first issue: 25.01.2019
		regulations. Persons susc allergies, chro	eptible to skin sensitisation problems or asthma, onic or recurrent respiratory disease should not in any process in which this mixture is being
Hygiene measures		When using c	lo not eat or drink. lo not smoke. before breaks and at the end of workday.
Conditions for safe storage		place. Containers w kept upright to Electrical inst	er tightly closed in a dry and well-ventilated hich are opened must be carefully resealed and o prevent leakage. allations / working materials must comply with ical safety standards.
	ner information on stor- stability	: No decompos	sition if stored and applied as directed.

### Section 8: Exposure controls/personal protection

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis	
GLYCERIN	56-81-5	WES-TWA (Mist)	10 mg/m3	NZ OEL	
amorphous silica or silicates	112926-00-8	WES-TWA	10 mg/m3	NZ OEL	
ZINC OXIDE	1314-13-2	WES-STEL (Fumes)	10 mg/m3	NZ OEL	
		WES-TWA (Fume, res- pirable frac- tion)	3 mg/m3	NZ OEL	
		WES-TWA (Respirable dust)	10 mg/m3	NZ OEL	
		TWA (Res- pirable frac- tion)	2 mg/m3	ACGIH	
		STEL (Res- pirable frac- tion)	10 mg/m3	ACGIH	
SODIUM FLUORIDE	7681-49-4	WES-TWA	2.5 mg/m3 (Fluorine)	NZ OEL	
	Further information: Exposure can also be estimated by biological				



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.01.2019	66000004909	Date of first issue: 25.01.2019

monitoring			
	TWA	2.5 mg/m3 (Fluorine)	ACGIH
		(Fluonne)	

## **Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
SODIUM FLUORIDE	7681-49-4	Fluoride (Fluorine)	Urine	Prior to shift	160 mi- cromol per litre	NZ BEI
		Fluoride (Fluorine)	Urine	Prior to shift	3 mg/l	NZ BEI
		Fluoride (Fluorine)	Urine	End of shift	530 mi- cromol per litre	NZ BEI
		Fluoride (Fluorine)	Urine	End of shift	10 mg/l	NZ BEI
		Fluoride (Fluorine)	Urine	Prior to shift (16 hours after exposure ceases)	2 mg/l	ACGIH BEI
		Fluoride (Fluorine)	Urine	End of shift (As soon as possible after exposure ceases)	3 mg/l	ACGIH BEI

### Personal protective equipment

Respiratory protection :	No personal respiratory protective equipment normally re- quired.
Hand protection	
Remarks :	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection :	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection :	Impervious clothing Choose body protection according to the amount and con- centration of the dangerous substance at the work place.



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.01.2019	66000004909	Date of first issue: 25.01.2019

Section 9: Physical and chemical properties			
Appearance	: paste		
Colour	: white		
рН	: 7.8		
Flash point	: No data available		
Density	: 1.33 g/cm3		

### Section 10: Stability and reactivity

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	No data available

## Section 11: Toxicological information

## Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Components:		
GLYCERIN:		
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	(Rat, male): > 2.75 mg/l Exposure time: 4 h
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg Method: No information available.



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.01.2019	66000004909	Date of first issue: 25.01.2019

## amorphous silica or silicates:

amorphous sinca or sincate	э.	
Acute oral toxicity	:	LD50 (Rat): > 22,500 mg/kg Method: No information available.
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	Remarks: No data available
SODIUM LAURYL SULFATE	::	
Acute oral toxicity	:	LD50 (Rat): 977 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402
ZINC OXIDE:		
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rabbit): > 5.7 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402
SODIUM FLUORIDE:		
Acute oral toxicity	:	LD50 (Rat): 177 - 272 mg/kg
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402
CARVONE:		
Acute oral toxicity	:	LD50 (Rat): 1,640 mg/kg Method: Directive 67/548/EEC, Annex V, B.1.
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	LD50 (Rat): 2,000 - 5,000 mg/kg Method: No information available.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.01.2019	66000004909	Date of first issue: 25.01.2019

### Skin corrosion/irritation Not classified based on available information. **Components: GLYCERIN:** Result No skin irritation 5 amorphous silica or silicates: : No data available Remarks SODIUM LAURYL SULFATE: Result Severe skin irritation : ZINC OXIDE: Result No skin irritation 1 SODIUM FLUORIDE: Result Severe skin irritation CARVONE: No skin irritation Result • Serious eye damage/eye irritation Not classified based on available information. **Components: GLYCERIN:** Result No eye irritation amorphous silica or silicates: Remarks : No data available SODIUM LAURYL SULFATE: Result Irreversible effects on the eye : ZINC OXIDE: Result No eye irritation : SODIUM FLUORIDE: Result Irritation to eyes, reversing within 21 days 1



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.01.2019	66000004909	Date of first issue: 25.01.2019

### CARVONE:

Result

: No eye irritation

### Respiratory or skin sensitisation

### Skin sensitisation

May cause an allergic skin reaction.

### **Respiratory sensitisation**

Not classified based on available information.

### **Components:**

### **GLYCERIN:**

Exposure routes Remarks	-	Inhalation No data available
Result	-	Dermal Does not cause skin sensitisation.

### amorphous silica or silicates:

Exposure routes	:	Inhalation
Remarks	:	No data available
	:	Dermal

### Remarks : No data available

### SODIUM LAURYL SULFATE:

Exposure routes Remarks	:	Inhalation No data available
Result	:	Dermal Does not cause skin sensitisation.
ZINC OXIDE: Exposure routes Result	:	Inhalation Does not cause respiratory sensitisation.

:

### SODIUM FLUORIDE:

		Inhalation Does not cause respiratory sensitisation.
	-	Dermal Does not cause skin sensitisation.

Dermal

Does not cause skin sensitisation.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.01.2019	66000004909	Date of first issue: 25.01.2019

### CARVONE:

		Inhalation No data available
Result	-	Dermal May cause sensitisation by skin contact.

### **Chronic toxicity**

## Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

### **Reproductive toxicity**

Suspected of damaging fertility or the unborn child.

### **Components:**

ment

### SODIUM FLUORIDE:

Effects on fertility	:	Remarks: No data available
Effects on foetal develop-	:	Remarks: No data available

## STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### Aspiration toxicity

Not classified based on available information.

### Further information

### Product:

Remarks

: This product has not been tested as a whole. However, this formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the statements in Section 2 of the SDS.



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.01.2019	66000004909	Date of first issue: 25.01.2019

## Section 12: Ecological information

Ecotoxicity		
Components:		
GLYCERIN:		
Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna Straus): > 10,000 mg/l Exposure time: 48 h
Toxicity to algae	:	Exposure time: Remarks: No data available
amorphous silica or silicates	5:	
Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): > 10,000 mg/l Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae	:	Remarks: No data available
Toxicity to fish (Chronic tox- icity)	:	No data available:
Toxicity to daphnia and other aquatic invertebrates (Chron-ic toxicity)	:	No data available:
ZINC OXIDE:		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 0.33 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1.7 mg/l Exposure time: 48 h
Toxicity to algae	:	EC50 (Pseudokirchneriella subcapitata (algae)): > 0.1 - 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox- icity)	:	1
Toxicity to fish (Chronic tox- icity)	:	NOEC: 0.24 mg/l



ity to daphnia and other ic invertebrates (Chron- icity) ctor (Chronic aquatic ty) <b>UM FLUORIDE:</b> ity to fish	:	1	
ic invertebrates (Chron- icity) ctor (Chronic aquatic y) <b>UM FLUORIDE:</b> ity to fish		1 LC50 (Cyprinodon	
y) <b>UM FLUORIDE:</b> ity to fish	:	LC50 (Cyprinodon	
ity to fish	:		
	:		
ity to daphnia and other		Exposure time: 96	variegatus (sheepshead minnow)): > 50
ic invertebrates	:	EC50 (Crangon cr Exposure time: 48	angon (shrimp)): > 300 mg/l h
ity to algae	:	ErC50 (Selenastru Exposure time: 96	ım capricornutum (green algae)): 272 mg h
ity to fish (Chronic tox-	:	No data available:	
ity to daphnia and other ic invertebrates (Chron- icity)	:	No data available:	
/ONE:			
ity to fish (Chronic tox-	:	No data available:	
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)		No data available:	
stence and degradabili	ty		
oonents:			
CERIN:			
gradability	:	Result: Readily bio	odegradable.
phous silica or silicate	s:		
gradability	:	Remarks: Not app	licable
OXIDE:			
gradability	:	Remarks: Not app	licable
	ity to algae ity to fish (Chronic tox- ity to daphnia and other ic invertebrates (Chron- city) /ONE: ity to fish (Chronic tox- ity to daphnia and other ic invertebrates (Chron- city) stence and degradabili ponents: CERIN: gradability phous silica or silicate gradability OXIDE:	ity to algae : ity to fish (Chronic tox- : ity to daphnia and other : ic invertebrates (Chron- city) /ONE: ity to fish (Chronic tox- : ity to daphnia and other : ic invertebrates (Chron- city) stence and degradability ponents: CERIN: gradability : gradability : OXIDE:	<ul> <li>ity to algae : ErC50 (Selenastru Exposure time: 96</li> <li>ity to fish (Chronic tox- : No data available:</li> <li>ity to daphnia and other : No data available:</li> <li>ic invertebrates (Chroncity)</li> <li>/ONE:</li> <li>ity to fish (Chronic tox- : No data available:</li> <li>ity to daphnia and other : No data available:</li> <li>ity to daphnia and other : No data available:</li> <li>ity to daphnia and other : No data available:</li> <li>ity to daphnia and other : No data available:</li> <li>ity to daphnia and other : No data available:</li> <li>ity to daphnia and other : No data available:</li> <li>ity to daphnia and other : No data available:</li> <li>ity to daphnia and other : No data available:</li> <li>ity to daphnia and other : Result: Readily bid</li> <li>phous silica or silicates:</li> <li>agradability : Remarks: Not app</li> <li>OXIDE:</li> </ul>



Version 1.0	Revision Date: 25.01.2019		0S Number: 0000004909	Date of last issue: - Date of first issue: 25.01.2019
sc	DIUM FLUORIDE:			
	Biodegradability		Remarks: Not app	blicable
	CARVONE:			
Bic	Biodegradability		Result: Not readily	y biodegradable.
Bio	paccumulative potential			
<u>Co</u>	mponents:			
	YCERIN:	:	Remarks: No data	a available
	orphous silica or silicate	s:	Remarks: No data	a availabla
		-		
	rtition coefficient: n- anol/water		log Pow: 0.53	
	NC OXIDE:			
Bio	baccumulation	:	Bioconcentration	factor (BCF): 4.74
	rtition coefficient: n- anol/water	:	log Pow: 1.53	
	DIUM FLUORIDE:			
Bio	baccumulation	:	Remarks: No data	a available
	rtition coefficient: n- anol/water	:	Remarks: No data	a available
	RVONE:			
Bio	baccumulation	:	Remarks: No data	a available
	rtition coefficient: n- anol/water	: log Pow: 3.07		
	bility in soil			
-	No data available Other adverse effects			
	data available			



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.01.2019	66000004909	Date of first issue: 25.01.2019

### Section 13: Disposal considerations

Disposal methods	
Waste from residues :	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Send to a licensed waste management company.
Contaminated packaging :	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.
Section 14: Transport information	
ADG (Australian Dangerous Goods) 7.5	:
	Not regulated.
NZS (New Zealand's Standards 5433	):
	Not regulated.
ΙΑΤΑ	:
	Not regulated.
IMDG	:
	Not regulated.
ADR	:
	Not regulated.

### Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.01.2019	66000004909	Date of first issue: 25.01.2019

## HSNO Approval Number

HSR002552 Cosmetic Products Group Standard 2017

### The components of this product are reported in the following inventories:

AICS	:	On the inventory, or in compliance with the inventory
NZIoC	:	On the inventory, or in compliance with the inventory

### Section 16: Other information

Date format

dd.mm.yyyy

### Full text of other abbreviations

ACGIH ACGIH BEI NZ BEI NZ OEL	 USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI) New Zealand. Biological Exposure Indices New Zealand. Workplace Exposure Standards for Atmospher- ic Contaminants
ACGIH / TWA ACGIH / STEL NZ OEL / WES-TWA NZ OEL / WES-STEL	8-hour, time-weighted average Short-term exposure limit Workplace Exposure Standard - Time Weighted average Workplace Exposure Standard - Short-Term Exposure Limit

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC -No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concern-



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.01.2019	66000004909	Date of first issue: 25.01.2019

ing the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / EN