



<u>Safety Data Sheet Cover-Sheet</u> – This page provides additional New Zealand specific information for this product, and must be read in conjunction with the Safety Data Sheet (SDS) attached.

Product Name: Total Original Antibacterial & Fluoride Toothpaste

Manufacturer: Colgate-Palmolive Ltd

SDS Expiry: 14 December 2023

Supplier Details: Henry Schein New Zealand

23 William Pickering Drive, Albany

PO Box 101 140, North Shore, Auckland 0745

Ph. 0800 808 855

www.henryschein.co.nz

Emergency Contacts: Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours)

Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 6

HSNO Group Standard: Dental Products Toxic 6.7 Group Standard 2017 HSR002560

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared on 21 February 2019

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.





This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.12.2018

 1.2
 21.12.2018
 660000006962
 Date of first issue: 04.10.2018

### **Section 1: Identification**

Product name : Colgate Total Original Antibacterial & Fluoride Toothpaste

Product code : B05469640007

200000056580

Manufacturer or supplier's details

Address : Colgate-Palmolive Ltd.

Level 4, 45 Knights Road, Lower Hutt P.O.Box 38077, Wellington Mail centre

Wellington, 5045, New Zealand.

Telephone : CONSUMER AFFAIRS: - NZ 0800 441 740 (Mon – Fri 9 - 7)

Emergency telephone number : CHEMTREC New Zealand +(64)-98010034

Global-CHEMTREC- +1 703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : Dentifrice.

#### Section 2: Hazard identification

**GHS Classification** 

Serious eye damage/eye irri-

tation

2A

**GHS** label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 14.12.2018
1.2 21.12.2018 5DS Number: Date of first issue: 04.10.2018

### Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ at-

tention.

#### Other hazards which do not result in classification

None known.

### Section 3: Composition/information on ingredients

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
GLYCERIN	56-81-5	>= 30 -< 40
amorphous silica or silicates	112926-00-8	>= 10 -< 20
SODIUM LAURYL SULFATE	151-21-3	>= 1 -< 3
L-ARGININE	74-79-3	>= 1 -< 3
ZINC OXIDE	1314-13-2	>= 1 -< 3
SODIUM FLUORIDE	7681-49-4	>= 0.1 -< 1
CARVONE	99-49-0	>= 0.1 -< 1

#### Section 4: First-aid measures

General advice : If poisoning occurs, immediately contact a doctor or Poisons

Information Centre (Phone Australia 131126; New Zealand

0800 764 766), and follow the advice given.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.2

Revision Date: 21.12.2018

SDS Number: 660000006962 Date of last issue: 14.12.2018 Date of first issue: 04.10.2018

Most important symptoms and effects, both acute and

delayed

Causes serious eye irritation.

Section 5: Fire-fighting measures

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

No hazardous combustion products are known

Specific extinguishing meth-

ods

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Section 6: Accidental release measures

tive equipment and emer-

gency procedures

Personal precautions, protec- : Use personal protective equipment.

Environmental precautions Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

Section 7: Handling and storage

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.12.2018

 1.2
 21.12.2018
 660000006962
 Date of first issue: 04.10.2018

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

#### Section 8: Exposure controls/personal protection

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
GLYCERIN	56-81-5	WES-TWA (Mist)	- 3	
amorphous silica or silicates	112926-00-8	WES-TWA	WES-TWA 10 mg/m3	
ZINC OXIDE	1314-13-2	WES-STEL (Fumes)	10 mg/m3	NZ OEL
		WES-TWA (Fume, res- pirable frac- tion)	3 mg/m3	NZ OEL
		WES-TWA (Respirable dust)	10 mg/m3	NZ OEL
		TWA (Respirable fraction)	2 mg/m3	ACGIH
		STEL (Respirable fraction)	10 mg/m3	ACGIH
SODIUM FLUORIDE	7681-49-4	WES-TWA	2.5 mg/m3 (Fluorine)	NZ OEL



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

VersionRevision Date:SDS Number:Date of last issue: 14.12.20181.221.12.2018660000006962Date of first issue: 04.10.2018

Further information: Exposure can also be estimated by biological monitoring		
TWA	2.5 mg/m3 (Fluorine)	ACGIH

#### **Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentration	Basis
SODIUM FLUORIDE	7681-49-4	Fluoride (Fluorine)	Urine	Prior to shift	160 mi- cromol per litre	NZ BEI
		Fluoride (Fluorine)	Urine	Prior to shift	3 mg/l	NZ BEI
		Fluoride (Fluorine)	Urine	End of shift	530 mi- cromol per litre	NZ BEI
		Fluoride (Fluorine)	Urine	End of shift	10 mg/l	NZ BEI
		Fluoride (Fluorine)	Urine	Prior to shift (16 hours after exposure ceases)	2 mg/l	ACGIH BEI
		Fluoride (Fluorine)	Urine	End of shift (As soon as possible after exposure ceases)	3 mg/l	ACGIH BEI

#### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and con-



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.12.2018

 1.2
 21.12.2018
 660000006962
 Date of first issue: 04.10.2018

centration of the dangerous substance at the work place.

#### Section 9: Physical and chemical properties

Appearance : paste

Colour : white

pH : 7.5

Flash point : No data available

Density : 1.29 g/cm3

### Section 10: Stability and reactivity

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : No data available

#### **Section 11: Toxicological information**

#### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

## **Components:**

**GLYCERIN:** 

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : (Rat, male): > 2.75 mg/l

Exposure time: 4 h

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Method: No information available.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: 1.2 21.12.2018

SDS Number: 660000006962

Date of last issue: 14.12.2018 Date of first issue: 04.10.2018

amorphous silica or silicates:

Acute oral toxicity : LD50 (Rat): > 22,500 mg/kg

Method: No information available.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

**SODIUM LAURYL SULFATE:** 

Acute oral toxicity : LD50 (Rat): 977 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

L-ARGININE:

Acute oral toxicity : LD50 (Rat): > 5,110 mg/kg

Method: No information available.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

ZINC OXIDE:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rabbit): > 5.7 mg/l

Exposure time: 4 h
Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

**SODIUM FLUORIDE:** 

Acute oral toxicity : LD50 (Rat): 177 - 272 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 14.12.2018
1.2 21.12.2018 5DS Number: Date of last issue: 04.10.2018

**CARVONE:** 

Acute oral toxicity : LD50 (Rat): 1,640 mg/kg

Method: Directive 67/548/EEC, Annex V, B.1.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rat): 2,000 - 5,000 mg/kg

Method: No information available.

Skin corrosion/irritation

Not classified based on available information.

**Components:** 

**GLYCERIN:** 

Result : No skin irritation

amorphous silica or silicates:

Remarks : No data available

**SODIUM LAURYL SULFATE:** 

Result : Severe skin irritation

L-ARGININE:

Result : No skin irritation

ZINC OXIDE:

Result : No skin irritation

**SODIUM FLUORIDE:** 

Result : Severe skin irritation

**CARVONE:** 

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

**Components:** 

**GLYCERIN:** 

Result : No eye irritation



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.12.2018

 1.2
 21.12.2018
 660000006962
 Date of first issue: 04.10.2018

amorphous silica or silicates:

Remarks : No data available

**SODIUM LAURYL SULFATE:** 

Result : Irreversible effects on the eye

L-ARGININE:

Result : Irritation to eyes, reversing within 21 days

ZINC OXIDE:

Result : No eye irritation

**SODIUM FLUORIDE:** 

Result : Irritation to eyes, reversing within 21 days

**CARVONE:** 

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

**Components:** 

**GLYCERIN:** 

Exposure routes : Inhalation

Remarks : No data available

Dermal

Result : Does not cause skin sensitisation.

amorphous silica or silicates:

Exposure routes : Inhalation

Remarks : No data available

Dermal

Remarks : No data available

**SODIUM LAURYL SULFATE:** 

Exposure routes : Inhalation

Remarks : No data available



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 14.12.2018
1.2 21.12.2018 Date of first issue: 04.10.2018

: Dermal

Result : Does not cause skin sensitisation.

L-ARGININE:

Exposure routes : Inhalation

Remarks : No data available

Dermal

Remarks : No data available

ZINC OXIDE:

Exposure routes : Inhalation

Result : Does not cause respiratory sensitisation.

Dermal

Does not cause skin sensitisation.

**SODIUM FLUORIDE:** 

Exposure routes : Inhalation

Result : Does not cause respiratory sensitisation.

Dermal

: Does not cause skin sensitisation.

**CARVONE:** 

Exposure routes : Inhalation

Remarks : No data available

: Dermal

Result : May cause sensitisation by skin contact.

**Chronic toxicity** 

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

**Components:** 

**SODIUM FLUORIDE:** 

Effects on fertility : Remarks: No data available



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 14.12.2018 1.2 21.12.2018 660000006962 Date of first issue: 04.10.2018

Effects on foetal develop-

ment

Remarks: No data available

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

**Aspiration toxicity** 

Not classified based on available information.

**Further information** 

**Product:** 

Remarks This product has not been tested as a whole. However, this

formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a com-

ponent of the hazard determination used to prepare the

statements in Section 2 of the SDS.

## **Section 12: Ecological information**

### **Ecotoxicity**

#### **Components:**

**GLYCERIN:** 

Toxicity to fish LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna Straus): > 10,000 mg/l

Exposure time: 48 h

Toxicity to algae Exposure time:

Remarks: No data available

amorphous silica or silicates:

Toxicity to fish LC50 (Cyprinus carpio (Carp)): > 10,000 mg/l

Exposure time: 72 h

Toxicity to daphnia and other : Remarks: No data available

aquatic invertebrates



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.2

Revision Date: 21.12.2018

SDS Number: 660000006962 Date of last issue: 14.12.2018 Date of first issue: 04.10.2018

Toxicity to algae Remarks: No data available

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

No data available:

L-ARGININE:

LC50 (Brachydanio rerio (zebrafish)): > 1,000 mg/l Toxicity to fish

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1,800 mg/l

Exposure time: 24 h

Toxicity to algae Exposure time:

Remarks: No data available

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

No data available:

ZINC OXIDE:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 0.33 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1.7 mg/l

Exposure time: 48 h

EC50 (Pseudokirchneriella subcapitata (algae)): > 0.1 - 1 mg/l Toxicity to algae

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.24 mg/l

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

No data available:

M-Factor (Chronic aquatic

12 / 17



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.2

Revision Date: 21.12.2018

SDS Number: 660000006962

Date of last issue: 14.12.2018 Date of first issue: 04.10.2018

toxicity)

**SODIUM FLUORIDE:** 

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): > 500

mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Crangon crangon (shrimp)): > 300 mg/l

Exposure time: 48 h

Toxicity to algae : ErC50 (Selenastrum capricornutum (green algae)): 272 mg/l

Exposure time: 96 h

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

No data available:

CARVONE:

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

No data available:

Persistence and degradability

**Components:** 

**GLYCERIN:** 

Biodegradability : Result: Readily biodegradable.

amorphous silica or silicates:

Biodegradability : Remarks: Not applicable

L-ARGININE:

Biodegradability : Result: Readily biodegradable.

ZINC OXIDE:

Biodegradability : Remarks: Not applicable

**SODIUM FLUORIDE:** 



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.12.2018

 1.2
 21.12.2018
 660000006962
 Date of first issue: 04.10.2018

Biodegradability : Remarks: Not applicable

**CARVONE:** 

Biodegradability : Result: Not readily biodegradable.

**Bioaccumulative potential** 

**Components:** 

**GLYCERIN:** 

Bioaccumulation : Remarks: No data available

amorphous silica or silicates:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

log Pow: 0.53

L-ARGININE:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

log Pow: -4.20

ZINC OXIDE:

Bioaccumulation : Bioconcentration factor (BCF): 4.74

Partition coefficient: n-

octanol/water

log Pow: 1.53

**SODIUM FLUORIDE:** 

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

Remarks: No data available

**CARVONE:** 

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

log Pow: 3.07

Mobility in soil

No data available



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.12.2018

 1.2
 21.12.2018
 660000006962
 Date of first issue: 04.10.2018

Other adverse effects

No data available

**Section 13: Disposal considerations** 

**Disposal methods** 

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

**Section 14: Transport information** 

ADG (Australian Dangerous

Goods) 7.5

Not regulated.

NZS (New Zealand's Standards) :

5433

Not regulated.

IATA

Not regulated.

IMDG :

Not regulated.

ADR :

Not regulated.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.12.2018

 1.2
 21.12.2018
 660000006962
 Date of first issue: 04.10.2018

#### **Section 15: Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **HSNO Approval Number**

HSR002552

Cosmetic Products Group Standard 2017

#### The components of this product are reported in the following inventories:

AICS : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

#### **Section 16: Other information**

Date format : dd.mm.yyyy

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
NZ BEI : New Zealand. Biological Exposure Indices

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospher-

ic Contaminants

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average NZ OEL / WES-STEL : Workplace Exposure Standard - Short-Term Exposure Limit

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC -



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 14.12.2018

 1.2
 21.12.2018
 660000006962
 Date of first issue: 04.10.2018

No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / EN