

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name:	Eurosept® Plus Impression Disinfection Liquid
Manufacturer:	Henry Schein
SDS Expiry:	11 October 2023
Supplier Details:	Henry Schein New Zealand 23 William Pickering Drive, Albany PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz
Emergency Contacts:	Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police
HSNO Class/Category:	9
HSNO Group Standard:	Dental Products Subsidiary Hazard Group Standard 2020 HSR002558
Statements/Pictograms:	As per attached Safety Data Sheet (SDS)
Date Prepared:	This coversheet was prepared - May 2021

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.



Printing date 11.10.2018

Version number 2

Revision: 11.10.2018

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

- Trade name: Eurosept[®]Plus Impression Disinfection Liquid, 5L, REF: 9883992
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the mixture Disinfectant
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:
Manufacturer:Authorized EU Representative:
Henry Schein Inc.Henry Schein Inc.Henry Schein Services GmbH135 Duryea RoadMonzastrasse 2aMelville, NY 11747 USA63225 Langen / Germany

Contact: cbdeurope@henryschein.com www.henryscheinbrand.com Tel: +49 6103 757 5000

• Further information obtainable from: Corporate Brand Development cbdeurope@henryschein.com

· 1.4 Emergency telephone number: Intl.: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements

H412 Harmful to aquatic life with long lasting effects.

- · Precautionary statements
- P273 Avoid release to the environment.
- *P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

GB

Printing date 11.10.2018

Version number 2

Revision: 11.10.2018

Trade name: Eurosept[®]Plus Impression Disinfection Liquid

Dangerous compone	×	of page 1
	CAS: 68391-01-5C12-C18 alkyl benzyl dimethyl ammonium chloride	<i>≤</i> 2.5%
	Skin Corr. 1B, H314; \textcircled{O} Aquatic Acute 1, H400; Aquatic Chronic 1, H410; \textcircled{O} Acute Tox. 4, H302	
CAS: 85409-23-0	Quaternäre Ammoniumverbindungen, C12-14- Alkyl[(ethylphenyl)methyl]dimethyl-, Chloride	<i>≤</i> 2.5%
	♦ Skin Corr. 1B, H314; ♦ Aquatic Acute 1, H400; ♦ Acute Tox. 4, H302	
	<i>D-gluconic acid, compound with N,N"-bis(4-chlorophenyl)-</i> 3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1)	<i>≤</i> 2.5%
	\bigotimes Eye Dam. 1, H318; \bigotimes Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Not required.

- 6.2 Environmental precautions:
- Dilute with plenty of water.

(Contd. on page 3)

GB

Printing date 11.10.2018

Version number 2

Trade name: Eurosept[®]Plus Impression Disinfection Liquid

(Contd. of page 2)

Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special measures required.

· Information about fire - and explosion protection: No special measures required.

- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

*

- *Requirements to be met by storerooms and receptacles:* Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

GB -

Printing date 11.10.2018

Version number 2

Revision: 11.10.2018

Trade name: Eurosept[®]Plus Impression Disinfection Liquid

(Contd. of page 3)

- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:
- Rubber gloves
- For the permanent contact gloves made of the following materials are suitable: Neoprene gloves
- For the permanent contact of a maximum of 15 minutes gloves made of the following *materials are suitable:*
 - Nitrile rubber, NBR
- Natural rubber. NR
- *Eve protection:* Goggles recommended during refilling

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties · General Information · Appearance: Form: Fluid Clear Colour: Pleasant · Odour: · Odour threshold: Not determined. 7.2 · pH-value at 20 °C:
- · Change in condition *Melting point/freezing point:* Undetermined. Initial boiling point and boiling range: 100 °C
- $>100 \,^{\circ}C$ · Flash point:
- · Flammability (solid, gas):
- Not applicable. · Ignition temperature: **Decomposition temperature:** Not determined. • Auto-ignition temperature: Product is not selfigniting. • Explosive properties: Product does not present an explosion hazard. · Explosion limits: Lower: Not applicable Not determined. Upper: Not applicable · Vapour pressure at 20 °C: 23 hPa · Density at 20 °C: $l g/cm^3$ Not determined. · Relative density

(Contd. on page 5)

GB

Printing date 11.10.2018

Version number 2

Trade name: Eurosept[®]Plus Impression Disinfection Liquid

	(Contd. of page 4
Vapour density	Not determined.
· Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Water:	98.8 %
Solids content:	99.3 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

CAS: 68391-01-5C12-C18 alkyl benzyl dimethyl ammonium chloride

Oral LD50 500 mg/kg (ATE)

85409-23-0 Quaternäre Ammoniumverbindungen, C12-14-Alkyl[(ethylphenyl)methyl] dimethyl-, Chloride

Oral LD50 500 mg/kg (ATE)

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 11.10.2018

Version number 2

Revision: 11.10.2018

Trade name: Eurosept[®]Plus Impression Disinfection Liquid

(Contd. of page 5)

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- \cdot **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- **SECTION 12: Ecological information**
- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential Does not accumulate in organisms
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements. Smaller quantities can be disposed of with household waste.

• Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA

Void

(Contd. on page 7)

Printing date 11.10.2018

Version number 2

Trade name: Eurosept[®]Plus Impression Disinfection Liquid

	(Contd. of page 6
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
• 14.7 Transport in bulk according to Ann of Marpol and the IBC Code	nex II Not applicable.
• Transport/Additional information:	Not dangerous according to the above specifications.
· ADR · Limited quantities (LQ) · Transport category	-
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008 GHS label elements
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

• **Department issuing SDS:** Regulatory Affairs Europe • **Contact:** cbregulatory@henryschein.com

(Contd. on page 8)

GB

Printing date 11.10.2018

Version number 2

Revision: 11.10.2018

Trade name: Eurosept[®]Plus Impression Disinfection Liquid

	(Contd. of page
Al	bbreviations and acronyms:
	D: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulation concerning the International Transport of Dangerous Goods by Rail)
	TA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) AO: International Civil Aviation Organisation
	AO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)
	DR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning
	ternational Carriage of Dangerous Goods by Road)
	IDG: International Maritime Code for Dangerous Goods
	TA: International Air Transport Association
	HS: Globally Harmonised System of Classification and Labelling of Chemicals
	NECS: European Inventory of Existing Commercial Chemical Substances
	JNCS: European List of Notified Chemical Substances
	4S: Chemical Abstracts Service (division of the American Chemical Society)
LC	C50: Lethal concentration, 50 percent
LĽ	D50: Lethal dose, 50 percent
PB	3T: Persistent, Bioaccumulative and Toxic
vP	VB: very Persistent and very Bioaccumulative
Ac	rute Tox. 4: Acute toxicity – Category 4
Sk	in Corr. 1B: Skin corrosion/irritation – Category 1B
Ey	e Dam. 1: Serious eye damage/eye irritation – Category 1
Aq	<i>quatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1</i>
Aq	puatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aq	puatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
*	Data compared to the previous version altered.