

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

| Product Name: | Periomat Intra/C+ Developer & Fixer concentrate |
|------------------------|--|
| Manufacturer: | DÜRR DENTAL SE |
| SDS Expiry: | 9 September 2025 |
| Supplier Details: | Henry Schein New Zealand 243-249 Bush Road, Rosedale, Auckland, 0632 PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz |
| Emergency Contacts: | Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police |
| HSNO Class/Category: | 6 |
| HSNO Group Standard: | Dental Products Subsidiary Hazard Group Standard 2020 HSR002558 |
| Statements/Pictograms: | As per attached Safety Data Sheet (SDS) |
| Date Prepared: | This coversheet was prepared – April 2023 |

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.

Trade name : Revision date : Print date : Periomat Intra/C+ Fixer concentrate 09.09.2020 24.11.2020

Version (Revision) :

2.0.0 (1.0.0)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Periomat Intra/C+ Fixer concentrate

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Special X-ray set for Dürr developers. **Products Category [PC]** PC 30 - Photo-chemicals

Uses advised against

None, if handled according to order.

Remark

The product is intended for professional use.

1.3 Details of the supplier of the safety data sheet Supplier (manufacturer/importer/only representative/downstream user/distributor)

orochemie GmbH + Co. KG

Street : Max-Planck-Straße 27

Postal code/city: 70806 Kornwestheim

Telephone : +49 7154 1308-0

Telefax : +49 7154 1308-40

Information contact : DÜRR DENTAL SE, Höpfigheimer Str. 17, 74321 Bietigheim-Bissingen, Germany Tel: +49 7142 705-0, Fax: +49 7142 705-500, info@duerrdental.com in Great Britain/Ireland:

DÜRR DENTAL [Products] UK Ltd., 14 Linnell Way - Telford Way Industrial Estate, Kettering Northants NN16 8PS, United Kingdom

Tel: +44 1536 526740, Fax.: +44 1536 526749, info@duerruk.com

1.4 Emergency telephone number

INT: +49 6132 84463 (24 h/7 d)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Although there is no labelling required for this product, we nevertheless advise observation of the safety recommendations.

Classification according to Regulation (EC) No 1272/2008 [CLP]

None

Classification procedure

The classification was carried out according to the calculation method of Regulation No. (EC) 1272/2008 [CLP].

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements

P280Wear protective gloves and eye/face protection.P305+P351+P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
and easy to do. Continue rinsing.P403+P233Store in a well-ventilated place. Keep container tightly closed.P501Dispose of contents/container to hazardous or special waste collection point.

Special rules for supplemental label elements for certain mixtures

EUH210 Safety data sheet available on request.

Trade name : Revision date : Print date : Periomat Intra/C+ Fixer concentrate 09.09.2020 24.11.2020

Version (Revision) :

2.0.0 (1.0.0)

2.3 Other hazards

None

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description

Periomat Intra/C+ Fixer concentrate contains ammonium thiosulfate, sodium sulfite, organic acids and auxiliary agents in aqueous solution.

Hazardous ingredients

ACETIC ACID ; REACH No. : 01-2119475328-30 ; EC No. : 200-580-7; CAS No. : 64-19-7

Weight fraction : $\geq 1 - < 5 \%$

Classification 1272/2008 [CLP] : Flam. Liq. 3 ; H226 Met. Corr. 1 ; H290 Skin Corr. 1A ; H314 Eye Dam. 1 ; H318

Additional information

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated, saturated clothing immediately. When in doubt or if symptoms are observed, get medical advice.

Following inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact

Wash with plenty of water. When in doubt or if symptoms are observed, get medical advice.

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

If swallowed, immediately drink: Water Never give anything by mouth to an unconscious person or a person with cramps. Do NOT induce vomiting. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed No information available.

4.3 Indication of any immediate medical attention and special treatment needed None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Extinguishing powder Water spray jet Water mist The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Full water jet

5.2 Special hazards arising from the substance or mixture

None known.

Hazardous combustion products

None known.

5.3 Advice for firefighters

Trade name : Revision date : Print date : Periomat Intra/C+ Fixer concentrate 09.09.2020 24.11.2020

Version (Revision) :

2.0.0 (1.0.0)

Adapt protective equipment to surrounding fire.

Special protective equipment for firefighters

Adapt protective equipment to surrounding fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. See protective measures under point 7 and 8.

For non-emergency personnel

Use personal protection equipment. See protective measures under point 7 and 8.

For emergency responders

Personal protection equipment

See protective measures under point 7 and 8.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3 Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

Other information

Treat the recovered material as prescribed in the section on waste disposal.

6.4 Reference to other sections

None

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep/Store only in original container. Please note safety instructions and directions for use on the drum. Handle and open container with care. Provide adequate ventilation. Do not breathe vapour/aerosol.

Protective measures

Measures to prevent fire

Usual measures for fire prevention. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep/Store only in original container. Keep container tightly closed. Keep in a cool, well-ventilated place. Do not store in temperatures below 5 °C.

Hints on joint storage

Store the foodstuffs separately.

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

ACETIC ACID ; CAS No. : 64-19-7

 Limit value type (country of origin) :
 STEL (EC)

 Limit value :
 20 ppm / 50 mg/m³

 Version :
 20.06.2019

 Limit value type (country of origin) :
 STEL (EC)

| Trade name : Devision date : | | /C+ Fixer concentrate | Version (Devision) | 200/10 |
|---------------------------------|------------------------------------|--------------------------------|----------------------|-------------|
| Revision date : Print date : | : 09.09.2020 24.11.2020 | | Version (Revision) : | 2.0.0 (1.0. |
| finit date : | 24.11.2020 | | | |
| Lir | nit value : | 50 mg/m ³ / 20 ppm | | |
| | t value type (country of origin) : | | | |
| | nit value : | 10 ppm / 25 mg/m ³ | | |
| | ersion: | 20.06.2019 | | |
| Limit | t value type (country of origin) : | | | |
| | mit value : | 25 mg/m ³ / 10 ppm | | |
| Limit | t value type (country of origin) : | TLV/TWA (GB) | | |
| Lir | mit value : | 10 ppm / 25 mg/m ³ | | |
| DNEL | /PNEC-values | | | |
| | are no data available on the | preparation itself. | | |
| | _/DMEL | | | |
| ACET | TIC ACID ; CAS No. : 64-19-7 | | | |
| Lim | iit value type : | DNEL Consumer (local) | | |
| E | kposure route : | Inhalation | | |
| E> | kposure frequency : | Long-term | | |
| Li | mit value : | 25 mg/m ³ | | |
| Lim | nit value type : | DNEL Consumer (local) | | |
| E> | kposure route : | Inhalation | | |
| | kposure frequency : | Short-term | | |
| | mit value : | 25 mg/m ³ | | |
| | iit value type : | DNEL worker (local) | | |
| | kposure route : | Inhalation | | |
| | kposure frequency : | Long-term | | |
| | mit value : | 25 mg/m ³ | | |
| | nit value type : | DNEL worker (local) | | |
| | kposure route : | Inhalation Short-term | | |
| | xposure frequency : mit value : | 25 mg/m^3 | | |
| PNEC | | 25 mg/m- | | |
| | - TIC ACID ; CAS No. : 64-19-7 | | | |
| | nit value type : | PNEC (Aquatic, freshwater) | | |
| | mit value : | 3,058 mg/l | | |
| | nit value type : | PNEC (Aquatic, marine water) | | |
| | mit value : | 0,3058 mg/l | | |
| | iit value type : | PNEC (Industrial) | | |
| | kposure route : | Soil | | |
| | mit value : | 0,478 mg/kg | | |
| Lim | nit value type : | PNEC (Sediment, freshwater) | | |
| Li | mit value : | 11,36 mg/kg | | |
| Lim | nit value type : | PNEC (Sediment, marine water) | | |
| Lii | mit value : | 1,136 mg/kg | | |
| | it value type : | PNEC (Sewage treatment plant) | | |
| Lii | mit value : | 85 mg/l | | |
| .2 Expos | ure controls | | | |
| Perso | onal protection equip | ment | | |
| Eye, | face protection | | | |
| Eye | glasses with side protection D | IN EN 166 | | |
| | | | | |
| | d protection | | | |

Short-term exposure (Level 2: < 30 min): disposable gloves to EN374 category III, e.g. nitrile rubber, material thickness 0.1 mm. Long-term exposure (Level 6: < 480 min): protective gloves to EN374 category III, e.g. nitrile rubber, material thickness 0.7 mm.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four

Trade name : Revision date : Print date : Periomat Intra/C+ Fixer concentrate 09.09.2020 24.11.2020

Version (Revision) :

2.0.0 (1.0.0)

control digits. AUS/NZ: Wear impervious rubber gloves (AS2161).

Body protection

Body protection: not required.

Respiratory protection

Usually no personal respirative protection necessary.

General information

Keep away from food, drink and animal feedingstuffs. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing. Wash hands before breaks and after work. Separate storage of work clothes. When using do not eat, drink, smoke, sniff.

Other protection measures

Provide adequate ventilation.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | • • | | • | • | | |
|---------------------------------|---------------|--------------------|---------|----------------|-------------------|--------------|
| Appearance : | Liquid | | | | | |
| Colour : | colourless | | | | | |
| Odour : | Acetic acid | | | | | |
| Safety charact | eristics | | | | | |
| Melting point/free | zing point : | (1013 hPa) | | not determined | | |
| Initial boiling poin range : | t and boiling | (1013 hPa) | | not determined | | |
| Decomposition ten | nperature : | (1013 hPa) | | not determined | | |
| Flash point : | | | | not applicable | | |
| Auto-ignition temp | | | | not applicable | | |
| Lower explosion li | mit : | | | not applicable | | |
| Upper explosion lin | nit : | | | not applicable | | |
| Vapour pressure : | | (50 °C) | | not determined | | |
| Density : | | (20 °C) | | 1,169 - 1,185 | g/cm ³ | |
| Solvent separation | test : | (20 °C) | < | 3 | % | |
| Water solubility : | | (20 °C) | | 100 | Wt % | |
| pH : | | | | 4,82 - 4,96 | | |
| log P O/W : | | | | not determined | | |
| Flow time : | | (20 °C) | < | 20 | S | DIN-cup 4 mm |
| Odour threshold : | | | | not determined | | |
| Maximum VOC con | tent (EC) : | | | 2,6 | Wt % | |
| Oxidising liquids : | | Not applicable. | | | | |
| Explosive propertie | es : | Not applicable. | | | | |
| Corrosive to metal | s : | Not corrosive to n | netals. | | | |
| Other informat | ion | | | | | |

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

None, if handled according to order.

10.2 Chemical stability

Stable under recommended storage and handling conditions (see section 7). Exothermal reaction with alkalis.

10.3 Possibility of hazardous reactions

Exothermal reaction with alkalis.

10.4 Conditions to avoid

No information available.

Trade name : Revision date : Print date :

10.5 Incompatible materials

Periomat Intra/C+ Fixer concentrate 09.09.2020 24.11.2020

Version (Revision) :

2.0.0 (1.0.0)

None known. 10.6 Hazardous decomposition products None known. **SECTION 11: Toxicological information** 11.1 Information on toxicological effects Acute toxicity Based on available data, the classification criteria are not met. Acute oral toxicity ATEmix calculated Parameter : Exposure route : Oral Effective dose : not relevant Parameter : LD50 (ACETIC ACID ; CAS No. : 64-19-7) Exposure route : Oral Species : Rat Effective dose : 3310 mg/kg Practical experience/human evidence Avoid contact with skin and eyes. Acute dermal toxicity Parameter : ATEmix calculated Exposure route : Dermal Effective dose : not relevant LD50 (ACETIC ACID ; CAS No. : 64-19-7) Parameter : Exposure route : Dermal Species : Rabbit Effective dose : 1060 mg/kg Acute inhalation toxicity Parameter : ATEmix calculated Exposure route : Inhalation (vapour) Effective dose : not relevant Parameter : LC50 (ACETIC ACID ; CAS No. : 64-19-7) Exposure route : Inhalation Species : Mouse Effective dose : 5620 mg/l Parameter : LD50 (ACETIC ACID ; CAS No. : 64-19-7) Exposure route : Inhalation Species : Rat Effective dose : 4000 mg/l Corrosion Based on available data, the classification criteria are not met. **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met. **Carcinogenicity** Based on available data, the classification criteria are not met. **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Trade name : Revision date : Print date : Periomat Intra/C+ Fixer concentrate 09.09.2020 24.11.2020

Version (Revision) :

2.0.0 (1.0.0)

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.5 Additional information

The classification was carried out according to the calculation method of Regulation No. (EC) 1272/2008 [CLP].

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

Based on available data, the classification criteria are not met.

Acute (short-term) fish toxicity

| Parameter : | LC50 (ACETIC ACID ; CAS No. : 64-19-7) |
|----------------------------------|--|
| Species : | Leuciscus idus (golden orfe) |
| Evaluation parameter : | Acute (short-term) fish toxicity |
| Effective dose : | 400 - 500 mg/l |
| Exposure time : | 48 h |
| Parameter : | LC50 (ACETIC ACID ; CAS No. : 64-19-7) |
| Species : | Lepomis macrochirus (Bluegill) |
| Evaluation parameter : | Acute (short-term) fish toxicity |
| Effective dose : | 75 mg/l |
| Exposure time : | 96 h |
| Parameter : | LC50 (ACETIC ACID ; CAS No. : 64-19-7) |
| Species : | Pimephales promelas (fathead minnow) |
| Evaluation parameter : | Acute (short-term) fish toxicity |
| Effective dose : | 79 mg/l |
| Exposure time : | 96 h |
| Acute (short-term) toxicity to c | rustacea |
| Parameter : | EC50 (ACETIC ACID ; CAS No. : 64-19-7) |
| Species : | Daphnia magna (Big water flea) |
| Evaluation parameter : | Acute (short-term) daphnia toxicity |
| Effective dose : | 95 mg/l |
| Exposure time : | 24 h |
| Acute (short-term) toxicity to a | quatic algae and cyanobacteria |
| Parameter : | EC0 (ACETIC ACID ; CAS No. : 64-19-7) |
| Evaluation parameter : | Acute (short-term) algae toxicity |
| Effective dose : | 65 mg/l |
| Exposure time : | 85 h |
| Toxicity to microorganisms | |
| Parameter : | EC0 (ACETIC ACID ; CAS No. : 64-19-7) |
| Species : | Pseudomonas putida |
| Evaluation parameter : | Bacteria toxicity |
| Effective dose : | 2850 mg/l |
| Exposure time : | 16 h |
| 12.2 Persistence and degradabil | ity |
| Biodegradation | - |
| No data available. | |
| | |
| 12.3 Bioaccumulative potential | |
| No information available. | |

No information available.

Trade name : Revision date : Print date : Periomat Intra/C+ Fixer concentrate 09.09.2020 24.11.2020

Version (Revision) :

2.0.0 (1.0.0)

12.4 Mobility in soil

Distribution

There are no data available on the preparation itself.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Other adverse effects

No information available.

12.7 Additional ecotoxicological information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Directive 2008/98/EC (Waste Framework Directive)

After intended use Disposal operations

Dispose according to legislation. Consult the appropriate local waste disposal expert about waste disposal.

Recovery operations

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

Waste codes/waste designations according to EWC/AVV

Concentrate/larger quantities: 09 01 04* fixer solutions.

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group

None

No dangerous good in sense of these transport regulations.

14.5 Environmental hazards No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code not applicable

SECTION 15: Regulatory information

^{15.1} Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Authorisations and/or restrictions on use Restrictions on use Use restriction according to REACH annex XVII, no. : 40 National regulations Restrictions of occupation

Trade name : Revision date : Print date : Periomat Intra/C+ Fixer concentrate 09.09.2020 24.11.2020

Version (Revision) :

2.0.0 (1.0.0)

None

15.2 Chemical safety assessment

For this mixture a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Indication of changes

02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 08. Occupational exposure limit values · 11. Acute toxicity · 11. Corrosion · 11. Respiratory or skin sensitisation · 11. Carcinogenicity · 11. Germ cell mutagenicity · 11. Reproductive toxicity · 11. STOT-single exposure · 11. STOT-repeated exposure · 11. Aspiration hazard · 12. Aquatic toxicity · 15. Restrictions on use

16.2 Abbreviations and acronyms

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

- ATE = Acute Toxicity Estimates
- CAS = Chemical Abstracts Service
- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- CMR = Carcinogen, Mutagen or Reproductive toxicant
- $CO_2 = Carbon dioxide$
- DMEL = Derived Minimal Effect Level
- DNEL = Derived No Effect Level
- EC = European Commission
- EC50 = Half maximal effective concentration
- EN = European Standard (Norm)
- EU = European Union
- EUH statement = CLP-specific Hazard statement
- EWC = European Waste Catalogue
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- H statement = GHS Hazard statement
- IATA = International Air Transport Association ICAO-TI = International Civil Aviation Organization-Technical Instructions
- IMDG = International Maritime Dangerous Goods
- LC50 = Median lethal concentration
- LD50 = Median lethal dose
- LogPow = Logarithm of the octanol/water partition coefficient
- MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
- NOEC/NOEL = No observed effect concentration/level
- OECD = Organisation for Economic Co-operation and Development
- PBT = Persistent, Bioaccumulative and Toxic
- PNEC = Predicted No Effect Concentration
- REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation [Regulation (EC) No. 1907/2006]
- RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
- RMM = Risk Management Measure
- RRN = REACH Registration Number
- STOT-RE = Specific Target Organ Toxicity Repeated Exposure
- STOT-SE = Specific Target Organ Toxicity Single Exposure
- SVHC = Substances of Very High Concern
- TLV/STEL = Threshold limit value/short-term exposure limit
- TLV/TWA = Threshold limit value/time weighted average
- UN = United Nations
- VOC = Volatile Organic Compound
- vPvB = Very Persistent and Very Bioaccumulative

16.3 Key literature references and sources for data

None

^{16.4} Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The classification was carried out according to the calculation method of Regulation No. (EC) 1272/2008 [CLP].

Page : 9 / 10

Trade name : Revision date : Print date : Periomat Intra/C+ Fixer concentrate 09.09.2020 24.11.2020

Version (Revision) :

2.0.0 (1.0.0)

16.5 Relevant H- and EUH-phrases (Number and full text)

Flammable liquid and vapour.

May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage.

16.6 Training advice

None

H226

H290

H314

H318

16.7 Additional information

Notice the directions for use on the label.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Trade name : **Revision date :** Print date :

Periomat Intra/C+ Developer concentrate 09.09.2020 10.11.2020

Version (Revision) :

2.0.0 (1.0.0)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Periomat Intra/C+ Developer concentrate

1.2 Relevant identified uses of the substance or mixture and uses advised against **Relevant identified uses**

Special X-ray set for Dürr developers. Products Category [PC]

PC 30 - Photo-chemicals

Uses advised against

None, if handled according to order.

Remark

The product is intended for professional use.

1.3 Details of the supplier of the safety data sheet Supplier (manufacturer/importer/only representative/downstream user/distributor)

orochemie GmbH + Co. KG

Street : Max-Planck-Straße 27

Postal code/city: 70806 Kornwestheim

Telephone: +49 7154 1308-0

Telefax: +49 7154 1308-40

Information contact: DÜRR DENTAL SE, Höpfigheimer Str. 17, 74321 Bietigheim-Bissingen, Germany Tel: +49 7142 705-0, Fax: +49 7142 705-500, info@duerrdental.com in Great Britain/Ireland: DÜRR DENTAL [Products] UK Ltd., 14 Linnell Way - Telford Way Industrial Estate, Kettering Northants NN16 8PS, United Kingdom

Tel: +44 1536 526740, Fax.: +44 1536 526749, info@duerruk.com

1.4 Emergency telephone number

INT: +49 6132 84463 (24 h/7 d)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Skin Irrit. 2; H315 - Skin corrosion/irritation : Category 2; Causes skin irritation. Eye Irrit. 2 ; H319 - Serious eye damage/eye irritation : Category 2 ; Causes serious eye irritation. **Classification procedure**

The classification was carried out according to the calculation method of Regulation No. (EC) 1272/2008 [CLP].

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]





Page : 1 / 10

| Trade name : | Periomat Intra/C+ Developer concentrate | | |
|-----------------|---|----------------------|---------------|
| Revision date : | 09.09.2020 | Version (Revision) : | 2.0.0 (1.0.0) |
| Print date : | 10.11.2020 | | |

| Hazard statements | |
|----------------------|--|
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |
| Precautionary state | ements |
| P280 | Wear protective gloves and eye/face protection. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P501 | Dispose of contents/container to hazardous or special waste collection point. |
| Special rules for su | pplemental label elements for certain mixtures |
| EUH208 | Contains 4-(HYDROXYMETHYL)-4-METHYL-1-PHENYL-PYRAZOLIDIN-3-ON.May produce an allergic reaction. |

2.3 Other hazards

None

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description

Periomat Intra/C+ Developer concentrate contains potassium carbonate, potassium sulfite, complexing agents, stabilizers and auxiliary agents in aqueous solution.

Hazardous ingredients

POTASSIUM CARBONATE ; REACH No. : 01-2119532646-36 ; EC No. : 209-529-3; CAS No. : 584-08-7

Weight fraction : $\geq 10 - < 15 \%$ Classification 1272/2008 [CLP] :Acute Tox. 4 ; H302 Skin Irrit. 2 ; H315 Eye Irrit. 2 ; H319 STOT SE 3 ; H3354-(HYDROXYMETHYL)-4-METHYL-1-PHENYL-PYRAZOLIDIN-3-ON ; REACH No. : - ; EC No. : 235-920-3; CAS No. : 13047-13-7Weight fraction : $\geq 0,1 - < 0,5 \%$ Classification 1272/2008 [CLP] :Acute Tox. 4 ; H302

Additional information

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated, saturated clothing immediately. When in doubt or if symptoms are observed, get medical advice.

Following inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact

Wash with plenty of water. In case of skin irritation, consult a physician.

After eye contact

Remove contact lenses, keep eyelids open. In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

If swallowed, immediately drink: Water Never give anything by mouth to an unconscious person or a person with cramps. Do NOT induce vomiting. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

May cause sensitisation especially in sensitive humans. Causes skin irritation. Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed None

Trade name : Revision date : Print date : Periomat Intra/C+ Developer concentrate 09.09.2020 10.11.2020

Version (Revision) :

2.0.0 (1.0.0)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing powder Water spray jet Water mist The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Full water jet

5.2 Special hazards arising from the substance or mixture None known.

5.3 Advice for firefighters

Adapt protective equipment to surrounding fire. Do not allow run-off from fire-fighting to enter drains or water courses. **Special protective equipment for firefighters**

Adapt protective equipment to surrounding fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. See protective measures under point 7 and 8.

For non-emergency personnel

Use personal protection equipment. See protective measures under point 7 and 8.

For emergency responders

Personal protection equipment

See protective measures under point 7 and 8.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3 Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

Other information

Treat the recovered material as prescribed in the section on waste disposal.

6.4 Reference to other sections

None

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep/Store only in original container. Please note safety instructions and directions for use on the drum. Handle and open container with care. Provide adequate ventilation. Do not breathe vapour/aerosol.

Protective measures

Measures to prevent fire

Usual measures for fire prevention. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep/Store only in original container. Keep container tightly closed. Keep in a cool, well-ventilated place. Do not store in temperatures below 5 °C.

Hints on joint storage

Trade name : Revision date : Print date : Periomat Intra/C+ Developer concentrate 09.09.2020 10.11.2020

Version (Revision) :

2.0.0 (1.0.0)

Store the foodstuffs separately.

7.3 Specific end use(s)

Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL-/PNEC-values

There are no data available on the preparation itself.

DNEL/DMEL

POTASSIUM CARBONATE ; CAS No. : 584-08-7 Limit value type : DNEL Consumer (local) Exposure route : Inhalation Exposure frequency : Long-term Limit value : 10 mg/m³ DNEL Consumer (local) Limit value type : Exposure route : Dermal Exposure frequency : Long-term Limit value : 8 mg/cm² Limit value type : DNEL worker (local) Exposure route : Inhalation Exposure frequency : Long-term Limit value : 10 mg/m³ DNEL worker (local) Limit value type : Exposure route : Dermal Exposure frequency : Long-term Limit value : 16 mg/cm²

8.2 Exposure controls

Personal protection equipment

Eye/face protection

Eye glasses with side protection DIN EN 166

Skin protection

Hand protection

Short-term exposure (Level 2: < 30 min): disposable gloves to EN374 category III, e.g. nitrile rubber, material thickness 0.1 mm.

Long-term exposure (Level 6: < 480 min): protective gloves to EN374 category III, e.g. nitrile rubber, material thickness 0.7 mm.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Body protection

Body protection: not required.

Respiratory protection

Usually no personal respirative protection necessary.

General information

Keep away from food, drink and animal feedingstuffs. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing. Wash hands before breaks and after work. Separate storage of work clothes. When using do not eat, drink, smoke, sniff.

Other protection measures

No particular measures required.

SECTION 9: Physical and chemical properties

| Trade name : | Periomat Intra/C+ Developer concentrate | | |
|-----------------|---|----------------------|---------------|
| Revision date : | 09.09.2020 | Version (Revision) : | 2.0.0 (1.0.0) |
| Print date : | 10.11.2020 | | |

9.1 Information on basic physical and chemical properties Appearance : Liquid Colour : light yellow Odour : odourless Safety characteristics Melting point/freezing point : (1013 hPa) not determined Initial boiling point and boiling (1013 hPa) not determined range : Decomposition temperature : (1013 hPa) not determined not applicable Flash point : Auto-ignition temperature : not applicable not applicable Lower explosion limit : Upper explosion limit : not applicable Vapour pressure : (50 °C) not determined **Density**: (20 °C) 1,173 - 1,182 g/cm³ Solvent separation test : (20 °C) < 3 % (20 °C) Water solubility : 100 Wt % 10,5 - 10,9 pH : log P O/W : not determined Flow time : (20 °C) < 20 s DIN-cup 4 mm not applicable Odour threshold : Maximum VOC content (EC) : Wt % 0 **Oxidising liquids :** Not applicable. Explosive properties : Not applicable. Corrosive to metals : Not corrosive to metals.

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

None, if handled according to order.

10.2 Chemical stability

Stable under recommended storage and handling conditions (see section 7).

10.3 Possibility of hazardous reactions

No information available.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials No information available.

10.6 Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

| Acute oral toxicity | |
|---------------------|-------------------|
| Parameter : | ATEmix calculated |
| Exposure route : | Oral |
| Effective dose : | 3849 mg/kg |

| sion date : date : | Periomat Intra 09.09.2020 10.11.2020 | /C+ Developer concentrate Version (Revision) : | 2.0.0 (1.0.0 |
|---------------------------------------|--|---|---------------------|
| Parameter : | | | |
| | | LD50 (POTASSIUM CARBONATE ; CAS No. : 584-08-7) Oral | |
| Exposure route : | | Rat | |
| Species : Effective dose : | | | |
| Parameter : | | > 2000 mg/kg LD50 (4-(HYDROXYMETHYL)-4-METHYL-1-PHENYL-PYRAZOLIDI | N-2-ON + CAS No + |
| | | 13047-13-7) | IN-5-0N , CAS NO |
| Exposure route : | | Oral | |
| Species : | | Rat | |
| Effective dose : | | | |
| Parameter : | | LD50 (4-(HYDROXYMETHYL)-4-METHYL-1-PHENYL-PYRAZOLIDI 13047-13-7) | IN-3-UN ; CAS NO. : |
| Exposure route : | | Oral | |
| Species : | | Rat | |
| Effective dose : | | 566 mg/kg | |
| Parameter : | | ATE (POTASSIUM CARBONATE ; CAS No. : 584-08-7) | |
| Exposure route : | | Oral | |
| Effective dose : | | 500 mg/kg | |
| Parameter : | | ATE (4-(HYDROXYMETHYL)-4-METHYL-1-PHENYL-PYRAZOLIDIN 13047-13-7) | 1-3-ON ; CAS No. : |
| Exposure route : | | Oral | |
| Effective dose : | | 500 mg/kg | |
| Practical experi | ence/human e | 0. 0 | |
| | - | v in sensitive humans. | |
| Acute dermal to | • • | | |
| Parameter : | | ATEmix calculated | |
| Exposure route : | | Dermal | |
| Effective dose : | | not relevant | |
| Parameter : | | LD50 (POTASSIUM CARBONATE ; CAS No. : 584-08-7) | |
| | | Dermal | |
| Exposure route : | | Rabbit | |
| Species : Effective dose : | | | |
| Acute inhalation | toxicity | > 2000 mg/kg | |
| | loxicity | | |
| Parameter : | | ATEmix calculated | |
| Exposure route : | | Inhalation (vapour) | |
| Effective dose : | | not relevant | |
| Parameter : | | LC50 (POTASSIUM CARBONATE ; CAS No. : 584-08-7) | |
| Exposure route : | | Inhalation | |
| Species : | | Rat | |
| Effective dose : | | > 4,96 mg/kg | |
| Exposure time : | | 4 h | |
| Corrosion | | | |
| Skin corrosion/ii | ritation | | |
| Causes skin irritat | ion. | | |
| Serious eye dam | age/eye irritati | on | |
| - | | es serious eye irritation. | |
| Respiratory or | | | |
| | | cation criteria are not met. May cause sensitization by skin con | tact. |
| CMR effects (c | arcinogenic | ity, mutagenicity and toxicity for reproduction | on) |
| Based on available | - | cation criteria are not met. | , |
| Carcinogenicity | o doto the -! ' | fication critoria are not mat | |
| Deced on | | fication criteria are not met. | |
| | | | |
| Germ cell mutag | - | | |
| Germ cell mutag Based on available | e data, the classi | fication criteria are not met. | |
| Germ cell mutag | e data, the classi | fication criteria are not met. | |

Trade name : Revision date : Print date : Periomat Intra/C+ Developer concentrate 09.09.2020 10.11.2020

Version (Revision) :

2.0.0 (1.0.0)

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.5 Additional information

The classification was carried out according to the calculation method of Regulation No. (EC) 1272/2008 [CLP] as well as in-house investigations.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

Based on available data, the classification criteria are not met.

| Acute (short-term) fish toxicity | |
|-----------------------------------|--|
| Parameter : | LC50 (POTASSIUM CARBONATE ; CAS No. : 584-08-7) |
| Species : | Oncorhynchus mykiss (Rainbow trout) |
| Evaluation parameter : | Acute (short-term) fish toxicity |
| Effective dose : | 68 mg/l |
| Exposure time : | 96 h |
| Parameter : | LC50 (4-(HYDROXYMETHYL)-4-METHYL-1-PHENYL-PYRAZOLIDIN-3-ON ; CAS No. : 13047-13-7) |
| Species : | Pimephales promelas (fathead minnow) |
| Evaluation parameter : | Acute (short-term) fish toxicity |
| Effective dose : | 1 - 10 mg/l |
| Parameter : | LC50 (4-(HYDROXYMETHYL)-4-METHYL-1-PHENYL-PYRAZOLIDIN-3-ON ; CAS No. : 13047-13-7) |
| Species : | Leuciscus idus (golden orfe) |
| Evaluation parameter : | Acute (short-term) fish toxicity |
| Effective dose : | 35 mg/l |
| Exposure time : | 48 h |
| Chronic (long-term) fish toxicity | , |
| Parameter : | NOEC (POTASSIUM CARBONATE ; CAS No. : 584-08-7) |
| Species : | Oncorhynchus mykiss (Rainbow trout) |
| Evaluation parameter : | Chronic (long-term) fish toxicity |
| Effective dose : | 33 mg/l |
| Exposure time : | 96 h |
| Acute (short-term) toxicity to cr | ustacea |
| Parameter : | EC50 (POTASSIUM CARBONATE ; CAS No. : 584-08-7) |
| Species : | Daphnia magna (Big water flea) |
| Evaluation parameter : | Acute (short-term) daphnia toxicity |
| Effective dose : | 200 mg/l |
| Exposure time : | 48 h |
| Parameter : | EC50 (4-(HYDROXYMETHYL)-4-METHYL-1-PHENYL-PYRAZOLIDIN-3-ON ; CAS No. : 13047-13-7) |
| Species : | Daphnia magna (Big water flea) |
| Evaluation parameter : | Acute (short-term) daphnia toxicity |
| Effective dose : | 7,1 mg/l |
| Exposure time : | 24 h |
| Toxicity to microorganisms | |
| Parameter : | EC50 (4-(HYDROXYMETHYL)-4-METHYL-1-PHENYL-PYRAZOLIDIN-3-ON ; CAS No. : 13047-13-7) |

Page : 7 / 10

Trade name : Revision date : Print date : Periomat Intra/C+ Developer concentrate 09.09.2020 10.11.2020

Version (Revision) :

2.0.0 (1.0.0)

Species : Evaluation parameter : Effective dose : Exposure time : Pseudomonas putida Bacteria toxicity 480 mg/l 16 h

12.2 Persistence and degradability No information available.

12.3 Bioaccumulative potential No information available.

12.4 Mobility in soil

Distribution

There are no data available on the preparation itself.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Other adverse effects

No information available.

12.7 Additional ecotoxicological information

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Directive 2008/98/EC (Waste Framework Directive)

After intended use

Disposal operations Dispose according to legislation. Consult the appropriate local waste disposal expert about waste disposal.

Recovery operations

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself. Waste codes 15 01 10^\ast

Waste codes/waste designations according to EWC/AVV

Concentrate/larger quantities: 09 01 01* water based developer baths.

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es) No dangerous good in sense of these transport regulations.

14.4 Packing group No dangerous good in sense of these transport regulations.

14.5 Environmental hazards No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

None

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code not applicable

SECTION 15: Regulatory information

Trade name : Revision date : Print date : Periomat Intra/C+ Developer concentrate 09.09.2020 10.11.2020

Version (Revision) :

2.0.0 (1.0.0)

^{15.1} Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Authorisations and/or restrictions on use

Restrictions on use

Use restriction according to REACH annex XVII, no.: 3

- National regulations
- **Restrictions of occupation**

According to directive 94/33/EC, juveniles are only allowed to handle this product as long as all effects of dangerous substances are prevented.

15.2 Chemical safety assessment

For this mixture a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Indication of changes

11. Acute toxicity · 11. Skin corrosion/irritation · 11. Serious eye damage/eye irritation · 11. Respiratory or skin sensitisation · 11. Carcinogenicity · 11. Germ cell mutagenicity · 11. Reproductive toxicity · 11. STOT-single exposure · 11. STOT-repeated exposure · 11. Aspiration hazard · 12. Aquatic toxicity

16.2 Abbreviations and acronyms

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimates

- CAS = Chemical Abstracts Service
- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- CMR = Carcinogen, Mutagen or Reproductive toxicant
- CO₂ = Carbon dioxide

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EC = European Commission

EC50 = Half maximal effective concentration

EN = European Standard (Norm)

EU = European Union

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

H statement = GHS Hazard statement

IATA = International Air Transport Association ICAO-TI = International Civil Aviation Organization-Technical Instructions

IMDG = International Maritime Dangerous Goods

LC50 = Median lethal concentration

LD50 = Median lethal dose

LogPow = Logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

NOEC/NOEL = No observed effect concentration/level

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation [Regulation (EC) No.

1907/2006]

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RMM = Risk Management Measure

RRN = REACH Registration Number

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

SVHC = Substances of Very High Concern

TLV/STEL = Threshold limit value/short-term exposure limit

TLV/TWA = Threshold limit value/time weighted average

| Trade name : | Periomat Intra/C+ Developer concentrate |
|-----------------|---|
| Revision date : | 09.09.2020 |
| Print date : | 10.11.2020 |

Version (Revision) :

2.0.0 (1.0.0)

| , | eferences and sources for data |
|----------------------|--------------------------------|
| vPvB = Verv Persiste | ent and Very Bioaccumulative |
| VOC = Volatile Orga | nic Compound |
| UN = United Nations | 5 |
| | |

None

16.3

^{16.4} Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The classification was carried out according to the calculation method of Regulation No. (EC) 1272/2008 [CLP].

16.5 Relevant H- and EUH-phrases (Number and full text)

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

16.6 Training advice

Do not handle until all safety precautions have been read and understood.

16.7 Additional information

Notice the directions for use on the label.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.