

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name:	GC Essentia Light, Dark and Medium Dentin
Manufacturer:	GC Corporation
SDS Expiry:	20 May 2025
Supplier Details:	Henry Schein New Zealand 23 William Pickering Drive, Albany PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz
Emergency Contacts:	Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police
HSNO Class/Category:	6
HSNO Group Standard:	Dental Products Subsidiary Hazard Group Standard 2017 HSR002558
Statements/Pictograms:	As per attached Safety Data Sheet (SDS)
Date Prepared:	This coversheet was prepared on 17 June 2020

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.



7



Page 1/9

Safety Data Sheet in accordance with HSNO

Printing date 20.05.2020

Version number 5

Revision: 17.03.2020

1 Identification of the substance or mixture and of the supplier

· Product identifier

· Trade name: GC Essentia Light, Dark and Medium Dentin

• *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.*

· Application of the substance / the mixture Auxillary for dental technology

• Details of the supplier of the safety data sheet Henry Schein Dental 23 William Pickering Drive, Albany Auckland 0632, NEW ZEALAND

PO Box 101140, NSMC Auckland 0745, NEW ZEALAND

Free Phone: 0800 808 855

Further information obtainable from: Regulatory affairs
 Emergency telephone number: 0800 764 766 (National Poisons Centre)

2 Hazards identification

· Classification of the substance or mixture

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 5 H313 May be harmful in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.

Skin Corr. 3 H316 Causes mild skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

· GHS label elements

Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device. The product is classified and labelled according to the Globally Harmonised System (GHS). • Hazard pictograms



· Signal word Danger

• *Hazard-determining components of labelling: Ytterbium trifluoride Urethane Dimethacrylate (UDMA)* 2-(2H-benzotriazol-2-yl)-p-cresol

· Hazard statements

Harmful if swallowed. May be harmful in contact with skin. Toxic if inhaled.

(Contd. on page 2)

NZ

Printing date 20.05.2020

Version number 5

Revision: 17.03.2020

Trade name: GC Essentia Light, Dark and Medium Dentin

(Contd. of page 1)

Causes mild skin irritation. May cause an allergic skin reaction. • **Precautionary statements** Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. • Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/Information on ingredients

· Chemical characterisation: Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous compone	ents:	
CAS: 72869-86-4	Urethane Dimethacrylate (UDMA)	10-<25%
EINECS: 276-957-5	Skin Sens. 1, H317	
CAS: 13760-80-0	Ytterbium trifluoride	5-<10%
EINECS: 237-354-2	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331	
CAS: 1985-51-9	2,2-dimethyl-1,3-propanediyl bismethacrylate	2.5-<5%
EINECS: 217-856-8	Skin Irrit. 2, H315; Eye Irrit. 2A, H319	
CAS: 2440-22-4	2-(2H-benzotriazol-2-yl)-p-cresol	0.1-<0.2%
	Acute Tox. 3, H311; Skin Sens. 1, H317; Aquatic Chronic 4, H413	
· Additional informat	ion: For the wording of the listed hazard phrases refer to section 16.	

4 First aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Do not use mouth to mouth or mouth to nose resuscitation.

Take affected persons into fresh air and keep quiet.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

If skin irritation continues, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)

Printing date 20.05.2020

Version number 5

Revision: 17.03.2020

(Contd. of page 2)

Trade name: GC Essentia Light, Dark and Medium Dentin

• After swallowing:

- Do not induce vomiting; call for medical help immediately.
- Rinse out mouth and then drink plenty of water.

• Information for doctor:

- Most important symptoms and effects, both acute and delayed Allergic reactions
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- *CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.*
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture
- *Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.*
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

- Avoid contact with the eyes and skin.
- Wear protective clothing.

Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil. In case of seepage into the ground inform responsible authorities.
Methods and material for containment and cleaning up: Ensure adequate ventilation.

Absorb liquid components with liquid-binding material. Dispose of the material collected according to regulations.

· Reference to other sections

See Section 7 for information on safe handling.

- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Do not inhale dust / smoke / mist. Prevent formation of aerosols.

(Contd. on page 4)

Printing date 20.05.2020

Version number 5

Revision: 17.03.2020

(Contd. of page 3)

Trade name: GC Essentia Light, Dark and Medium Dentin

Avoid contact with the eyes and skin.

· Information about fire - and explosion protection: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.

· Information about storage in one common storage facility: Store away from foodstuffs.

· Further information about storage conditions: None.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Avoid contact with the eyes and skin. Wash hands before breaks and at the end of work. Immediately remove all soiled and contaminated clothing
- **Respiratory protection:** Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Printing date 20.05.2020

Version number 5

Revision: 17.03.2020

Trade name: GC Essentia Light, Dark and Medium Dentin

(Contd. of page 4)

Information on basic physical and chen	nical properties
General Information	
Appearance:	
Form:	Pasty
Colour:	According to product specification Odourless
Odour: Odour threshold:	Odourless Not determined.
pH-value:	Not determined.
-	not acternation.
Change in condition	Undetermined.
Melting point/freezing point: Initial boiling point and boiling range	
Flash point:	>150 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	Undetermined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density:	Not determined.
-	2,56 g/cm ³
	1,18g/ml
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Insoluble.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
VOC (EC)	0.0 g/l
Other information	No further relevant information available.

10 Stability and reactivity

· **Reactivity** No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

⁽Contd. on page 6)

Safety Data Sheet

in accordance with HSNO

Printing date 20.05.2020

Version number 5

Revision: 17.03.2020

Trade name: GC Essentia Light, Dark and Medium Dentin

• **Possibility of hazardous reactions** No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity

· LD/LC50 values relevant for classification:

72869-86-4 Urethane Dimethacrylate (UDMA)

>5,000 mg/kg (rat female) (OECD 401) Oral LD50

2440-22-4 2-(2H-benzotriazol-2-yl)-p-cresol

Oral LD50 10,000 mg/kg (rat (f+m))

Inhalative LC50/4 h = 0.59 mg/l (rat (f+m))

• Primary irritant effect:

· Skin corrosion/irritation No irritant effect.

· Serious eye damage/irritation No irritating effect.

- · Respiratory or skin sensitisation Sensitisation possible through skin contact.
- · Repeated dose toxicity No further relevant information available.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

12 Ecological information

· Toxicity

· Aquatic toxicity:

72869-86-4 Urethane Dimethacrylate (UDMA)

EC50/48h (static) >1.2 mg/l (daphnia magna) (OECD 202)

· Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

(Contd. on page 7)

(Contd. of page 5)

in accoraance w

Printing date 20.05.2020

Version number 5

Revision: 17.03.2020

Trade name: GC Essentia Light, Dark and Medium Dentin

(Contd. of page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

UN-Number		
ADR, ADN, IMDG, IATA	not regulated	
UN proper shipping name ADR, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	not regulated	
Packing group ADR, IMDG, IATA	not regulated	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex I	I of Marpol	
and the IBC Code	Not applicable.	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· New Zealand	Inventory of Chemicals
65997-17-3	Glass, oxide, chemicals
72869-86-4	Urethane Dimethacrylate (UDMA)
112945-52-5	Silicon dioxide
13760-80-0	Ytterbium trifluoride
1985-51-9	2,2-dimethyl-1,3-propanediyl bismethacrylate
2530-85-0	3-trimethoxysilylpropyl methacrylate
1309-37-1	Iron(III)oxide
2440-22-4	2-(2H-benzotriazol-2-yl)-p-cresol
21245-01-2	3-methylbutyl 4-(dimethylamino)benzoate
1317-61-9	triiron tetraoxide
13463-67-7	titanium dioxide
	(Contd. on page 8)

- NZ

Printing date 20.05.2020

Version number 5

Revision: 17.03.2020

Trade name: GC Essentia Light, Dark and Medium Dentin

	(Contd. of page
1879-09-0 6-tert-butyl-2,4-xylenol	
HSNO Approval numbers	
2440-22-4 2-(2H-benzotriazol-2-yl)-p-cresol	HSR003665
GHS label elements The product is classified and labelled according to the Globally Harmon	ised System (GHS).
Hazard pictograms	
\wedge	
GHS06	
011500	
Signal word Danger	
Hazard-determining components of labelling:	
Ytterbium trifluoride	
Urethane Dimethacrylate (UDMA)	
2-(2H-benzotriazol-2-yl)-p-cresol	
Hazard statements	
Harmful if swallowed.	
May be harmful in contact with skin.	
Toxic if inhaled.	
Causes mild skin irritation.	
May cause an allergic skin reaction.	
Precautionary statements	
Avoid breathing dust/fume/gas/mist/vapours/spray.	
Contaminated work clothing should not be allowed out of the workplace.	
Wear protective gloves.	
IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regul	ations.
Directive 2012/18/EU	
Named dangerous substances - ANNEX I None of the ingredients is listed.	
Seveso category H2 ACUTE TOXIC	
Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t	
Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t	
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

Relevant phrases
H301 Toxic if swallowed.
H311 Toxic in contact with skin.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H413 May cause long lasting harmful effects to aquatic life.

• Department issuing SDS: Regulatory affairs • Contact: msds@gc.dental

(Contd. on page 9)

NZ

Printing date 20.05.2020

Version number 5

Revision: 17.03.2020

Trade name: GC Essentia Light, Dark and Medium Dentin

(Contd. of page 8) · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity - oral - Category 3 Acute Tox. 4: Acute toxicity - oral - Category 4 Acute Tox. 5: Acute toxicity - dermal - Category 5 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Corr. 3: Skin corrosion/irritation – Category 3 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation – Category 1 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4 · Sources • ECHA (http://echa.europa.eu/) • EnviChem (www.echemportal.org) • * Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.