



Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name: everX Flow

Manufacturer: GC Corporation

SDS Expiry: 11 April 2028

Supplier Details: Henry Schein New Zealand

243-249 Bush Road, Rosedale, Auckland, 0632 PO Box 101 140, North Shore, Auckland 0745

Ph. 0800 808 855

www.henryschein.co.nz

Emergency Contacts: Poisons/Hazardous Chemical Info Centre –

0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 3.1D / 6 / 9

HSNO Group Standard: Dental Products Combustible Group Standard 2020

HSR002554

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared – June 2023

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.





Printing date 11.04.2023 Version number 2 Revision: 11.04.2023

### 1 Identification of the substance or mixture and of the supplier

- · Product identifier
- · Trade name: everX Flow
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Auxillary for dental technology
- · Details of the supplier of the safety data sheet

Henry Schein Dental

243-249 Bush Road, Rosedale Auckland 0632, NEW ZEALAND

Free Phone: 0800 808 855

- · Further information obtainable from: Regulatory affairs
- · Emergency telephone number: 0800 764 766 (National Poisons Centre)

## 2 Hazards identification

· Classification of the substance or mixture

Flam. Liq. 4 H227 Combustible liquid.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · Label elements
- · GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).

· Hazard pictograms





GHS07

GHS08

- · Signal word Warning
- · Hazard-determining components of labelling:

Urethane Dimethacrylate (UDMA) diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide 2,2'-ethylenedioxydiethyl dimethacrylate

· Hazard statements

Combustible liquid.

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

Harmful to aquatic life with long lasting effects.

(Contd. on page 2)

Printing date 11.04.2023 Version number 2 Revision: 11.04.2023

Trade name: everX Flow

(Contd. of page 1)

#### · Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

*IF exposed or concerned: Get medical advice/attention.* 

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## 3 Composition/Information on ingredients

- · Chemical characterisation: Mixtures
- · Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

7 1	
ents:	
Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-enoic acid.	10-<25%
1	
Urethane Dimethacrylate (UDMA)	5-<10%
Aquatic Chronic 2, H411; Skin Sens. 1, H317	
2,2'-ethylenedioxydiethyl dimethacrylate	2.5-<5%
Skin Sens. 1, H317	
Butylated hydroxytoluene	≥0.25-<0.59
Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
6-tert-butyl-2,4-xylenol	≥0.25-<0.59
Acute Tox. 2, H310; STOT RE 2, H373; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
2-(2H-benzotriazol-2-yl)-p-cresol	0.2-<0.5%
Acute Tox. 3, H311; Acute Tox. 3, H331; Skin Sens. 1, H317; Aquatic Chronic 4, H413	
diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	0.2-<0.5%
Repr. 2, H361	
titanium dioxide	0.1-<0.2%
	Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-enoic acid.  Aquatic Chronic 4, H413  Urethane Dimethacrylate (UDMA)  Aquatic Chronic 2, H411; Skin Sens. 1, H317  2,2'-ethylenedioxydiethyl dimethacrylate  Skin Sens. 1, H317  Butylated hydroxytoluene  Aquatic Acute 1, H400; Aquatic Chronic 1, H410  6-tert-butyl-2,4-xylenol  Acute Tox. 2, H310; STOT RE 2, H373; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319  2-(2H-benzotriazol-2-yl)-p-cresol  Acute Tox. 3, H311; Acute Tox. 3, H331; Skin Sens. 1, H317; Aquatic Chronic 4, H413  diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide  Repr. 2, H361

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

### 4 First aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

(Contd. on page 3)

Printing date 11.04.2023 Version number 2 Revision: 11.04.2023

Trade name: everX\_Flow

(Contd. of page 2)

Take affected persons into fresh air and keep quiet.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed Allergic reactions
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

No further relevant information available.

- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Avoid contact with the eyes and skin.

Wear protective clothing.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to penetrate the ground/soil.

*In case of seepage into the ground inform responsible authorities.* 

· Methods and material for containment and cleaning up:

Absorb liquid components with liquid-binding material.

Dispose of the material collected according to regulations.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

NIZ

Printing date 11.04.2023 Version number 2 Revision: 11.04.2023

Trade name: everX\_Flow

(Contd. of page 3)

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with the eyes and skin.

- · Information about fire and explosion protection: Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters

· Ingredients v	with limit values	that require i	monitoring at	the workplace:

13463-67-7 titanium dioxide

WES (New Zealand) Long-term value: 10 mg/m<sup>3</sup>

#### · DNELs

### 128-37-0 Butylated hydroxytoluene

Dermal DNEL dermal 0.5 mg/kg bw/day (man)
Inhalative DNEL inhalation 3.5 mg/m3 (man)

#### 1879-09-0 6-tert-butyl-2,4-xylenol

Inhalative DNEL inhalation 0.14 mg/m3 (man)

#### 13463-67-7 titanium dioxide

Inhalative DNEL inhalation 10 mg/m3 (man)

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

- · Respiratory protection: Suitable respiratory protective device recommended.
- · Protection of hands:



Printing date 11.04.2023 Version number 2 Revision: 11.04.2023

Trade name: everX\_Flow

(Contd. of page 4)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical	and a	chemical	properties
, <u> </u>			p. 0 p 0. 000

· General Information

· Appearance:

Form: Pasty

Colour: According to product specification

• Odour: Odourless
• Odour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/freezing point: Undetermined.
Initial boiling point and boiling range: 190 °C

• Flash point: 92 °C

· Flammability (solid, gas): Not applicable.

· Ignition temperature: Undetermined.

• **Decomposition temperature:** Not determined.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

Not determined.

· Explosion limits:

· Evaporation rate

Lower:Not determined.Upper:Not determined.

· Vapour pressure: Not determined.

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· Solubility in / Miscibility with

water: Insoluble.

· Partition coefficient: n-octanol/water: Not determined.

(Contd. on page 6)

Printing date 11.04.2023 Version number 2 Revision: 11.04.2023

Trade name: everX\_Flow

	(Cont	d. of page 5
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
VOC (EC)	0.0~g/l	
· Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

· LD/LC50	· LD/LC50 values relevant for classification:		
72869-86-	72869-86-4 Urethane Dimethacrylate (UDMA)		
Oral	LD50	>5,000 mg/kg (rat female) (OECD 401)	
128-37-0 E	Butylated h	ydroxytoluene	
Oral	LD50	>6,000 mg/kg (rat (f+m)) (OECD 401)	
1879-09-0	6-tert-buty	vl-2,4-xylenol	
Oral	LD50	910 mg/kg (rat (f+m)) (OECD 401)	
Dermal	LD50	<200 mg/kg (rabbit) (OECD 402)	
2440-22-4	2440-22-4 2-(2H-benzotriazol-2-yl)-p-cresol		
Oral	LD50	10,000 mg/kg (rat (f+m))	
Inhalative	LC50/4 h	0.59  mg/l  (rat (f+m))	
13463-67-	13463-67-7 titanium dioxide		
Oral	LD50	>5,000 mg/kg (mouse) (OECD 420)	
Inhalative	LC50/4 h	>6.82 mg/l (rat male)	
. Duimann in			

- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation No irritating effect.
- · Respiratory or skin sensitisation Sensitisation possible through skin contact.
- Additional toxicological information:
- · Repeated dose toxicity No further relevant information available.

(Contd. on page 7)

Printing date 11.04.2023 Version number 2 Revision: 11.04.2023

Trade name: everX Flow

(Contd. of page 6)

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
Repr. 2

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity:

### 72869-86-4 Urethane Dimethacrylate (UDMA)

EC50/48h (static) >1.2 mg/l (daphnia magna) (OECD 202)

### 128-37-0 Butylated hydroxytoluene

EC50/48h (static) 0.48 mg/l (daphnia magna) (OECD 202)

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

### 14 Transport information

- · UN-Number
- · NZS, ADN, IMDG, IATA not regulated
- · UN proper shipping name
- · NZS, ADN, IMDG, IATA not regulated
- · Transport hazard class(es)
- · NZS, ADN, IMDG, IATA
- · Class not regulated

(Contd. on page 8)

Printing date 11.04.2023 Version number 2 Revision: 11.04.2023

Trade name: everX\_Flow

		(Contd. of page 7
Packing group NZS, IMDG, IATA	not regulated	
Environmental hazards:	norregulated	
Environmental nazaras: Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex I	I of Marpol	
and the IBC Code	Not applicable.	
UN "Model Regulation":	not regulated	

## 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· New Zealan	d Inventory of Chemicals
65997-17-3	Glass, oxide, chemicals
41637-38-1	Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-enoic acid.
72869-86-4	Urethane Dimethacrylate (UDMA)
2530-85-0	3-trimethoxysilylpropyl methacrylate
109-16-0	2,2'-ethylenedioxydiethyl dimethacrylate
128-37-0	Butylated hydroxytoluene
1879-09-0	6-tert-butyl-2,4-xylenol
2440-22-4	2-(2H-benzotriazol-2-yl)-p-cresol
10287-53-3	ethyl 4-dimethylaminobenzoate
10373-78-1	Camphorquinone
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide
68611-44-9	Silane, dichlorodimethyl-, reaction products with silica
1309-37-1	Iron(III)oxide
1309-38-2	Iron (II,III) oxide
13463-67-7	titanium dioxide
20344-49-4	Iron hydroxide oxide
TTG110 4	

### · HSNO Approval numbers

1879-09-0 | 6-tert-butyl-2,4-xylenol | HSR003625

- · GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Hazard pictograms





GHS07 GHS08

- · Signal word Warning
- · Hazard-determining components of labelling: Urethane Dimethacrylate (UDMA) diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

(Contd. on page 9)

Printing date 11.04.2023 Version number 2 Revision: 11.04.2023

Trade name: everX\_Flow

(Contd. of page 8)

2,2'-ethylenedioxydiethyl dimethacrylate

#### · Hazard statements

Combustible liquid.

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

Harmful to aquatic life with long lasting effects.

### · Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

### · Relevant phrases

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

#### · Department issuing SDS: Regulatory affairs

· Contact: msds@gc.dental

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 4: Flammable liquids - Category 4

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 2: Acute toxicity - Category 2

Acute Tox. 3: Acute toxicity – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

(Contd. on page 10)

Printing date 11.04.2023 Version number 2 Revision: 11.04.2023

Trade name: everX Flow

(Contd. of page 9)

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Carc. 2: Carcinogenicity – Category 2

Repr. 2: Reproductive toxicity – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

#### · Sources

- ECHA (http://echa.europa.eu/)
- EnviChem (www.echemportal.org)
- \* Data compared to the previous version altered.

This version replaces all previous versions.

#### Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

N7