

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name:	GC Fuji PLUS Liquid
Manufacturer:	GC Corporation
SDS Expiry:	6 May 2025
Supplier Details:	Henry Schein New Zealand 23 William Pickering Drive, Albany PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz
Emergency Contacts:	Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police
HSNO Class/Category:	6/8
HSNO Group Standard:	Dental Products Corrosive Group Standard 2017 HSR002555
Statements/Pictograms:	As per attached Safety Data Sheet (SDS)
Date Prepared:	This coversheet was prepared on 17 June 2020

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.





Page 1/9

## Safety Data Sheet in accordance with HSNO

Printing date 06.05.2020

Version number 3

Revision: 06.05.2020

1 Identification of the substance or mixture and of the supplier

· Product identifier

· Trade name: GC Fuji PLUS Liquid

• **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

· Application of the substance / the mixture Auxillary for dental technology

• Details of the supplier of the safety data sheet Henry Schein Dental 23 William Pickering Drive, Albany Auckland 0632, NEW ZEALAND

PO Box 101140, NSMC Auckland 0745, NEW ZEALAND

Free Phone: 0800 808 855

Further information obtainable from: Regulatory affairs
 Emergency telephone number: 0800 764 766 (National Poisons Centre)

#### 2 Hazards identification

· Classification of the substance or mixture

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

· GHS label elements

Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device. The product is classified and labelled according to the Globally Harmonised System (GHS). • Hazard pictograms



· Signal word Danger

Hazard-determining components of labelling:
2-hydroxyethyl metacrylate
Tartaric acid
Urethane Dimethacrylate (UDMA)
Hazard statements
Causes severe skin burns and eye damage.
May cause an allergic skin reaction.
Precautionary statements
Do not breathe dusts or mists.

Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

<sup>-</sup> NZ

Printing date 06.05.2020

#### Version number 3

Revision: 06.05.2020

Trade name: GC Fuji PLUS Liquid

(Contd. of page 1)

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

#### 3 Composition/Information on ingredients

#### · Chemical characterisation: Mixtures

#### · Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous components:			
CAS: 868-77-9	2-hydroxyethyl metacrylate	25-<50%	
EINECS: 212-782-2	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317		
CAS: 9003-01-4	Polyacrylic acid	10-<25%	
	<i>Eye Irrit. 2, H319</i>		
CAS: 87-69-4	Tartaric acid	5-<10%	
EINECS: 201-766-0	Eye Dam. 1, H318		
CAS: 1830-78-0	2-Hydroxy-1,3 dimethacryloxypropane	5-<10%	
EINECS: 217-388-4	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335		
CAS: 72869-86-4	Urethane Dimethacrylate (UDMA)	5-<10%	
EINECS: 276-957-5	Skin Sens. 1, H317		
Additional informed	ion. For the wording of the listed hazard physics refer to section 16		

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### 4 First aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

If skin irritation continues, consult a doctor.

• After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water.

Call a doctor immediately.

(Contd. on page 3)

NZ

*Printing date 06.05.2020* 

Version number 3

Revision: 06.05.2020

(Contd. of page 2)

Trade name: GC Fuji PLUS Liquid

• After swallowing:

- Rinse out mouth and then drink plenty of water.
- If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed Allergic reactions
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Fire fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- *CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.*
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture
- *Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.*
- No further relevant informat
- Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### 6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Remove persons from danger area.*
- Avoid contact with the eyes and skin. Wear protective clothing.
- Environmental precautions:

Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil.

• Methods and material for containment and cleaning up: Use neutralising agent. Absorb liquid components with liquid-binding material.

Dispose of the material collected according to regulations.

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

## 7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- Avoid contact with the eyes and skin.
- Information about fire and explosion protection: No special measures required.

(Contd. on page 4)

NZ

Printing date 06.05.2020

Version number 3

Revision: 06.05.2020

Trade name: GC Fuji PLUS Liquid

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- · Respiratory protection: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- General Information
- · Appearance:

Form:

Fluid

(Contd. on page 5)

NZ

Printing date 06.05.2020

Version number 3

Revision: 06.05.2020

Trade name: GC Fuji PLUS Liquid

		(Contd. of page
Colour:	Light yellow	
· Odour:	Odourless	
· Odour threshold:	Not determined.	
pH-value at 20 °C:	1.9	
· Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	: Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gas):	Not applicable.	
Ignition temperature:	Undetermined.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
Density:	Not determined.	
· Relative density	Not determined.	
· Vapour density	Not determined.	
• Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Insoluble.	
Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
Water:	25.0 %	
VOC (EC)	0.0  g/l	
Other information	No further relevant information available.	

# 10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 6)

NZ

# Safety Data Sheet

in accordance with HSNO

Printing date 06.05.2020

#### Version number 3

Revision: 06.05.2020

Trade name: GC Fuji PLUS Liquid

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. of page 5)

## 11 Toxicological information

· Information on toxicological effects

· Acute toxicity

· LD/LC50 values relevant for classification:

72869-86-4 Urethane Dimethacrylate (UDMA)

Oral LD50 >5,000 mg/kg (rat female) (OECD 401)

- · Primary irritant effect:
- · Skin corrosion/irritation Strong caustic effect on skin and mucous membranes.
- *Serious eye damage/irritation Strong caustic effect.*

Strong irritant with the danger of severe eye injury.

· Respiratory or skin sensitisation Sensitisation possible through skin contact.

• Additional toxicological information: The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Corrosive

• *Repeated dose toxicity No further relevant information available.* 

• **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)** No further relevant information available.

## **12** Ecological information

· Toxicity

• Aquatic toxicity:

72869-86-4 Urethane Dimethacrylate (UDMA)

EC50/48h (static) >1.2 mg/l (daphnia magna) (OECD 202)

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- **Bioaccumulative potential** No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 7)

Printing date 06.05.2020

Version number 3

Revision: 06.05.2020

Trade name: GC Fuji PLUS Liquid

(Contd. of page 6)

## 13 Disposal considerations

• Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

UN-Number	
ADR, IMDG, IATA	UN3265
UN proper shipping name ADR	3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.
IMDG, IATA	(Polyacrylic acid, Tartaric acid) CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
Transport hazard class(es)	
ADR	
Class	8 (C3) Corrosive substances.
Label	8
Class	8 Corrosive substances.
Class	8 Corrosive substances. 8
Class Label Packing group	
Class Label Packing group ADR, IMDG, IATA Environmental hazards:	8 not regulated
Class Label Packing group ADR, IMDG, IATA Environmental hazards:	8
IMDG, IATA Class Label Packing group ADR, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user	8 not regulated No Warning: Corrosive substances.
Class Label Packing group ADR, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user EMS Number:	8 not regulated No Warning: Corrosive substances. F-A,S-B
Class Label Packing group ADR, IMDG, IATA Environmental hazards: Marine pollutant:	8 not regulated No Warning: Corrosive substances.
Class Label Packing group ADR, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user EMS Number: Segregation groups	8 not regulated No Warning: Corrosive substances. F-A,S-B Acids
Class Label Packing group ADR, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user EMS Number:	8 not regulated No Warning: Corrosive substances. F-A,S-B Acids

(Contd. on page 8)

Printing date 06.05.2020

#### Version number 3

Revision: 06.05.2020

Trade name: GC Fuji PLUS Liquid

(Contd. of page 7)

## 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· New Zealand Inventory of Chemicals

All ingredients are listed.

• *GHS label elements* The product is classified and labelled according to the Globally Harmonised System (GHS). • *Hazard pictograms* 

GHS05 GHS07

· Signal word Danger

• *Hazard-determining components of labelling:* 2-hydroxyethyl metacrylate Tartaric acid Urethane Dimethacrylate (UDMA)

· Hazard statements

*Causes severe skin burns and eye damage. May cause an allergic skin reaction.* 

• **Precautionary statements** 

Do not breathe dusts or mists.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• *Directive 2012/18/EU* 

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

#### · Relevant phrases

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

· Department issuing SDS: Regulatory affairs

· Contact: msds@gc.dental

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 9)

<sup>-</sup> NZ

NZ

Printing date 06.05.2020

Version number 3

Revision: 06.05.2020

## Trade name: GC Fuji PLUS Liquid

	(Contd. of page	8)
IATA: International Air Transport Associatio		
EINECS: European Inventory of Existing Con		
ELINCS: European List of Notified Chemical		
CAS: Chemical Abstracts Service (division of		
VOC: Volatile Organic Compounds (USA, El	)	
<i>LC50: Lethal concentration, 50 percent</i>		
LD50: Lethal dose, 50 percent		
PBT: Persistent, Bioaccumulative and Toxic		
vPvB: very Persistent and very Bioaccumulat Skin Corr. 1A: Skin corrosion/irritation – Ca		
Skin Corr. 1A. Skin corrosion/irritation – Ca Skin Irrit. 2: Skin corrosion/irritation – Cates		
Eye Dam. 1: Serious eye damage/eye irritatio		
Eye Irrit. 2: Serious eye damage/eye irritation		
Eye Irrit. 2A: Serious eye damage/eye irritati		
Skin Sens. 1: Skin sensitisation – Category 1		
STOT SE 3: Specific target organ toxicity (si	gle exposure) – Category 3	
·Sources		
• ECHA (http://echa.europa.eu/)		
• EnviChem (www.echemportal.org)		
* Data compared to the previous ver	sion altered.	
This version replaces all previous ve	isions.	
Disclaimer:		
The information contained herein is	believed to be true and accurate. However, all statements, recommendation	ns
	y guarantee, representation or warranty, express or implied, on our par	
	to be implied that the information set out in this document is accurate of	
	le all liability in connection with the use of this information or the produc	
	e assumed by the purchaser/user. The information contained herein is als	
	or the avoidance of doubt, however, nothing in this document excludes o	or
limits our liability for death or perso	al injury caused by our negligence or for fraudulent misrepresentation.	
•••		