

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name:	GC Fuji TEMP LT Paste
Manufacturer:	GC Corporation
SDS Expiry:	6 May 2025
Supplier Details:	Henry Schein New Zealand 23 William Pickering Drive, Albany PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz
Emergency Contacts:	Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police
HSNO Class/Category:	6
HSNO Group Standard:	Dental Products Subsidiary Hazard Group Standard 2017 HSR002558(
Statements/Pictograms:	As per attached Safety Data Sheet (SDS)
Date Prepared:	This coversheet was prepared on 17 June 2020

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.





Page 1/7

Safety Data Sheet in accordance with HSNO

Printing date 06.05.2020

Version number 2

Revision: 06.05.2020

1 Identification of the substance or mixture and of the supplier

· Product identifier

• Trade name: GC Fuji TEMP LT Paste A

• *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.*

· Application of the substance / the mixture Auxillary for dental technology

• Details of the supplier of the safety data sheet Henry Schein Dental 23 William Pickering Drive, Albany Auckland 0632, NEW ZEALAND

PO Box 101140, NSMC Auckland 0745, NEW ZEALAND

Free Phone: 0800 808 855

Further information obtainable from: Regulatory affairs
 Emergency telephone number: 0800 764 766 (National Poisons Centre)

2 Hazards identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonised System (GHS).

- · Label elements
- · GHS label elements

Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device. Hazard pictograms Void

- · Signal word Void
- · Hazard statements Void
- Other hazards
- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.

3 Composition/Information on ingredients

· Chemical characterisation: Mixtures

• Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

 Dangerous compon 	ents:		
CAS: 56-81-5	glycerol		10-<25%
EINECS: 200-289-5			
CAS: 9004-32-4	sodium carboxyl methyl cellulose (CMC-Na)	Aquatic Acute 3, H402	1-<2.5%
		(Co	ontd. on page 2)

Printing date 06.05.2020

Version number 2

Revision: 06.05.2020

Trade name: GC Fuji TEMP LT Paste A

• Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 1)

4 First aid measures

· Description of first aid measures

- · General information:
- No special measures required.
- If symptoms persist consult doctor.
- After inhalation: Take affected persons into fresh air and keep quiet.
- · After skin contact: Immediately rinse with water.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:

Rinse out mouth and then drink plenty of water.

- If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Remove persons from danger area.

• Environmental precautions:

Do not allow product to reach sewage system or any water course.

- Inform respective authorities in case of seepage into water course or sewage system.
- Do not allow to penetrate the ground/soil.
- In case of seepage into the ground inform responsible authorities.
- Methods and material for containment and cleaning up: Absorb liquid components with liquid-binding material.
- Dispose of the material collected according to regulations.

• Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

NZ

Printing date 06.05.2020

Version number 2

Revision: 06.05.2020

Trade name: GC Fuji TEMP LT Paste A

See Section 13 for disposal information.

(Contd. of page 2)

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

• Control parameters	
· Ingredients with lim	it values that require monitoring at the workplace:
56-81-5 glycerol	
TWA (New Zealand)	Long-term value: 10* mg/m ³ *inhalable dust: no asbestos, < 1%free silica
WES (New Zealand)	Long-term value: 10 mg/m ³ mist
Additional informat	ion: The lists valid during the making were used as basis.
	nd hygienic measures:
Wash hands before b	nary measures are to be adhered to when handling chemicals. reaks and at the end of work. on: Suitable respiratory protective device recommended.
Protection of hands: Material of gloves	
The selection of the s varies from manufac	suitable gloves does not only depend on the material, but also on further marks of quality and turer to manufacturer. As the product is a preparation of several substances, the resistance of In not be calculated in advance and has therefore to be checked prior to the application. glove material
	, ough time has to be found out by the manufacturer of the protective gloves and has to b

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

(Contd. on page 4)

N7

Printing date 06.05.2020

Version number 2

Revision: 06.05.2020

Trade name: GC Fuji TEMP LT Paste A

(Contd. of page 3)

Information on basic physical and chen	nical properties
General Information	
Appearance: Form:	Pasty
Colour:	Light yellow
Odour:	Odourless
Odour threshold:	Not determined.
pH-value at 20 °C:	6.5
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	: Undetermined.
Flash point:	>150 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	Undetermined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	0.9 Vol %
Upper:	0.0 Vol %
Vapour pressure:	Not determined.
Density:	Not determined.
	$2,56 \text{ g/cm}^3$
	1,18g/ml
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	Insoluble.
water:	Not determined.
Partition coefficient: n-octanol/water:	Noi determinea.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	20.0.0/
Organic solvents:	20.0 %
Water:	20.2 %
VOC (EC)	0.0 g/l

10 Stability and reactivity

· **Reactivity** No further relevant information available.

(Contd. on page 5)

NZ

Printing date 06.05.2020

Version number 2

Revision: 06.05.2020

Trade name: GC Fuji TEMP LT Paste A

(Contd. of page 4)

• Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values relevant for classification: No further relevant information available.
- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- Serious eye damage/irritation No irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.

• Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

- *Repeated dose toxicity No further relevant information available.*
- *CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)* No further relevant information available.

12 Ecological information

· Toxicity

· Aquatic toxicity:

9004-32-4 sodium carboxyl methyl cellulose (CMC-Na)

EC50/48h 87.3 mg/l (daphnia magna)

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

• Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.

(Contd. on page 6)

Printing date 06.05.2020

Version number 2

Revision: 06.05.2020

Trade name: GC Fuji TEMP LT Paste A

(Contd. of page 5)

· Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.*

UN-Number		
ADR, ADN, IMDG, IATA	not regulated	
UN proper shipping name		
ADR, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
ADR, IMDG, IATA	not regulated	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex I	I of Marpol	
and the IBC Code	Not applicable.	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· New Zealan	d Inventory of Chemicals	
65997-17-3	Glass, oxide, chemicals	
56-81-5	glycerol	
7631-86-9	silicon dioxide	
9004-32-4	sodium carboxyl methyl cellulose (CMC-Na)	
1344-28-1	aluminium oxide	
4247-02-3	Isobutyl 4-hydroxybenzoate	
1309-37-1	Iron(III)oxide	
20344-49-4	Iron hydroxide oxide	
1309-38-2	Iron (II,III) oxide	
7732-18-5	Water	
· GHS label e	elements Void	
• Hazard pict • Signal word • Hazard stat	Void	
• Directive 20 • Named dan	12/18/EU gerous substances - ANNEX I None of the ingredients is listed.	(Contd. on page)

(Contd. on page 7)

NZ

Printing date 06.05.2020

Version number 2

Revision: 06.05.2020

Trade name: GC Fuji TEMP LT Paste A

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. of page 6)

16 Other information

· Relevant phrases

H402 Harmful to aquatic life.

· Department issuing SDS: Regulatory affairs

· Contact: msds@gc.dental

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3 • **Sources**

• ECHA (http://

- ECHA (http://echa.europa.eu/)
 EnviChem (www.echemportal.org)
- * Data compared to the previous version altered.

This version replaces all previous versions.

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.



Page 1/8

Safety Data Sheet in accordance with HSNO

Printing date 06.05.2020

Version number 2

Revision: 06.05.2020

1 Identification of the substance or mixture and of the supplier

· Product identifier

· Trade name: GC Fuji TEMP LT Paste B

• *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.*

· Application of the substance / the mixture Auxillary for dental technology

• Details of the supplier of the safety data sheet Henry Schein Dental 23 William Pickering Drive, Albany Auckland 0632, NEW ZEALAND

PO Box 101140, NSMC Auckland 0745, NEW ZEALAND

Free Phone: 0800 808 855

Further information obtainable from: Regulatory affairs
 Emergency telephone number: 0800 764 766 (National Poisons Centre)

2 Hazards identification

· Classification of the substance or mixture

Eye Irrit. 2A H319 Causes serious eye irritation.

· Label elements

· GHS label elements

Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device. The product is classified and labelled according to the Globally Harmonised System (GHS).

• Hazard pictograms



Signal word Warning
Hazard statements

Causes serious eye irritation.

Precautionary statements

Wash thoroughly after handling.
Wear eye protection / face protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Other hazards

Results of PBT and vPvB assessment
PBT: Not applicable.

(Contd. on page 2)

Printing date 06.05.2020

Version number 2

Revision: 06.05.2020

Trade name: GC Fuji TEMP LT Paste B

· vPvB: Not applicable.

(Contd. of page 1)

3 Composition/Information on ingredients

· Chemical characterisation: Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

 Dangerous compone 	ents:		
CAS: 7727-43-7	barium sulfate		25-<50%
EINECS: 231-784-4			
CAS: 9003-01-4	Polyacrylic acid	Eye Irrit. 2, H319	10-<25%
CAS: 56-81-5	glycerol		5-<10%
EINECS: 200-289-5			

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product. If symptoms persist consult doctor.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

· After skin contact: If skin irritation continues, consult a doctor.

· After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

· Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire fighting measures

· Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.

(Contd. on page 3)

NZ

Printing date 06.05.2020

Version number 2

Revision: 06.05.2020

Trade name: GC Fuji TEMP LT Paste B

(Contd. of page 2)

- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Remove persons from danger area.
 Avoid contact with the eyes and skin.
 Wear protective clothing.
 Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil. In case of seepage into the ground inform responsible authorities. • Methods and material for containment and cleaning up:

Absorb liquid components with liquid-binding material. Dispose of the material collected according to regulations.

• **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling Avoid contact with the eyes and skin.
- Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with lim	it values that require monitoring at the workplace:
7727-43-7 barium si	ılfate
TWA (New Zealand)	Long-term value: 10* mg/m ³ *inspirable dust: no asbestos, < 1%free silica
	*inspirable dust: no asbestos, < 1%free silica
WES (New Zealand)	Long-term value: 10 mg/m ³
	(Contd. on page 4)

NZ –

NZ

Safety Data Sheet in accordance with HSNO

Printing date 06.05.2020

Version number 2

Revision: 06.05.2020

Trade name: GC Fuji TEMP LT Paste B

56 01 5 alwageal	(Contd. of page 3
56-81-5 glycerol	
<i>TWA (New Zealand)</i>	Long-term value: 10* mg/m ³ *inhalable dust: no asbestos, < 1%free silica
WES (New Zealand)	Long-term value: 10 mg/m ³
	mist
· Additional informati	on: The lists valid during the making were used as basis.
	nd hygienic measures: ary measures are to be adhered to when handling chemicals.
Wash hands before b Immediately remove	reaks and at the end of work. all soiled and contaminated clothing on: Suitable respiratory protective device recommended.
Protective	gloves
varies from manufact the glove material ca • Penetration time of g	uitable gloves does not only depend on the material, but also on further marks of quality an turer to manufacturer. As the product is a preparation of several substances, the resistance of n not be calculated in advance and has therefore to be checked prior to the application. Glove material ough time has to be found out by the manufacturer of the protective gloves and has to b
Tightly set	aled goggles
9 Physical and che	mical properties
	c physical and chemical properties
• General Information	
· Appearance: Form:	Pasty
roim.	1 usiy

1011.	1 usiy	
Colour:	White	
· Odour:	Odourless	
· Odour threshold:	Not determined.	
· pH-value at 20 °C:	2.5	
· Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling rat	nge: Undetermined.	
· Flash point:	>150 °C	
		(Contd. on page 5)
		(Conta. on page 5)

Printing date 06.05.2020

Version number 2

Revision: 06.05.2020

Trade name: GC Fuji TEMP LT Paste B

	(Contd. of pag	ze 4
Flammability (solid, gas):	Not applicable.	
Ignition temperature:	Undetermined.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
Density:	Not determined.	
•	$2,56 \text{ g/cm}^3$	
	1,18g/ml	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Insoluble.	
Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	8.0 %	
Water:	21.5 %	
VOC (EC)	0.0 g/l	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values relevant for classification: No further relevant information available.
- Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.

(Contd. on page 6)

NZ –

Printing date 06.05.2020

Version number 2

Revision: 06.05.2020

Trade name: GC Fuji TEMP LT Paste B

(Contd. of page 5)

- Serious eye damage/irritation Irritating effect.
- Respiratory or skin sensitisation No sensitising effects known.
- Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

- *Repeated dose toxicity No further relevant information available.*
- **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)** No further relevant information available.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- *Recommendation:* Disposal must be made according to official regulations.

UN-Number		
ADR, ADN, IMDG, IATA	not regulated	
UN proper shipping name		
ADR, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
ADR, ĬMDG, IATA	not regulated	

Printing date 06.05.2020

Version number 2

Revision: 06.05.2020

Trade name: GC Fuji TEMP LT Paste B

		(Contd. of page 6)
· Environmental hazards:		
· Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex II of Marpol		
and the IBC Code	Not applicable.	
· UN "Model Regulation":	not regulated	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· New Zealand Inventory of Chemicals

All ingredients are listed.

• *GHS label elements* The product is classified and labelled according to the Globally Harmonised System (GHS). • *Hazard pictograms*



- · Signal word Warning
- Hazard statements
- Causes serious eye irritation.
- **Precautionary statements** Wash thoroughly after handling. Wear eye protection / face protection. IF IN EVES: Pinge equations by with water for several

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

• **Relevant phrases** H319 Causes serious eye irritation.

• Department issuing SDS: Regulatory affairs

- Contact: msds@gc.dental
- Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 8)

NZ -

Printing date 06.05.2020

Version number 2

Revision: 06.05.2020

Trade name: GC Fuji TEMP LT Paste B

(Contd. of page 7)

NZ

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Sources

• ECHA (http://echa.europa.eu/)

• EnviChem (www.echemportal.org)

• * Data compared to the previous version altered.

This version replaces all previous versions. Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.