

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name:	G-CEM Capsules
Manufacturer:	GC Corporation
SDS Expiry:	9 May 2027
Supplier Details:	Henry Schein New Zealand 243-249 Bush Road, Rosedale, Auckland, 0632 PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz
Emergency Contacts:	Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police
HSNO Class/Category:	6 / 9
HSNO Group Standard:	Dental Products Subsidiary Hazard Group Standard 2020 HSR002558
Statements/Pictograms:	As per attached Safety Data Sheet (SDS)
Date Prepared:	This coversheet was prepared – October 2022

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.





#### Safety Data Sheet

#### in accordance with HSNO

*Printing date 09.05.2022* 

Version number 3

Revision: 09.05.2022

Page 1/7

*1 Identification of the substance or mixture and of the supplier* 

- · Product identifier
- Trade name: GC G-CEM Powder
- · Relevant identified uses of the substance or mixture and uses advised against
- · Process category

*PROC1* Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

- · Application of the substance / the mixture Auxillary for dental technology
- Details of the supplier of the safety data sheet Henry Schein Dental 23 William Pickering Drive, Albany Auckland 0632, NEW ZEALAND

PO Box 101140, NSMC Auckland 0745, NEW ZEALAND

Free Phone: 0800 808 855

· Further information obtainable from: Regulatory affairs

• Emergency telephone number: 0800 764 766 (National Poisons Centre)

#### 2 Hazards identification

• *Classification of the substance or mixture The product is not classified, according to the Globally Harmonised System (GHS).* 

- · Label elements
- · GHS label elements Void
- · Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).

- Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

#### 3 Composition/Information on ingredients

- · Chemical characterisation: Mixtures
- Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

(Contd. on page 2)

NZ

Printing date 09.05.2022

Version number 3

Revision: 09.05.2022

Trade name: GC G-CEM Powder

			(Contd. of page 1)
• Dangerous compone	ents:		
CAS: 13463-67-7 EINECS: 236-675-5	titanium dioxide	Carc. 2, H351	0.2-<0.5%
· Additional informati	on: For the wording of the listed hazard phrases refer to sect	ion 16.	

#### 4 First aid measures

· Description of first aid measures

- · General information: If symptoms persist consult doctor.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

• After skin contact: If skin irritation continues, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

*If symptoms persist consult doctor.* 

• Information for doctor:

- · Most important symptoms and effects, both acute and delayed Allergic reactions
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Fire fighting measures

· Extinguishing media

Suitable extinguishing agents:

*CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.* 

- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid formation of dust. Wear protective clothing.
Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil. In case of seepage into the ground inform responsible authorities.

(Contd. on page 3)

NZ

Printing date 09.05.2022

Version number 3

Revision: 09.05.2022

Trade name: GC G-CEM Powder

(Contd. of page 2)

#### • *Methods and material for containment and cleaning up: Pick up mechanically. Prevent formation of dust. Dispose of the material collected according to regulations.*

• **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### 7 Handling and storage

· Handling:

· Precautions for safe handling

Prevent formation of dust.

Any unavoidable deposit of dust must be regularly removed.

• Information about fire - and explosion protection: Dust can combine with air to form an explosive mixture.

· Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

13463-67-7 titanium dioxide

WES (New Zealand) Long-term value: 10 mg/m<sup>3</sup>

• Additional information: The lists valid during the making were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Do not inhale dust / smoke / mist.

Wash hands before breaks and at the end of work.

• *Respiratory protection:* Suitable respiratory protective device recommended.

· Protection of hands: Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

NZ –

Printing date 09.05.2022

Version number 3

Revision: 09.05.2022

(Contd. of page 3)

Trade name: GC G-CEM Powder

· Eye protection: Safety glasses

9 Physical and chemical properties	
<ul> <li>Information on basic physical and chem</li> <li>General Information</li> <li>Appearance:</li> </ul>	ical properties
Form:	Powder
Colour:	White
· Odour:	Odourless
• Odour threshold:	Not determined.
· pH-value:	Not applicable.
• Change in condition Melting point/freezing point: Initial boiling point and boiling range:	Undetermined. Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gas):	Not determined.
· Ignition temperature:	Undetermined.
• Decomposition temperature:	Not determined.
• Auto-ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product does not present an explosion hazard.
• Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not applicable.
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
• Solubility in / Miscibility with water:	Insoluble.
• Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
• Other information	No further relevant information available.

#### 10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 5)

NZ

Printing date 09.05.2022

#### Version number 3

Revision: 09.05.2022

(Contd. of page 4)

Trade name: GC G-CEM Powder

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

· Information on toxicological effects

- · Acute toxicity
- · LD/LC50 values relevant for classification: No further relevant information available.
- Additional toxicological information:
- *Repeated dose toxicity No further relevant information available.*
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- No further relevant information available.

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

## 14 Transport information • UN-Number • ADR, ADN, IMDG, IATA • UN proper shipping name • ADR, ADN, IMDG, IATA • OUR proper shipping name • ADR, ADN, IMDG, IATA • OUR proper shipping name • ADR, ADN, IMDG, IATA • OUR proper shipping name • ADR, ADN, IMDG, IATA • OUR proper shipping name • ADR, ADN, IMDG, IATA • OUR proper shipping name • ADR, ADN, IMDG, IATA • OUR proper shipping name • ADR, ADN, IMDG, IATA • OUR proper shipping name • ADR, ADN, IMDG, IATA • OUR proper shipping name • ADR, ADN, IMDG, IATA • OUR proper shipping name • ADR, ADN, IMDG, IATA • OUR proper shipping name • ADR, ADN, IMDG, IATA • OUR proper shipping name • OUR p

NZ

#### Safety Data Sheet in accordance with HSNO

Printing date 09.05.2022

Version number 3

Revision: 09.05.2022

Trade name: GC G-CEM Powder

		(Contd. of page 5
Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	not regulated	
Packing group ADR, IMDG, IATA	not regulated	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex I and the IBC Code	<b>I of Marpol</b> Not applicable.	
UN "Model Regulation":	not regulated	

#### 15 Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

65997-17-3 Glass, oxide, chemicals

7727-21-1 Potassium persulfate

2530-85-0 3-trimethoxysilylpropyl methacrylate

25932-11-0 Benzenesulfinic acid sodium salt

· GHS label elements Void

· Hazard pictograms Void

· Signal word Void

· Hazard statements Void

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

- · Relevant phrases H351 Suspected of causing cancer.
- · Department issuing SDS: Regulatory affairs

· Contact: msds@gc.dental · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative (Contd. on page 7)

Printing date 09.05.2022

Version number 3

Revision: 09.05.2022

(Contd. of page 6)

NZ

#### Trade name: GC G-CEM Powder

Carc. 2: Carcinogenicity – Category 2

Sources

• ECHA (http://echa.europa.eu/)

• EnviChem (www.echemportal.org)

• \* Data compared to the previous version altered.

This version replaces all previous versions.

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.



Page 1/9

#### Safety Data Sheet in accordance with HSNO

Printing date 09.05.2022

Version number 4

Revision: 09.05.2022

1 Identification of the substance or mixture and of the supplier

· Product identifier

• Trade name: GC G-CEM Liquid

• *Relevant identified uses of the substance or mixture and uses advised against* No further relevant information available.

· Application of the substance / the mixture Auxillary for dental technology

• Details of the supplier of the safety data sheet Henry Schein Dental 23 William Pickering Drive, Albany Auckland 0632, NEW ZEALAND

PO Box 101140, NSMC Auckland 0745, NEW ZEALAND

Free Phone: 0800 808 855

Further information obtainable from: Regulatory affairs
 Emergency telephone number: 0800 764 766 (National Poisons Centre)

#### 2 Hazards identification

#### · Classification of the substance or mixture

Skin Irrit. 2	H315 Causes skin irritation.
Eye Irritation 2A	H319 Causes serious eye irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.
STOT SE 3	H335 May cause respiratory irritation.
Aquatic Acute 2	H401 Toxic to aquatic life.

· Label elements

• *GHS label elements* The product is classified and labelled according to the Globally Harmonised System (GHS). • *Exemptions* 

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5). • Hazard pictograms



· Signal word Warning

• *Hazard-determining components of labelling: Urethane Dimethacrylate (UDMA) hydroquinone* 

• Hazard statements Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.

(Contd. on page 2)

NZ

*Printing date 09.05.2022* 

Version number 4

Revision: 09.05.2022

#### Trade name: GC G-CEM Liquid

(Contd. of page 1) May cause respiratory irritation. Toxic to aquatic life. • **Precautionary statements** Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves / eye protection / face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. • **Other hazards** 

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/Information on ingredients

#### · Chemical characterisation: Mixtures

• Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous compone	ents:	
CAS: 1830-78-0	2-Hydroxy-1,3 dimethacryloxypropane	25-<50%
EINECS: 217-388-4	Skin Irrit. 2, H315; Eye Irritation 2A, H319; STOT SE 3, H335	
CAS: 72869-86-4	Urethane Dimethacrylate (UDMA)	10-<25%
EINECS: 276-957-5	Skin Sens. 1, H317	
CAS: 85590-00-7	methacryloyloxydecyl dihydrogen phosphate	1-<2.5%
	Skin Irrit. 2, H315; Eye Irritation 2A, H319; STOT SE 3, H335	
CAS: 123-31-9	hydroquinone	≥0.25-<0.5%
EINECS: 204-617-8	Muta. 2, H341; Carc. 2, H351; Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Sens. 1, H317	
CAS: 3077-12-1	2,2'-[(4-methylphenyl)imino]bisethanol	0.2-<0.5%
EINECS: 221-359-1	Acute Tox. 3, H301; Skin Irrit. 2, H315; Eye Irritation 2A, H319; STOT SE 3, H335; Aquatic Acute 3, H402; Aquatic Chronic 3, H412	
CAS: 75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	0.2-<0.5%
EINECS: 278-355-8	Repr. 2, H361	
• Additional informati	on: For the wording of the listed hazard phrases refer to section 16.	

#### 4 First aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

- If symptoms persist consult doctor.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

#### • After skin contact:

Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

<sup>-</sup> NZ

Printing date 09.05.2022

Version number 4

Revision: 09.05.2022

#### Trade name: GC G-CEM Liquid

(Contd. of page 2)

If skin irritation continues, consult a doctor.

· After eye contact:

Protect unharmed eye.

Seek medical treatment.

Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

*Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.* 

· Information for doctor:

· Most important symptoms and effects, both acute and delayed Allergic reactions

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Fire fighting measures

· Extinguishing media

- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.

- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid contact with the eyes and skin. Wear protective clothing. • Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil. In case of seepage into the ground inform responsible authorities. • Methods and material for containment and cleaning up: Absorb liquid components with liquid-binding material. Dispose of the material collected according to regulations. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 4)

*Printing date 09.05.2022* 

Version number 4

Revision: 09.05.2022

#### Trade name: GC G-CEM Liquid

(Contd. of page 3)

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- *Ensure good ventilation/exhaustion at the workplace.*
- Prevent formation of aerosols.
- Avoid contact with the eyes and skin.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- Avoid contact with the eyes and skin.
- Wash hands before breaks and at the end of work.
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- · Respiratory protection: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

NZ

Printing date 09.05.2022

Version number 4

Revision: 09.05.2022

Trade name: GC G-CEM Liquid

- Ena protoction	(Contd. of page 4)
· Eye protection:	
Tightly sealed goggles	

Information on basic physical and che	mical properties	
General Information	* *	
Appearance:	<b>T</b>	
Form:	Liquid	
Colour: Odour:	Light yellow Odourless	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling rang	e: Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Ignition temperature:	Undetermined.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density:	Not determined.	
	$2,56 \text{ g/cm}^3$	
Deletion descrite	1,18g/ml	
Relative density	Not determined. Not determined.	
Vapour density Evaporation rate	Not determined. Not determined.	
•	1101 welet milleu.	
Solubility in / Miscibility with water:	Insoluble.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:	7.3 %	

Version number 4

Revision: 09.05.2022

(Contd. of page 5)

Trade name: GC G-CEM Liquid

VOC (EC)

· Other information

Printing date 09.05.2022

No further relevant information available.

#### 10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

 $0.0 \, g/l$ 

#### 11 Toxicological information

· Information on toxicological effects

· Acute toxicity

· LD/LC50 values relevant for classification:

72869-86-4 Urethane Dimethacrylate (UDMA)

*Oral LD50* >5,000 mg/kg (rat female) (OECD 401)

· Primary irritant effect:

· Skin corrosion/irritation Irritant to skin and mucous membranes.

· Serious eye damage/irritation Irritating effect.

· Respiratory or skin sensitisation Sensitisation possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

• *Repeated dose toxicity No further relevant information available.* 

• **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)** No further relevant information available.

#### 12 Ecological information

#### · Toxicity

• Aquatic toxicity:

72869-86-4 Urethane Dimethacrylate (UDMA)

EC50/48h (static) >1.2 mg/l (daphnia magna) (OECD 202)

• *Persistence and degradability* No further relevant information available.

Behaviour in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

(Contd. on page 7)

NZ

Printing date 09.05.2022

Version number 4

Revision: 09.05.2022

(Contd. of page 6)

Trade name: GC G-CEM Liquid

· Results of PBT and vPvB assessment

• *PBT:* Not applicable.

• **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

#### 13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.* 

UN-Number		
ADR, ADN, IMDG, IATA	not regulated	
UN proper shipping name ADR, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	not regulated	
Packing group ADR, IMDG, IATA	not regulated	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex I and the IBC Code	I of Marpol Not applicable.	
UN "Model Regulation":	not regulated	

#### 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture

· New Zealan	· New Zealand Inventory of Chemicals		
1830-78-0	2-Hydroxy-1,3 dimethacryloxypropane		
70293-55-9	2-[(2-methyl-1-oxoallyl)oxy]ethyl 1,3-dihydro-1,3-dioxoisobenzofuran-5-carboxylate		
72869-86-4	Urethane Dimethacrylate (UDMA)		
	Silane, dichlorodimethyl-, reaction products with silica		
3077-12-1	2,2'-[(4-methylphenyl)imino]bisethanol		
1879-09-0	6-tert-butyl-2,4-xylenol		
123-31-9	hydroquinone		
	(Contd. on page 8)		

NZ

Printing date 09.05.2022

Version number 4

Revision: 09.05.2022

Trade name: GC G-CEM Liquid

	(Contd. of page 7
	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide
6381-92-6	Ethylene diaminetetraacetic acid sodium salt
7732-18-5	Water
GHS label e Hazard pict	<b>Clements</b> The product is classified and labelled according to the Globally Harmonised System (GHS). <b>ograms</b>
GHS07	
Signal word	! Warning
Hazard-dete	ermining components of labelling:
Urethane D	imethacrylate (UDMA)
hydroquinor	
Hazard state	
Causes skin	
	pus eye irritation.
	an allergic skin reaction.
	espiratory irritation.
Toxic to aqu	
	ury statements
	hing dust/fume/gas/mist/vapours/spray.
	ed work clothing should not be allowed out of the workplace.
	tive gloves / eye protection / face protection.
	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do
Continue rin	
Store locked	
Dispose of C	contents/container in accordance with local/regional/national/international regulations.
Directive 20	
	gerous substances - ANNEX I None of the ingredients is listed.
cnemical sa	<i>afety assessment:</i> A Chemical Safety Assessment has not been carried out.

#### 16 Other information

# Relevant phrases H301 Toxic if swallowed. H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H361 Suspected of damaging fertility or the unborn child. H400 Very toxic to aquatic life. H402 Harmful to aquatic life. H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 9)

NZ

Printing date 09.05.2022

#### Version number 4

Revision: 09.05.2022

Trade name: GC G-CEM Liquid

(Contd. of page	8)
· Department issuing SDS: Regulatory affairs	
· Contact: msds@gc.dental	
· Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the Internation	ıal
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 3: Acute toxicity – Category 3	
Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A	
Skin Sens. 1: Skin sensitisation – Category 1	
Muta. 2: Germ cell mutagenicity – Category 2	
Carc. 2: Carcinogenicity – Category 2	
Repr. 2: Reproductive toxicity – Category 2	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2	
Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2 Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
· Sources	
• ECHA (http://echa.europa.eu/)	
• EnviChem (www.echemportal.org)	
• * Data compared to the previous version altered.	
This version replaces all previous versions.	
Disclaimer:	
The information contained herein is believed to be true and accurate. However, all statements, recommendation	
or suggestions are made without any guarantee, representation or warranty, express or implied, on our par	
Therefore, no warranty is made or to be implied that the information set out in this document is accurate of	
complete, and we accordingly exclude all liability in connection with the use of this information or the produc	
referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is als	
subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes of	or
limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.	
	NZ