

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name:	GC Optiglaze color (ClearHV, A-Plus, B-Plus, C-Plus)
Manufacturer:	GC Corporation
SDS Expiry:	20 May 2025
Supplier Details:	Henry Schein New Zealand 23 William Pickering Drive, Albany PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz
Emergency Contacts:	Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police
HSNO Class/Category:	3, 6
HSNO Group Standard:	Dental Products Flammable Group Standard 2017 HSR002556
Statements/Pictograms:	As per attached Safety Data Sheet (SDS)
Date Prepared:	This coversheet was prepared on 8 July 2020

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.





Page 1/10

Safety Data Sheet in accordance with HSNO

Printing date 20.05.2020

Version number 3

Revision: 20.05.2020

1 Identification of the substance or mixture and of the supplier

· Product identifier

· Trade name: GC Optiglaze color (ClearHV, A-Plus, B-Plus, C-Plus)

• *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.*

· Application of the substance / the mixture Auxillary for dental technology

• Details of the supplier of the safety data sheet Henry Schein Dental 23 William Pickering Drive, Albany Auckland 0632, NEW ZEALAND

PO Box 101140, NSMC Auckland 0745, NEW ZEALAND

Free Phone: 0800 808 855

Further information obtainable from: Regulatory affairs
 Emergency telephone number: 0800 764 766 (National Poisons Centre)

2 Hazards identification

· Classification of the substance or mixture

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Acute Tox. 5 H333 May be harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· Label elements

· GHS label elements

Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device. The product is classified and labelled according to the Globally Harmonised System (GHS). • Hazard pictograms



· Signal word Danger

Hazard-determining components of labelling: Methyl methacrylate
Hazard statements
Highly flammable liquid and vapour. May be harmful if inhaled.
Causes skin irritation.
May cause an allergic skin reaction.
May cause respiratory irritation.

(Contd. on page 2)

NZ

Printing date 20.05.2020

Version number 3

Revision: 20.05.2020

Trade name: GC Optiglaze color (ClearHV, A-Plus, B-Plus, C-Plus)

(Contd. of page 1)

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/Information on ingredients

· Chemical characterisation: Mixtures

• Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous	components:
-------------	-------------

Dungerous compone		
CAS: 80-62-6	Methyl methacrylate	25-<50%
EINECS: 201-297-1	Flam. Liq. 2, H225; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335; Acute Tox. 5, H333	
	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	1-<2.5%
EINECS: 278-355-8	Repr. 2, H361	
. Additional informat	ion. For the wording of the listed hazard phrases refer to section 16	

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.
- If symptoms persist consult doctor.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

If skin irritation continues, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water.

If symptoms persist consult doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

• Information for doctor:

· Most important symptoms and effects, both acute and delayed Allergic reactions

(Contd. on page 3)

NZ

Safety Data Sheet

in accordance with HSNO

Printing date 20.05.2020

Version number 3

Revision: 20.05.2020

(Contd. of page 2)

Trade name: GC Optiglaze color (ClearHV, A-Plus, B-Plus, C-Plus)

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire fighting measures

· Extinguishing media

- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Keep away from ignition sources. Wear protective equipment. Keep unprotected persons away. Avoid contact with the eves and skin. Wear protective clothing. · Environmental precautions: Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil. Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Ensure adequate ventilation. Allow to evaporate. Absorb liquid components with liquid-binding material. Dispose of the material collected according to regulations. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

• Handling: • Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with the eyes and skin.

• Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Do not spray onto a naked flame or any incandescent material.

(Contd. on page 4)

NZ

Printing date 20.05.2020

Version number 3

Revision: 20.05.2020

Trade name: GC Optiglaze color (ClearHV, A-Plus, B-Plus, C-Plus)

(Contd. of page 3)

- Conditions for safe storage, including any incompatibilities
- · Storage:
- *Requirements to be met by storerooms and receptacles:* Store in a cool location. Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:
- Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Store in a cool place.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

ing curchis with time van	ues that require monitoring at the workplace:
80-62-6 Methyl methacry	late
WES (New Zealand)	Short-term value: 416 mg/m³, 100 ppm Long-term value: 208 mg/m³, 50 ppm skin
IOELV (European Union)	Short-term value: 100 ppm Long-term value: 50 ppm
DNELs	·
80-62-6 Methyl methacry	late
Dermal DNEL dermal	13.67 mg/kg bw/day (man) (worker, l. te., syst.)
Inhalative DNEL inhalati	on 208 mg/m3 (air) (worker, l. te., syst.)
Personal protective equip General protective and hy	gienic measures:
Avoid contact with the eye Wash hands before breaks Avoid contact with the skin Keep away from foodstuffs Immediately remove all so Respiratory protection: In case of brief exposure of self-contained respiratory	p gienic measures: neasures are to be adhered to when handling chemicals. es and skin. es and at the end of work. n. s, beverages and feed. wiled and contaminated clothing for low pollution use respiratory filter device. In case of intensive or longer exposure us
Personal protective equip General protective and hy The usual precautionary m Avoid contact with the eye Wash hands before breaks Avoid contact with the skin Keep away from foodstuffs Immediately remove all so Respiratory protection: In case of brief exposure of self-contained respiratory Suitable respiratory protect Protection of hands:	p gienic measures: neasures are to be adhered to when handling chemicals. and skin. and at the end of work. n. s, beverages and feed. niled and contaminated clothing or low pollution use respiratory filter device. In case of intensive or longer exposure us protective device.

Printing date 20.05.2020

Version number 3

Revision: 20.05.2020

Trade name: GC Optiglaze color (ClearHV, A-Plus, B-Plus, C-Plus)

(Contd. of page 4)



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

General Information	
Appearance:	
Form:	Fluid
Colour:	According to product specification
Odour:	Pungent
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.
Flash point:	10 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	Undetermined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	2.1 Vol %
Upper:	12.5 Vol %
Vapour pressure:	Not determined.
Density at 20 °C:	1.06 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.

- NZ

in accordance with

Printing date 20.05.2020

Version number 3

Revision: 20.05.2020

Trade name: GC Optiglaze color (ClearHV, A-Plus, B-Plus, C-Plus)

		(Contd. of page
Solubility in / Miscibility with water:	Insoluble.	
Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
VÕC (EC)	0.0 g/l	
Other information	No further relevant information available.	

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity

· LD/LC50 values relevant for classification:

80-62-6 Methyl methacrylate

Oral	LD50	6,000 mg/kg (rabbit)
Dermal	LD50	>5,000 mg/kg (rab)

Inhalative LC50/4 h 29.8 mg/l (rat (f+m))

· Primary irritant effect:

- · Skin corrosion/irritation Irritant to skin and mucous membranes.
- *Respiratory or skin sensitisation Sensitisation possible through skin contact.*
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

- *Repeated dose toxicity No further relevant information available.*
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 7)

NZ

Printing date 20.05.2020

Version number 3

Revision: 20.05.2020

Trade name: GC Optiglaze color (ClearHV, A-Plus, B-Plus, C-Plus)

(Contd. of page 6)

- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

UN-Number ADR, IMDG, IATA	UN1247
	011127/
UN proper shipping name ADR	1247 METHYL METHACRYLATE MONOMER
Αυκ	STABILIZED mixture
IMDG, IATA	METHYL METHACRYLATE MONOMER, STABILIZE mixture
Transport hazard class(es)	
ADR	
Class Label	3 (F1) Flammable liquids. 3
IMDG, IATA	
Class	3 Flammable liquids.
Label	3
Packing group	
ADR, IMDG, IATA	II

Safety Data Sheet

in accordance with HSNO

Printing date 20.05.2020

Version number 3

Revision: 20.05.2020

Trade name: GC Optiglaze color (ClearHV, A-Plus, B-Plus, C-Plus)

	(Contd. of page
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	339
EMS Number:	F-E,S-D
Stowage Category	В
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of Mar	pol
and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1247 METHYL METHACRYLATE MONOME
~	STABILIZED MIXTURE, 3, II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· New Zealand Inventory of Chemicals

All ingredients are listed.

· HSNO Approval numbers

80-62-6 Methyl methacrylate

• *GHS label elements* The product is classified and labelled according to the Globally Harmonised System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labelling:

Methyl methacrylate

• Hazard statements

Highly flammable liquid and vapour. May be harmful if inhaled.

(Contd. on page 9)

HSR001195

NZ

Printing date 20.05.2020

Version number 3

Revision: 20.05.2020

Trade name: GC Optiglaze color (ClearHV, A-Plus, B-Plus, C-Plus)

(Contd. of page 8) Causes skin irritation. May cause an allergic skin reaction. May cause respiratory irritation. **Precautionary statements** Keep away from heat/sparks/open flames/hot surfaces. No smoking. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Directive 2012/18/EU · Named dangerous substances - ANNEX I None of the ingredients is listed. · Seveso category P5c FLAMMABLE LIQUIDS \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

· Relevant phrases

H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H333 May be harmful if inhaled. H335 May cause respiratory irritation. H361 Suspected of damaging fertility or the unborn child. · Department issuing SDS: Regulatory affairs · Contact: msds@gc.dental · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 5: Acute toxicity - inhalation - Category 5 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Sources • ECHA (http://echa.europa.eu/) • EnviChem (www.echemportal.org)

> (Contd. on page 10) NZ

Printing date 20.05.2020

Version number 3

Revision: 20.05.2020

Trade name: GC Optiglaze color (ClearHV, A-Plus, B-Plus, C-Plus)

(Contd. of page 9)

NZ

• * Data compared to the previous version altered.

This version replaces all previous versions.

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.