

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name: REVOTEK_LC

Manufacturer: GC Corporation

SDS Expiry: 1 July 2029

Supplier Details: Henry Schein New Zealand
243-249 Bush Road, Rosedale, Auckland, 0632
PO Box 101 140, North Shore, Auckland 0745
Ph. 0800 808 855
www.henryschein.co.nz

Emergency Contacts: Poisons/Hazardous Chemical Info Centre –
0800POISON/0800764766 (24 Hours)
Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 6 / 9

HSNO Group Standard: Dental Products Subsidiary Hazard Group Standard 2020
HSR002558

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared – February 2026

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.

Safety Data Sheet in accordance with HSNO

Printing date 01.07.2024

Version number 3

Revision: 01.07.2024

1 Identification of the substance or mixture and of the supplier

- **Product identifier**
- **Trade name:** REVOTEK LC
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Auxillary for dental technology
- **Details of the supplier of the safety data sheet**
Henry Schein Dental

243-249 Bush Road, Rosedale
Auckland 0632, NEW ZEALAND

Free Phone: 0800 808 855
- **Further information obtainable from:** Regulatory affairs
- **Emergency telephone number:** 0800 764 766 (National Poisons Centre)

2 Hazards identification

- **Classification of the substance or mixture**

Acute inhalation toxicity Category 4	H332 Harmful if inhaled.
Skin irritation Category 2	H315 Causes skin irritation.
Eye irritation Category 2	H319 Causes serious eye irritation.
Respiratory sensitisation Category 1	H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation Category 1	H317 May cause an allergic skin reaction.
Reproductive toxicity Category 2	H361 Suspected of damaging fertility or the unborn child.
Specific target organ toxicity - single exposure Category 3	H335 May cause respiratory irritation.
Hazardous to the aquatic environment chronic Category 3	H412 Harmful to aquatic life with long lasting effects.

- **Label elements**

- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).

- **Exemptions**

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).

- **Hazard pictograms**



GHS07 GHS08

- **Signal word** Danger

(Contd. on page 2)

Safety Data Sheet in accordance with HSNO

Printing date 01.07.2024

Version number 3

Revision: 01.07.2024

Trade name: REVOTEK_LC

(Contd. of page 1)

· **Hazard-determining components of labelling:**

hexamethylene-di-isocyanate
diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide
2-hydroxyethyl metacrylate
Urethane Dimethacrylate (UDMA)

· **Hazard statements**

Harmful if inhaled.
Causes skin irritation.
Causes serious eye irritation.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
Suspected of damaging fertility or the unborn child.
May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

· **Precautionary statements**

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF exposed or concerned: Get medical advice/attention.
Specific treatment (see on this label).
Take off contaminated clothing and wash it before reuse.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.
· **vPvB:** Not applicable.

3 Composition/Information on ingredients

· **Chemical characterisation: Mixtures**

· **Description:**

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· **Dangerous components:**

CAS: 822-06-0 EINECS: 212-485-8	hexamethylene-di-isocyanate Acute inhalation toxicity Category 3, H331; Respiratory sensitisation Category 1, H334; Skin irritation Category 2, H315; Eye irritation Category 2, H319; Skin sensitisation Category 1, H317; Specific target organ toxicity - single exposure Category 3, H335	25-<50%
CAS: 868-77-9 EINECS: 212-782-2	2-hydroxyethyl metacrylate Skin irritation Category 2, H315; Eye irritation Category 2, H319; Skin sensitisation Category 1, H317	25-<50%
CAS: 72869-86-4 EINECS: 276-957-5	Urethane Dimethacrylate (UDMA) Hazardous to the aquatic environment chronic Category 2, H411; Skin sensitisation Category 1, H317	10-<25%
CAS: 13463-67-7 EINECS: 236-675-5	titanium dioxide Carcinogenicity – Category 2, H351	0.5-<1%

(Contd. on page 3)

Safety Data Sheet in accordance with HSNO

Printing date 01.07.2024

Version number 3

Revision: 01.07.2024

Trade name: REVOTEK_LC

(Contd. of page 2)

CAS: 75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	0.5-<1%
EINECS: 278-355-8	Reproductive toxicity Category 2, H361	

· **SVHC**

75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· **General information:**

Immediately remove any clothing soiled by the product.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

If symptoms persist consult doctor.

· **After inhalation:**

Supply fresh air or oxygen; call for doctor.

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

Do not use mouth to mouth or mouth to nose resuscitation.

Take affected persons into fresh air and keep quiet.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

If skin irritation continues, consult a doctor.

· **After eye contact:**

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

· **Information for doctor:**· **Most important symptoms and effects, both acute and delayed** Allergic reactions· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire fighting measures

· **Suitable extinguishing agents:**CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet· **Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

No further relevant information available.

· **Protective equipment:**

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

· **Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

NZ
(Contd. on page 4)

Safety Data Sheet in accordance with HSNO

Printing date 01.07.2024

Version number 3

Revision: 01.07.2024

Trade name: REVOTEK_LC

(Contd. of page 3)

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Remove persons from danger area.
Avoid contact with the eyes and skin.
Wear protective clothing.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to penetrate the ground/soil.
In case of seepage into the ground inform responsible authorities.
- **Methods and material for containment and cleaning up:**
Ensure adequate ventilation.
Absorb liquid components with liquid-binding material.
Dispose of the material collected according to regulations.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Do not inhale dust / smoke / mist.
Prevent formation of aerosols.
Avoid contact with the eyes and skin.
Open and handle receptacle with care.
- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in unopened original receptacles.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see section 7.

Ingredients with limit values that require monitoring at the workplace:

822-06-0 hexamethylene-di-isocyanate	
WES (New Zealand)	Short-term value: 0.07 mg/m ³ Long-term value: 0.02 mg/m ³ as -NCO; vapours,mist,dust; dsen,rssen,skin,ifv
13463-67-7 titanium dioxide	
WES (New Zealand)	Long-term value: 10 mg/m ³ interim WES

(Contd. on page 5)

Safety Data Sheet in accordance with HSNO

Printing date 01.07.2024

Version number 3

Revision: 01.07.2024

Trade name: REVOTEK_LC

(Contd. of page 4)

· **DNELs****13463-67-7 titanium dioxide**Inhalative DNEL inhalation 10 mg/m³ (man)

- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
Avoid contact with the eyes and skin.
Wash hands before breaks and at the end of work.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Store protective clothing separately.
- **Respiratory protection:** Suitable respiratory protective device recommended.
- **Protection of hands:**



Protective gloves

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Tightly sealed goggles

* 9 Physical and chemical properties

· **General Information**· **Appearance:**

- **Form:** Pasty
- **Colour:** Light yellow
- **Odour:** Odourless
- **Odour threshold:** Not determined.
- **pH-value:** Not determined.

· **Change in condition**

- **Melting point/freezing point:** Undetermined.
- **Initial boiling point and boiling range:** Undetermined.
- **Flash point:** Not applicable.
- **Flammability (solid, gas):** Not applicable.
- **Auto-ignition temperature:** Undetermined.
- **Decomposition temperature:** Not determined.
- **Ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product does not present an explosion hazard.

(Contd. on page 6)

-NZ-

Safety Data Sheet in accordance with HSNO

Printing date 01.07.2024

Version number 3

Revision: 01.07.2024

Trade name: REVOTEK_LC

(Contd. of page 5)

· Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· water:	Fully miscible.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
· Dynamic:	Not determined.
· Kinematic:	Not determined.
· Solvent content:	
· VOC (EC)	0.0 g/l
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity** Harmful if inhaled.

· **LD/LC50 values relevant for classification:**

72869-86-4 Urethane Dimethacrylate (UDMA)

Oral	LD50	>5,000 mg/kg (rat female) (OECD 401)
------	------	--------------------------------------

13463-67-7 titanium dioxide

Oral	LD50	>5,000 mg/kg (mouse) (OECD 420)
------	------	---------------------------------

Inhalative	LC50/4 h	>6.82 mg/l (rat male)
------------	----------	-----------------------

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation**
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Suspected of damaging fertility or the unborn child.
- **STOT-single exposure** May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

(Contd. on page 7)

Safety Data Sheet in accordance with HSNO

Printing date 01.07.2024

Version number 3

Revision: 01.07.2024

Trade name: REVOTEK_LC

(Contd. of page 6)

- **Additional toxicological information:**
- **Repeated dose toxicity** No further relevant information available.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
No further relevant information available.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

72869-86-4 Urethane Dimethacrylate (UDMA)	
EC50/48h (static)	>1.2 mg/l (daphnia magna) (OECD 202)

- **Persistence and degradability** No further relevant information available.

- **Behaviour in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Ecotoxicological effects:**

- **Remark:** Harmful to fish

- **Additional ecological information:**

- **General notes:**

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Harmful to aquatic organisms

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **Uncleaned packaging:**

- **Recommendation:** Disposal must be made according to official regulations.

- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

14 Transport information

- **UN-Number**

- **NZS, IMDG, IATA**

UN3082

- **UN proper shipping name**

- **NZS**

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID, N.O.S. (Propylidynetrimethyl trimethacrylate,
Urethane Dimethacrylate (UDMA))

(Contd. on page 8)

-NZ-

Safety Data Sheet in accordance with HSNO

Printing date 01.07.2024

Version number 3

Revision: 01.07.2024

Trade name: REVOTEK_LC

(Contd. of page 7)

· IMDG	<i>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Propylidyntrimethyl trimethacrylate, Urethane Dimethacrylate (UDMA)), MARINE POLLUTANT</i>
· IATA	<i>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Propylidyntrimethyl trimethacrylate, Urethane Dimethacrylate (UDMA))</i>
· Transport hazard class(es)	
· NZS	
	
· Class	9 (M6) Miscellaneous dangerous substances and articles.
· Label	9
<hr/>	
· IMDG, IATA	
	
· Class	9 Miscellaneous dangerous substances and articles.
· Label	9
· Packing group	
· NZS, IMDG, IATA	III
· Environmental hazards:	
· Marine pollutant:	No Symbol (fish and tree)
· Special marking (NZS):	Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)
· Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
· Hazard identification number (Kemler code):	90
· EMS Number:	F-A,S-F
· Stowage Category	A
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
<hr/>	
· NZS	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
· Tunnel restriction code	(-)
<hr/>	
· IMDG	
· Limited quantities (LQ)	5L

(Contd. on page 9)

Safety Data Sheet in accordance with HSNO

Printing date 01.07.2024

Version number 3

Revision: 01.07.2024

Trade name: REVOTEK_LC

(Contd. of page 8)

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· **UN "Model Regulation":**

UN 3082 ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S.
(PROPYLIDYNETRIMETHYL TRIMETHACRYLATE,
URETHANE DIMETHACRYLATE (UDMA)), 9, III

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**· **New Zealand Inventory of Chemicals**

107-88-0	1,3-Butanediol
822-06-0	hexamethylene-di-isocyanate
868-77-9	2-hydroxyethyl metacrylate
3290-92-4	Propylidynetrimehyl trimethacrylate
72869-86-4	Urethane Dimethacrylate (UDMA)
7631-86-9	silicon dioxide
68611-44-9	Silane, dichlorodimethyl-, reaction products with silica
78-67-1	2,2'-dimethyl-2,2'-azodipropionitrile
2530-85-0	3-trimethoxysilylpropyl methacrylate
10287-53-3	ethyl 4-dimethylaminobenzoate
13463-67-7	titanium dioxide
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide
128-37-0	Butylated hydroxytoluene
1309-37-1	Iron(III)oxide
10373-78-1	Camphorquinone
20344-49-4	Iron hydroxide oxide

· **HSNO Approval numbers**

822-06-0	hexamethylene-di-isocyanate	HSR001536
----------	-----------------------------	-----------

· **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).· **Hazard pictograms**

GHS07 GHS08

· **Signal word** Danger· **Hazard-determining components of labelling:**

hexamethylene-di-isocyanate

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

2-hydroxyethyl metacrylate

Urethane Dimethacrylate (UDMA)

(Contd. on page 10)

-NZ

Safety Data Sheet in accordance with HSNO

Printing date 01.07.2024

Version number 3

Revision: 01.07.2024

Trade name: REVOTEK_LC

(Contd. of page 9)

- **Hazard statements**

Harmful if inhaled.

Causes skin irritation.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

May cause respiratory irritation.

Harmful to aquatic life with long lasting effects.

- **Precautionary statements**

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **Seveso category E2** Hazardous to the Aquatic Environment

- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t

- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t

- **Other regulations, limitations and prohibitive regulations**

- **Substances of very high concern (SVHC) according to REACH, Article 57**

75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide
------------	---

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

- **Relevant phrases**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H411 Toxic to aquatic life with long lasting effects.

- **Department issuing SDS:** Regulatory affairs

- **Contact:** msds@gc.dental

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

(Contd. on page 11)

Safety Data Sheet in accordance with HSNO

Printing date 01.07.2024

Version number 3

Revision: 01.07.2024

Trade name: REVOTEK_LC

(Contd. of page 10)

*LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**SVHC: Substances of Very High Concern**vPvB: very Persistent and very Bioaccumulative**Acute inhalation toxicity Category 3: Acute toxicity – Category 3**Acute inhalation toxicity Category 4: Acute toxicity – Category 4**Skin irritation Category 2: Skin corrosion/irritation – Category 2**Eye irritation Category 2: Serious eye damage/eye irritation – Category 2**Respiratory sensitisation Category 1: Respiratory sensitisation – Category 1**Skin sensitisation Category 1: Skin sensitisation – Category 1**Carcinogenicity – Category 2: Carcinogenicity – Category 2**Reproductive toxicity Category 2: Reproductive toxicity – Category 2**Specific target organ toxicity - single exposure Category 3: Specific target organ toxicity (single exposure) – Category 3**Hazardous to the aquatic environment chronic Category 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2**Hazardous to the aquatic environment chronic Category 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3***Sources**

- ECHA (<http://echa.europa.eu/>)
- EnviChem (www.echemportal.org)

*** Data compared to the previous version altered.***This version replaces all previous versions.***Disclaimer:**

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.