

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name: Caviwipes

Manufacturer: Metrex

SDS Expiry: 11 March 2030

Supplier Details: Henry Schein New Zealand
243-249 Bush Road, Rosedale, Auckland, 0632
PO Box 101 140, North Shore, Auckland 0745
Ph. 0800 808 855
www.henryschein.co.nz

Emergency Contacts: Poisons/Hazardous Chemical Info Centre –
0800POISON/0800764766 (24 Hours)
Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 3 / 6 / 9

HSNO Group Standard: Dental Products Flammable Group Standard 2020 HSR002556

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared – February 2026

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.

SECTION 1 Identification**1.1. Product identifier**

Product form : Mixture
Product name : CaviWipes (All Sizes)

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Hard surface cleaner and disinfectant wipe
Restrictions on use : Read and understand the entire label before using. Use only according to label directions. It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

1.4. Supplier's details

Manufacturer
METREX® RESEARCH
28210 Wick Road
Romulus, MI., 48174-U.S.A.
T 1-800-841-1428 (Customer Service)

1.5. Emergency phone number

Emergency number : (Chemical Spills, Leaks, Fire, Exposure or Accident only): CHEMTRIC 1-800-424-9300 (in the US), 1-703-527-3887 (Outside the US)

SECTION 2 Hazard Identification**2.1. Classification of the substance or mixture****GHS US classification**

| | | |
|---|------|--|
| Flammable liquid, Category 4 | H227 | Combustible liquid. |
| Serious eye damage/eye irritation, Category 2B | H320 | Causes eye irritation. |
| Hazardous to the aquatic environment — Acute Hazard, Category 3 | H402 | Harmful to aquatic life. |
| Hazardous to the aquatic environment — Chronic Hazard, Category 3 | H412 | Harmful to aquatic life with long lasting effects. |

Full text of H statements : see section 16

2.2. Label elements**GHS US labeling**

Signal word (GHS US) : Warning
Hazard statements (GHS US) : H227 - Combustible liquid
H320 - Causes eye irritation
H402 - Harmful to aquatic life
H412 - Harmful to aquatic life with long lasting effects
Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P264 - Wash hands thoroughly after handling.
P273 - Avoid release to the environment.
P280 - Wear eye protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice or attention.
P370+P378 - In case of fire: Use Dry chemical, CO2, or water spray or alcohol-resistant foam to

CaviWipes (All Sizes)

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard (HCS 2024) and the Hazardous Products Regulation (WHMIS 2015 rev 2022)

extinguish.

P403 - Store in a well-ventilated place.

P501 - Dispose of contents and container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

No additional information available

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % |
|-----------------------|--------------------|-------|
| Isopropanol | CAS-No.: 67-63-0 | 17.20 |
| 2-Butoxyethanol | CAS-No.: 111-76-2 | 1 – 5 |
| Benzethonium Chloride | CAS-No.: 121-54-0 | 0.28 |

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms occur.

First-aid measures after skin contact

: IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

First-aid measures after eye contact

: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

First-aid measures after ingestion

: Ingestion is unlikely for solid products. No first aid is required for small amounts transferred from hands to mouth.

4.2. Most important symptoms/effects, acute and delayed

Inhalation

: At high concentrations, the vapors can be irritating to the respiratory system. High concentration of vapors may induce: headache, nausea, dizziness.

Skin

: Repeated or prolonged skin contact may cause irritation. Repeated exposure may cause skin dryness or cracking.

Eyes

: May cause moderate irritation, including burning sensation, tearing, redness or swelling.

Ingestion

: Ingestion is not considered a potential route of exposure. Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

Chronic symptoms

: Prolonged overexposure to ethylene glycol monobutyl ether may affect liver, kidneys, blood, lymphatic system or central nervous system.

CaviWipes (All Sizes)

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard (HCS 2024) and the Hazardous Products Regulation (WHMIS 2015 rev 2022)

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use dry chemical, CO₂, water spray or alcohol-resistant foam.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : This product contains a flammable liquid saturant and will burn under fire conditions. However, this product contains only a small amount of liquid per container, therefore the risk of creating a fire hazard is minimal.

Hazardous decomposition products in case of fire : Carbon oxides (CO, CO₂). Nitrogen oxides. Amines. Chlorine oxides.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Cool down the containers exposed to heat with a water spray. Exercise caution when fighting any chemical fire.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Avoid contact with skin and eyes. Wear suitable protective clothing. Do not touch or walk on the spilled product.

For non-emergency personnel

No additional information available

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

Environmental precautions : Avoid release to the environment.

6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Do not re-use towelette. Pick up wipe and place into a container for disposal. Do not flush down sewers.

Other information : Dispose of materials or solid residues at an authorized site.

For further information refer to section 13.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Wear personal protective equipment. Ensure adequate ventilation. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Refer to product label for additional information on use and handling. Follow all SDS precautions in Section 13 when handling empty containers.

CaviWipes (All Sizes)

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard (HCS 2024) and the Hazardous Products Regulation (WHMIS 2015 rev 2022)

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including incompatibilities

Storage conditions : Store at room temperature. Store in dry, well-ventilated area. Keep away from heat and direct sunlight. Protect container from physical damage. Keep containers closed when not in use to prevent moisture loss. Do not contaminate water, food, or feed by storage or disposal.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Isopropanol (67-63-0)

USA - ACGIH - Occupational Exposure Limits

| | |
|----------------------|--|
| Local name | 2-Propanol |
| ACGIH® TLV® TWA | 491 mg/m ³ |
| ACGIH® TLV® TWA | 200 ppm |
| ACGIH® TLV® STEL | 984 mg/m ³ |
| ACGIH® TLV® STEL | 400 ppm |
| Remark (ACGIH®) | TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI |
| Regulatory reference | ACGIH 2022 |

USA - ACGIH - Biological Exposure Indices

| | |
|----------------------|--|
| Local name | 2-Propanol |
| BEI (BLV) | 40 mg/l Parameter: Acetone - Medium: urine - Sampling time: End of shift at end of workweek - Notations: B, Ns |
| Regulatory reference | ACGIH 2025 |

USA - OSHA - Occupational Exposure Limits

| | |
|--------------------------------|--------------------------|
| Local name | Isopropyl alcohol |
| OSHA PEL (TWA) | 980 mg/m ³ |
| OSHA PEL (TWA) | 400 ppm |
| Regulatory reference (US-OSHA) | OSHA Annotated Table Z-1 |

USA - Cal/OSHA - Occupational Exposure Limits

| | |
|------------------------|--|
| Local name | Isopropyl alcohol |
| Cal/OSHA PEL (OEL TWA) | 980 mg/m ³ |
| Cal/OSHA PEL (OEL TWA) | 400 ppm |
| Cal/OSHA STEL | 1225 mg/m ³ |
| Cal/OSHA STEL | 500 ppm |
| Regulatory reference | California Division of Occupational Safety and Health (Cal/OSHA) - Permissible Exposure Limit for Chemical Contaminants (Table AC-1) |

USA - NIOSH - Occupational Exposure Limits

| | |
|------------|-------------------|
| Local name | Isopropyl alcohol |
|------------|-------------------|

CaviWipes (All Sizes)

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard (HCS 2024) and the Hazardous Products Regulation (WHMIS 2015 rev 2022)

| Isopropanol (67-63-0) | |
|--|--|
| NIOSH REL 10h TWA | 400 ppm |
| NIOSH REL (STEL) | 500 ppm |
| Regulatory reference (US-NIOSH) | OSHA Annotated Table Z-1 (NIOSH Pocket Guide to Chemical Hazards (NPG)) |
| 2-Butoxyethanol (111-76-2) | |
| USA - ACGIH - Occupational Exposure Limits | |
| Local name | 2-Butoxyethanol (EGBE) |
| ACGIH® TLV® TWA | 97 mg/m³ |
| ACGIH® TLV® TWA | 20 ppm |
| Remark (ACGIH®) | TLV® Basis: Eye & URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI |
| Regulatory reference | ACGIH 2025 |
| USA - ACGIH - Biological Exposure Indices | |
| Local name | 2-Butoxyethanol (EGBE) |
| BEI (BLV) | 200 mg/g Kreatinin Parameter: Butoxyacetic acid (BAA) - Medium: urine - Sampling time: End of shift |
| Regulatory reference | ACGIH 2025 |
| USA - OSHA - Occupational Exposure Limits | |
| Local name | 2-Butoxyethanol |
| OSHA PEL (TWA) | 240 mg/m³ |
| OSHA PEL (TWA) | 50 ppm |
| Regulatory reference (US-OSHA) | OSHA Annotated Table Z-1 |
| USA - Cal/OSHA - Occupational Exposure Limits | |
| Local name | 2-Butoxyethanol (EGBE) [Glycol monobutyl ether] |
| Cal/OSHA PEL (OEL TWA) | 97 mg/m³ |
| Cal/OSHA PEL (OEL TWA) | 20 ppm |
| Remark (Cal/OSHA) | S - Skin notation and Protecting Clothing |
| Regulatory reference | California Division of Occupational Safety and Health (Cal/OSHA) - Permissible Exposure Limit for Chemical Contaminants (Table AC-1) |
| USA - NIOSH - Occupational Exposure Limits | |
| Local name | 2-Butoxyethanol |
| NIOSH REL 10h TWA | 5 ppm |
| Regulatory reference (US-NIOSH) | OSHA Annotated Table Z-1 (NIOSH Pocket Guide to Chemical Hazards (NPG)) |

8.2. Appropriate engineering controls

Appropriate engineering controls : Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits.

Environmental exposure controls : Avoid release to the environment.

CaviWipes (All Sizes)

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard (HCS 2024) and the Hazardous Products Regulation (WHMIS 2015 rev 2022)

8.3. Individual protection measures, such as personal protective equipment

Hand protection:

In case of repeated or prolonged contact wear gloves

Eye protection:

Not required for normal conditions of use. Handling product in bulk: Wear safety goggles or other eye protection to prevent eye contact.

Skin and body protection:

None under normal conditions

Respiratory protection:

No respiratory protection needed under normal use conditions

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

| | |
|---|---|
| Physical state | : Solid |
| Appearance | : Liquid impregnated on lint free wipes. |
| Color | : Colorless |
| Odor | : Alcohol |
| Odor threshold | : 0.001 ppm Ethylene glycol monobutyl ether (EGBE) |
| pH | : 8.5 – 12.49 (Saturant) |
| Melting point | : No data available |
| Freezing point | : Not applicable |
| Boiling point | : No data available |
| Flash point | : 64 °C (147.2°F) (Saturant) |
| Relative evaporation rate (butyl acetate=1) | : < 1 |
| Flammability (solid, gas) | : Non flammable. |
| Vapor pressure | : No data available |
| Relative vapor density at 20°C | : No data available |
| Relative density | : No data available |
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Auto-ignition temperature | : Not applicable |
| Decomposition temperature | : No data available |
| Viscosity, kinematic | : Not applicable |
| Explosion limits | : Lower explosion limit: 2 vol % (Isopropanol) Upper explosion limit: 12.7 vol % (Isopropanol) |
| Particle characteristics | : No data available |

9.2. Data relevant with regard to physical hazard classes (supplemental)

| | |
|-------------|--------|
| VOC content | : 20 % |
|-------------|--------|

SECTION 10 Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

CaviWipes (All Sizes)

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard (HCS 2024) and the Hazardous Products Regulation (WHMIS 2015 rev 2022)

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

Oxidizing agents, reducing agents, acids, bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

| | |
|-----------------------------|------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

CaviWipes (All Sizes)

| | |
|--------------------|-------------------------|
| LD50 oral rat | > 5000 mg/kg (Saturant) |
| LD50 dermal rabbit | > 2000 mg/kg (Saturant) |

Isopropanol (67-63-0)

| | |
|-----------------------------|----------------|
| LD50 oral rat | 5840 mg/kg |
| LD50 oral | 4384 mg/kg |
| LD50 dermal rabbit | 12800 mg/kg |
| LC50 Inhalation - Rat [ppm] | 1666.66 ppm/1h |

Benzethonium Chloride (121-54-0)

| | |
|---------------|-----------|
| LD50 oral rat | 295 mg/kg |
|---------------|-----------|

2-Butoxyethanol (111-76-2)

| | |
|-----------------|---------------------|
| LD50 oral rat | 1746 mg/kg |
| LD50 oral | 1414 mg/kg |
| LD50 dermal rat | > 2000 mg/kg bw/day |

Skin corrosion/irritation : Not classified (This product was tested and based on available data, the classification criteria are not met.)
pH: 8.5 – 12.49 (Saturant)

Serious eye damage/irritation : Causes eye irritation.
On basis of test data
pH: 8.5 – 12.49 (Saturant)

Respiratory or skin sensitization : Not classified (No sensitizing reaction was observed for guinea pigs; This product was tested and based on available data, the classification criteria are not met.)

Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Isopropanol (67-63-0)

| | |
|------------|----------------------|
| IARC group | 3 - Not classifiable |
|------------|----------------------|

CaviWipes (All Sizes)

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard (HCS 2024) and the Hazardous Products Regulation (WHMIS 2015 rev 2022)

2-Butoxyethanol (111-76-2)

| | |
|------------|----------------------|
| IARC group | 3 - Not classifiable |
|------------|----------------------|

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

Isopropanol (67-63-0)

| | |
|----------------------|------------------------------------|
| STOT-single exposure | May cause drowsiness or dizziness. |
|----------------------|------------------------------------|

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

CaviWipes (All Sizes)

| | |
|----------------------|---|
| Viscosity, kinematic | Not applicable |
| Inhalation | : At high concentrations, the vapors can be irritating to the respiratory system. High concentration of vapors may induce: headache, nausea, dizziness. |
| Skin | : Repeated or prolonged skin contact may cause irritation. Repeated exposure may cause skin dryness or cracking. |
| Eyes | : May cause moderate irritation, including burning sensation, tearing, redness or swelling. |
| Ingestion | : Ingestion is not considered a potential route of exposure. Not expected to present a significant ingestion hazard under anticipated conditions of normal use. |
| Chronic symptoms | : Prolonged overexposure to ethylene glycol monobutyl ether may affect liver, kidneys, blood, lymphatic system or central nervous system. |

SECTION 12 Ecological information

12.1. Ecotoxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute) : Harmful to aquatic life.

Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

Isopropanol (67-63-0)

| | |
|------------------------|---|
| LC50 - Fish [1] | 10000 mg/l Pimephales promelas (Fathead minnow) |
| EC50 - Crustacea [1] | 1000 mg/l |
| LC50 - Fish [2] | 9640 mg/l Pimephales promelas (Fathead minnow) |
| ErC50 algae | 1000 mg/l |
| NOEC chronic crustacea | 100 mg/l |

Benzethonium Chloride (121-54-0)

| | |
|----------------------|---|
| LC50 - Fish [1] | 1.15 mg/l Oncorhynchus mykiss (Rainbow trout) |
| EC50 - Crustacea [1] | 0.22 mg/l Daphnia magna (Water flea) |
| ErC50 algae | 0.3 mg/l Pseudokirchneriella subcapitata |

2-Butoxyethanol (111-76-2)

| | |
|----------------------|---|
| LC50 - Fish [1] | 1474 mg/l Oncorhynchus mykiss (Rainbow trout) |
| EC50 - Crustacea [1] | ≈ 1800 mg/l Daphnia magna (Water flea) |
| EC50 72h - Algae [1] | 911 mg/l Pseudokirchneriella subcapitata |
| EC50 72h - Algae [2] | 1840 mg/l Pseudokirchneriella subcapitata |

CaviWipes (All Sizes)

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard (HCS 2024) and the Hazardous Products Regulation (WHMIS 2015 rev 2022)

2-Butoxyethanol (111-76-2)

| | |
|-------------------|-------------------------------------|
| NOEC (chronic) | 100 mg/l Daphnia magna (Water flea) |
| NOEC chronic fish | > 100 mg/l Danio rerio (Zebrafish) |

12.2. Persistence and degradability

CaviWipes (All Sizes)

| | |
|-------------------------------|--------------------|
| Persistence and degradability | Rapidly degradable |
|-------------------------------|--------------------|

Isopropanol (67-63-0)

| | |
|-------------------------------|------------------------------------|
| Persistence and degradability | Readily biodegradable. |
| Chemical oxygen demand (COD) | 2.23 g O ₂ /g substance |

Benzethonium Chloride (121-54-0)

| | |
|-------------------------------|------------------------|
| Persistence and degradability | Not rapidly degradable |
|-------------------------------|------------------------|

2-Butoxyethanol (111-76-2)

| | |
|-------------------------------|------------------------|
| Persistence and degradability | Readily biodegradable. |
|-------------------------------|------------------------|

12.3. Bioaccumulative potential

Isopropanol (67-63-0)

| | |
|---|------|
| BCF - Fish [1] | 3 |
| Partition coefficient n-octanol/water (Log Kow) | 0.05 |

12.4. Mobility in soil

Isopropanol (67-63-0)

| | |
|--|-----|
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.5 |
|--|-----|

12.5. Other adverse effects

| | |
|------------------------------|------------------|
| Ozone | : Not classified |
| Fluorinated greenhouse gases | : No |

SECTION 13 Disposal considerations

| | |
|--|--|
| Waste treatment methods | : Dispose as hazardous waste with infectious risk because wipes are often contaminated by materials considered biological hazards once used. The danger from the wipe comes from the fact that – once used – it contains dead microorganisms and biological dirt or blood. Dispose of in accordance with applicable federal, state, and local regulations. |
| Product/Packaging disposal recommendations | : Do not reuse towelette. Container Disposal: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If recycling is not available, discard in trash. |

SECTION 14 Transport information

In accordance with DOT / TDG / IMDG / IATA

CaviWipes (All Sizes)

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard (HCS 2024) and the Hazardous Products Regulation (WHMIS 2015 rev 2022)

| DOT | TDG | IMDG | IATA |
|---|---------------|---------------|---------------|
| 14.1. UN number | | | |
| Not regulated for transport | | | |
| 14.2. Proper Shipping Name | | | |
| Not regulated | Not regulated | Not regulated | Not regulated |
| 14.3. Transport hazard class(es) | | | |
| Not regulated | Not regulated | Not regulated | Not regulated |
| 14.4. Packing group | | | |
| Not regulated | Not regulated | Not regulated | Not regulated |
| 14.5. Environmental hazards | | | |
| Not regulated | Not regulated | Not regulated | Not regulated |
| No supplementary information available | | | |

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT

Not regulated

TDG

Not regulated

IMDG

Not regulated

IATA

Not regulated

SECTION 15 Regulatory information

15.1. Federal regulations

CaviWipes (All Sizes)

| | |
|-------------------------------------|--|
| SARA Section 311/312 Hazard Classes | Refer to Section 2 for OSHA Hazard Classification. |
|-------------------------------------|--|

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

| | | |
|--|------------------|--------|
| 2-Butoxyethanol, ethylene glycol monobutyl ether, butyl cellosolve | CAS-No. 111-76-2 | 1 – 5% |
|--|------------------|--------|

FIFRA Labelling

| | |
|-------------------------|---------|
| EPA Registration Number | 46781-8 |
|-------------------------|---------|

CaviWipes (All Sizes)

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard (HCS 2024) and the Hazardous Products Regulation (WHMIS 2015 rev 2022)

FIFRA Labelling

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

| | |
|-------------------------------|---|
| FIFRA Signal Word | Caution |
| FIFRA Precautionary Statement | Keep out of reach of children. Hazards to Humans and Domestic Animals. |
| FIFRA Human Health Hazards | Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse. |
| FIFRA First Aid | IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. |

15.2. International regulations

CANADA

Benzethonium Chloride (121-54-0)

Listed on the Canadian DSL (Domestic Substances List)

2-Butoxyethanol (111-76-2)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Benzethonium Chloride (121-54-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. State regulations

| Component | State or local regulations |
|---------------------------|--|
| Isopropanol(67-63-0) | U.S. - New Jersey - Right to Know Hazardous Substance List |
| 2-Butoxyethanol(111-76-2) | U.S. - New Jersey - Right to Know Hazardous Substance List |

SECTION 16 Other information

According to 29CFR 1910.1200 OSHA Hazard Communication Standard (HCS 2024) and the Hazardous Products Regulation (WHMIS 2015 rev 2022)
Revision date : 11/03/2025

Full text of hazard classes and H-statements

| | |
|------|--------------------|
| H227 | Combustible liquid |
|------|--------------------|

CaviWipes (All Sizes)

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard (HCS 2024) and the Hazardous Products Regulation (WHMIS 2015 rev 2022)

| Full text of hazard classes and H-statements | |
|---|---|
| H320 | Causes eye irritation |
| H402 | Harmful to aquatic life |
| H412 | Harmful to aquatic life with long lasting effects |

NFPA health hazard


: 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard

: 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.

NFPA reactivity

: 0 - Material that in themselves are normally stable, even under fire conditions.



Indication of changes:

New format.

Safety Data Sheet (SDS), USA

The information and recommendations set forth herein are taken from sources believed to be accurate as of the date of preparation, however, METREX® RESEARCH makes no warranty with respect to the accuracy or suitability of the recommendations, and assumes no liability to any use thereof.