

**Safety Data Sheet Cover-Sheet** – This page provides additional New Zealand specific information for this product, and must be read in conjunction with the Safety Data Sheet (SDS) attached.

Product Name: Tubli-Seal™ EWT Base & Catalyst

Manufacturer: Kerr Corporation

SDS Expiry: 21 May 2024

Supplier Details: Henry Schein New Zealand  
23 William Pickering Drive, Albany  
PO Box 101 140, North Shore, Auckland 0745  
Ph. 0800 808 855  
[www.henryschein.co.nz](http://www.henryschein.co.nz)

Emergency Contacts: Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours)  
Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 6 / 9

HSNO Group Standard: Dental Products Subsidiary Hazard Group Standard 2017 HSR002558

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared on 2 April 2020

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.

## SAFETY DATA SHEET

### Section 1. Product And Company Identification

**Product Name:** Tubli-Seal™ EWT Base and Tubli-Seal™ EWT Base Express

**Product Use:** Dental product: Endodontic Obturation Systems and Fill Products

**Manufacturer:** Kerr Corporation  
1717 W. Collins Ave.  
Orange, CA 92867-5422  
U.S.A.

**Information Phone Number:** 1-800-841-1428 (Customer Service)

**Chemical Emergency Phone Number (Chemical Spills, Leaks, Fire, Exposure or Accident only):**

CHEMTREC 1-800-424-9300 (in the US) 1-703-527-3887 (Outside the US)

**SDS Date of Preparation/Revision:** July 1, 2019

### Section 2. Hazards Identification

**GHS Classification:**

Aquatic Acute Toxicity Category 1

Aquatic Chronic Toxicity Category 1

**Label Elements:**

Warning!



**Hazard Phrases**

Very toxic to aquatic life with long lasting effects.

**Precautionary Phrases:**

Wash hands thoroughly after handling.

Avoid release to the environment.

Wear protective gloves, eye protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Collect spillage.

Dispose of contents and container in accordance with local and national regulations.

### Section 3. Composition/Information on Ingredients

Component	CAS No.	Amount
Zinc oxide	1314-13-2	60-100%
White mineral oil (petroleum)	8042-47-5	10-30%

## Section 4. First Aid Measures

**Inhalation:** Remove victim to fresh air. Get immediate medical attention if symptoms occur.

**Skin Contact:** Flush thoroughly with water. Get medical attention if irritation or symptoms of exposure develop. Remove and launder contaminated clothing before re-use.

**Eye Contact:** Rinse thoroughly with water. Get medical attention if irritation occurs and persists.

**Ingestion:** Do NOT induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious or convulsing person. Keep the victim calm and warm. Get immediate medical attention.

**Most important symptoms and effects, acute and delayed:** May cause eye irritation and skin dryness and irritation. Ingestion may be irritating to mouth, throat and stomach.

**Indication of immediate medical attention and special treatment, if needed:** Immediate medical attention is not required.

## Section 5. Fire Fighting Measures

**Suitable (and Unsuitable) Extinguishing Media:** Use any media appropriate for the surrounding fire. Cool fire exposed containers with water.

**Specific Hazards Arising from the Chemical:** Combustion may produce carbon dioxide, carbon monoxide, sulfur oxides, and metal oxides.

**Special Protective Equipment and Precautions for Fire-fighters:** Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored. Cool fire-exposed containers with water. Contain water used in firefighting from entering sewers or natural waterways.

## Section 6: Accidental Release Measures

**Personal precautions, Protective equipment, and Emergency procedures:** Evacuate spill area and keep unprotected personnel away. Avoid contact with eyes, skin and clothing. Wear appropriate protective clothing and equipment. Do not breathe dust or vapors.

**Environmental Precautions:** Avoid releases to the environment. Report spill as required by local and federal regulations.

**Methods and Materials for Containment and Cleaning up:** Prompt cleanup and removal are necessary. Absorb spills with an inert material and place in an appropriate waste disposal container.

## Section 7. Handling and Storage

**Precautions for Safe Handling:** Prevent contact with eyes, skin and clothing. Always wear impervious gloves, chemical safety goggles and protective clothing when handling this material. Wash thoroughly with soap and water after handling. Do not eat, drink or smoke in the work area. Use with adequate ventilation. Remove and wash contaminated clothing before reuse.

Empty containers retain product residues which can be hazardous. Follow all SDS precautions when handling empty containers.

**Conditions for Safe Storage, Including any Incompatibilities:** Store in a cool, dry, well-ventilated area away from direct sunlight. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers.

<b>Section 8. Exposure Controls / Personal Protection</b>
---

**Exposure Limits**

Chemical	Exposure Limit
Zinc oxide	15 mg/m <sup>3</sup> CEIL NIOSH REL (as dust) 5 mg/m <sup>3</sup> TWA NIOSH REL (as dust and fumes) 10 mg/m <sup>3</sup> STEL NIOSH REL (as fume)
White mineral oil (petroleum)	5 mg/m <sup>3</sup> TWA ACGIH TLV (inhalable fraction)

**Appropriate Engineering Controls:** Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits.

**Respiratory Protection:** None under normal use conditions with adequate ventilation. For operations where the occupational exposure limits are exceeded, an approved respirator with particulate cartridges is recommended. Equipment selection depends on contaminant type and concentration. Select in accordance with applicable regulations and good industrial hygiene practice. For firefighting, use self-contained breathing apparatus.

**Hand protection:** Impervious gloves are suggested to prevent skin contact. Contact your glove supplier for selection assistance.

**Eye Protection:** Chemical safety goggles are recommended if contact is possible.

**Skin Protection:** Wear protective clothing as needed to avoid skin contact and contamination of personal clothing.

**Hygiene measures:** Suitable eye and skin washing facilities should be available in the work area.

<b>Section 9. Physical and Chemical Properties</b>
--

<b>Appearance:</b>	White paste	<b>Odor:</b>	Odorless
<b>Odor Threshold:</b>	Not available	<b>pH:</b>	Not available
<b>Melting/Freezing Point:</b>	Not available	<b>Boiling Point/Range:</b>	Not available
<b>Flash Point:</b>	Not flammable	<b>Evaporation Rate:</b>	Not available
<b>Flammability: (Solid, Gas)</b>	Not applicable	<b>Flammability Limits:</b>	LEL: Not applicable UEL: Not applicable
<b>Vapor Pressure:</b>	Not available	<b>Vapor</b>	Not available

<b>Relative Density:</b>	>1	<b>Density:</b>	
<b>Partition Coefficient: (N-Octanol/Water)</b>	Not available	<b>Solubilities:</b>	Insoluble in water
<b>Decomposition Temperature:</b>	Not available	<b>Autoignition Temperature:</b>	Not available
		<b>Viscosity:</b>	>20.5 mm <sup>2</sup> /s (kinematic)

### Section 10. Stability and Reactivity

**Reactivity:** The product is not expected to be reactive.  
**Chemical Stability:** Stable under normal storage and handling conditions.  
**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.  
**Conditions to avoid:** Avoid excessive heat.  
**Incompatible Materials:** Oxidizing materials, acids and alkalis.  
**Hazardous decomposition products:** None if stored normally.

### Section 11. Toxicological Information

**Potential Health Effects:**

**Inhalation:** None known.  
**Skin Contact:** May cause skin dryness and irritation.  
**Eye Contact:** Causes eye irritation.  
**Ingestion:** Ingestion may be irritating to mouth, throat and stomach.  
**Chronic Hazards:** Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.

**Skin Sensitization:** No adverse effects expected. This product is not expected to cause skin sensitization.

**Respiratory Sensitization:** No data available. This product is not expected to cause respiratory sensitization.

**Germ Cell Mutagenicity:** None of the components are mutagenic.

**Carcinogen:** None of the components are listed as a carcinogen or potential carcinogen by IARC, NTP, ACGIH, or OSHA.

**Developmental / Reproductive Toxicity:** None of the components have been shown to cause reproductive or developmental toxicity.

**Specific Target Organ Toxicity (Single Exposure):** No data available.

**Specific Target Organ Toxicity (Repeated Exposure):** No data available.

**Aspiration Toxicity:** White mineral oil (petroleum) is classified as an aspiration hazard category 1.

**Acute Toxicity Values:**

Zinc oxide: LD50 Oral rat: >15000 mg/kg; LD50 Dermal rat: >2000 mg/kg;  
 LC50 Inhalation rat: 5.7 mg/L/4hr

White mineral oil (petroleum): LD50 Oral rat: >5000 mg/kg; LD50 Dermal rabbit: >2000 mg/kg;  
LC50 Inhalation rat: >5000 mg/L/4hr

**Section 12. Ecological Information**

**Toxicity:**

Zinc oxide: 96 hr LC50 Oncorhynchus mykiss 1.1 ppm;  
72 hr EC50 Pseudokirchneriella subcapitata 0.042 mg/L; 48 hr LC50 Daphnia magna 98 µg/L  
White mineral oil (petroleum): 96 hr LC50 Lepomis macrochirus >10 g/L

This product is classified as very toxic to the aquatic environment with long-term adverse effects. Releases to the environment should be avoided.

**Persistence and degradability:** Biodegradation is not applicable to inorganic substances.

**Bioaccumulative Potential:**

Zinc oxide has a BCF of 60960, potential for bioaccumulative is high.  
White mineral oil (petroleum): log P<sub>ow</sub> >6, potential for bioaccumulative is high.

**Mobility in Soil:** No data available.

**Other Adverse Effects:** No data available.

**Section 13. Disposal Considerations**

**Disposal:** For unused solution, flush thoroughly with large quantities of water into sewage disposal system in accordance with Federal, State, and local regulations. For used solution, the waste solution must be characterized by the generator and disposed of in accordance with Federal, State, and local regulations.

**Container Disposal:** Rinse empty container thoroughly with water and discard clean, empty container as general trash or offer for recycling, if available.

**Section 14. Transport Information**

	UN Number	UN Proper Shipping Name	Hazard Class(s)	Packing Group	Environmental Hazards
<b>US DOT</b>	UN3082	Environmentally hazardous substance, liquid, n.o.s. (Zinc oxide). Marine pollutant (Zinc oxide)	9	III	Yes
<b>Canada TDG</b>	UN3082	Environmentally hazardous substance, liquid, n.o.s. (Zinc oxide). Marine pollutant (Zinc oxide)	9	III	Yes
<b>IMDG</b>	UN3082	Environmentally hazardous substance, liquid, n.o.s. (Zinc oxide). Marine pollutant (Zinc oxide)	9	III	Yes
<b>IATA/ICAO</b>	UN3082	Environmentally hazardous substance, liquid, n.o.s. (Zinc oxide)	9	III	Yes



		oxide)			
--	--	--------	--	--	--

**Section 15. Regulatory Information**

**U.S. Federal Regulations:**

**EPA SARA 311/312 Hazard Classification:** Refer to Section 2 for OSHA Hazard Classification.

**EPA SARA 313: This Product Contains the Following Chemicals Subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372):**

Zinc oxide	1314-13-2	60-100%
------------	-----------	---------

**Protection Of Stratospheric Ozone:** This product is not known to contain or to have been manufactured with ozone depleting substances as defined in 40 CFR Part 82, Appendix A to Subpart A.

**CERCLA SECTION 103:** This product is not subject to CERCLA reporting requirements; however, many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

**US EPA TSCA Inventory:** All of the components of this product are listed on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory or exempt.

**Canadian Regulations:**

**Canadian Environmental Protection Act:** All of the components in this product are listed on the Domestic Substances List (DSL) or exempt.

**National Pollutant Release Inventory (NPRI):** This Product Contains the Following Chemicals Subject to Annual Release Reporting Requirements NPRI: None

**International Inventories**

**Australia:** All of the components in this product are listed on the Australian Inventory of Chemical Substances (AICS) or exempt.

**China:** All of the components in this product are listed on the Inventory of Existing Chemical Substances in China (IECSC) or exempt.

**European Union:** All the components in this product are listed on the EINECS inventory or exempt.

**Korea:** All of the components in this product are listed on the Korean Existing Chemicals List (KECL) or exempt.

**New Zealand:** All of the components in this product are listed on the New Zealand Inventory of Chemicals (NZIoC) or exempt.

**Section 16. Other Information**

NFPA Rating: Fire: 0      Health: 1      Instability: 0



**Effective Date:** July 1, 2019  
**Supersedes Date:** New SDS  
**Revision Summary:** New SDS

The information and recommendations set forth herein are taken from sources believed to be accurate as of the date of preparation, however, KERR Corporation makes no warranty with respect to the accuracy or suitability of the recommendations, and assumes no liability to any use thereof.

## SAFETY DATA SHEET

### Section 1. Product And Company Identification

**Product Name:** Tubli-Seal™ EWT Accelerator and Tubli-Seal™ EWT Accelerator Express

**Product Use:** Dental product: Endodontic Obturation Systems and Fill Products

**Manufacturer:** Kerr Corporation  
1717 W. Collins Ave.  
Orange, CA 92867-5422  
U.S.A.

**Information Phone Number:** 1-800-841-1428 (Customer Service)

**Chemical Emergency Phone Number (Chemical Spills, Leaks, Fire, Exposure or Accident only):**  
CHEMTREC 1-800-424-9300 (in the US) 1-703-527-3887 (Outside the US)

**SDS Date of Preparation/Revision:** May 21, 2019

### Section 2. Hazards Identification

**GHS Classification:**

Eye Irritation Category 2A

Skin Sensitization Category 1

**Label Elements:**

Warning!



**Hazard Phrases**

Causes serious eye irritation.

May cause an allergic skin reaction.

**Precautionary Phrases:**

Avoid breathing dust, fumes, gas, mist, vapors, spray.

Wash hands thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves, eye protection.

IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or a rash occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Dispose of contents and container in accordance with local and national regulations.

**Section 3. Composition/Information on Ingredients**

Component	CAS No.	Amount
Eugenol	97-53-0	10-30%
White mineral oil (petroleum)	8042-47-5	5-10%

**Section 4. First Aid Measures**

**Inhalation:** Remove victim to fresh air. Get immediate medical attention if symptoms occur.

**Skin Contact:** Flush thoroughly with water. Get medical attention if irritation or symptoms of exposure develop. Remove and launder contaminated clothing before re-use.

**Eye Contact:** Rinse thoroughly with water. Get medical attention if irritation occurs and persists.

**Ingestion:** Do NOT induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious or convulsing person. Keep the victim calm and warm. Get immediate medical attention.

**Most important symptoms and effects, acute and delayed:** Causes serious eye irritation and may cause skin dryness and irritation. Ingestion may be irritating to mouth, throat and stomach.

**Indication of immediate medical attention and special treatment, if needed:** Immediate medical attention is not required.

**Section 5. Fire Fighting Measures**

**Suitable (and Unsuitable) Extinguishing Media:** Use any media appropriate for the surrounding fire. Cool fire exposed containers with water.

**Specific Hazards Arising from the Chemical:** Combustion may produce carbon dioxide and carbon monoxide.

**Special Protective Equipment and Precautions for Fire-fighters:** Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored. Cool fire-exposed containers with water. Contain water used in firefighting from entering sewers or natural waterways.

**Section 6: Accidental Release Measures**

**Personal precautions, Protective equipment, and Emergency procedures:** Evacuate spill area and keep unprotected personnel away. Avoid contact with eyes, skin and clothing. Wear appropriate protective clothing and equipment. Do not breathe dust or vapors.

**Environmental Precautions:** Avoid releases to the environment. Report spill as required by local and federal regulations.

**Methods and Materials for Containment and Cleaning up:** Prompt cleanup and removal are necessary. Absorb spills with an inert material and place in an appropriate waste disposal container.

**Section 7. Handling and Storage**

**Precautions for Safe Handling:** Prevent contact with eyes, skin and clothing. Always wear impervious gloves, chemical safety goggles and protective clothing when handling this material. Wash thoroughly with soap and water after handling. Do not eat, drink or smoke in the work area. Use with adequate ventilation. Remove and wash contaminated clothing before reuse.

Empty containers retain product residues which can be hazardous. Follow all SDS precautions when handling empty containers.

**Conditions for Safe Storage, Including any Incompatibilities:** Store in a cool, dry, well-ventilated area away from direct sunlight. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers.

**Section 8. Exposure Controls / Personal Protection**

**Exposure Limits**

Chemical	Exposure Limit
Eugenol	None Established
White mineral oil (petroleum)	5 mg/m <sup>3</sup> TWA ACGIH TLV (inhalable fraction)

**Appropriate Engineering Controls:** Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits.

**Respiratory Protection:** None under normal use conditions with adequate ventilation. For operations where the occupational exposure limits are exceeded, an approved respirator with particulate cartridges is recommended. Equipment selection depends on contaminant type and concentration. Select in accordance with applicable regulations and good industrial hygiene practice. For firefighting, use self-contained breathing apparatus.

**Hand protection:** Impervious gloves are suggested to prevent skin contact. Contact your glove supplier for selection assistance.

**Eye Protection:** Chemical safety goggles are recommended if contact is possible.

**Skin Protection:** Wear protective clothing as needed to avoid skin contact and contamination of personal clothing.

**Hygiene measures:** Suitable eye and skin washing facilities should be available in the work area.

**Section 9. Physical and Chemical Properties**

<b>Appearance:</b>	Amber paste	<b>Odor:</b>	Aromatic
<b>Odor Threshold:</b>	Not available	<b>pH:</b>	Not available
<b>Melting/Freezing Point:</b>	Not available	<b>Boiling Point/Range:</b>	Not available
<b>Flash Point:</b>	Not flammable	<b>Evaporation</b>	Not available

<b>Flammability: (Solid, Gas)</b>	Not applicable	<b>Rate:</b>	
<b>Vapor Pressure:</b>	Not available	<b>Flammability Limits:</b>	LEL: Not applicable UEL: Not applicable
<b>Relative Density:</b>	>1	<b>Vapor Density:</b>	Not available
<b>Partition Coefficient: (N-Octanol/Water)</b>	Not available	<b>Solubilities:</b>	Insoluble in water
<b>Decomposition Temperature:</b>	Not available	<b>Autoignition Temperature:</b>	Not available
		<b>Viscosity:</b>	>20.5 mm <sup>2</sup> /s (kinematic)

### Section 10. Stability and Reactivity

**Reactivity:** The product is not expected to be reactive.  
**Chemical Stability:** Stable under normal storage and handling conditions.  
**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.  
**Conditions to avoid:** Avoid excessive heat.  
**Incompatible Materials:** Oxidizing materials, acids and alkalis.  
**Hazardous decomposition products:** None if stored normally.

### Section 11. Toxicological Information

**Potential Health Effects:**

**Inhalation:** None known.  
**Skin Contact:** May cause skin dryness and irritation.  
**Eye Contact:** Causes serious eye irritation.  
**Ingestion:** Ingestion may be irritating to mouth, throat and stomach.  
**Chronic Hazards:** Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.

**Skin Sensitization:** No adverse effects expected. This product is classified as Grade I – weak sensitizer in Kligman test.

**Respiratory Sensitization:** No data available. This product is not expected to cause respiratory sensitization.

**Germ Cell Mutagenicity:** None of the components are mutagenic.

**Carcinogen:** None of the components are listed as a carcinogen or potential carcinogen by IARC, NTP, ACGIH, or OSHA.

**Developmental / Reproductive Toxicity:** None of the components have been shown to cause reproductive or developmental toxicity.

**Specific Target Organ Toxicity (Single Exposure):** No data available.

**Specific Target Organ Toxicity (Repeated Exposure):** No data available.

**Aspiration Toxicity:** White mineral oil (petroleum) is classified as an aspiration hazard category 1.



**Acute Toxicity Values:**

Product ATE: 7942.4 mg/kg (Oral)  
 Eugenol: LD50 Oral rat: 1930 mg/kg  
 White mineral oil (petroleum): LD50 Oral rat: >5000 mg/kg; LD50 Dermal rabbit: >2000 mg/kg;  
 LC50 Inhalation rat: >5000 mg/L/4hr

**Section 12. Ecological Information**

**Toxicity:**

Eugenol: 96 hr LC50 Pimephales promelas 24 mg/L  
 White mineral oil (petroleum): 96 hr LC50 Lepomis macrochirus >10 g/L

This product is classified as harmful to the aquatic environment. Releases to the environment should be avoided.

**Persistence and degradability:** Eugenol is readily biodegradable.

**Bioaccumulative Potential:**

Eugenol has a BCF of 2.27, potential for bioaccumulative is low.  
 White mineral oil (petroleum): log P<sub>ow</sub> >6, potential for bioaccumulative is high.

**Mobility in Soil:** No data available.

**Other Adverse Effects:** No data available.

**Section 13. Disposal Considerations**

**Disposal:** For unused solution, flush thoroughly with large quantities of water into sewage disposal system in accordance with Federal, State, and local regulations. For used solution, the waste solution must be characterized by the generator and disposed of in accordance with Federal, State, and local regulations.

**Container Disposal:** Rinse empty container thoroughly with water and discard clean, empty container as general trash or offer for recycling, if available.

**Section 14. Transport Information**

	UN Number	UN Proper Shipping Name	Hazard Class(s)	Packing Group	Environmental Hazards
<b>US DOT</b>	None	Not Regulated	None	None	None
<b>Canada TDG</b>	None	Not Regulated	None	None	None
<b>IMDG</b>	None	Not Regulated	None	None	None
<b>IATA/ICAO</b>	None	Not Regulated	None	None	None

**Section 15. Regulatory Information**

**U.S. Federal Regulations:**

**EPA SARA 311/312 Hazard Classification:** Refer to Section 2 for OSHA Hazard Classification.



**EPA SARA 313: This Product Contains the Following Chemicals Subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372):** None.

**Protection Of Stratospheric Ozone:** This product is not known to contain or to have been manufactured with ozone depleting substances as defined in 40 CFR Part 82, Appendix A to Subpart A.

**CERCLA SECTION 103:** This product is not subject to CERCLA reporting requirements; however, many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

**US EPA TSCA Inventory:** All of the components of this product are listed on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory or exempt.

**Canadian Regulations:**

**Canadian Environmental Protection Act:** All of the components in this product are listed on the Domestic Substances List (DSL) or exempt.

**National Pollutant Release Inventory (NPRI):** This Product Contains the Following Chemicals Subject to Annual Release Reporting Requirements NPRI: None

**International Inventories**

**Australia:** All of the components in this product are listed on the Australian Inventory of Chemical Substances (AICS) or exempt.

**China:** All of the components in this product are listed on the Inventory of Existing Chemical Substances in China (IECSC) or exempt.

**European Union:** All the components in this product are listed on the EINECS inventory or exempt.

**Korea:** All of the components in this product are listed on the Korean Existing Chemicals List (KECL) or exempt.

**New Zealand:** All of the components in this product are listed on the New Zealand Inventory of Chemicals (NZIoC) or exempt.

**Section 16. Other Information**

NFPA Rating: Fire: 0                      Health: 2                      Instability: 0

**Effective Date:** May 21, 2019

**Supersedes Date:** October 21, 2014

**Revision Summary:** All Sections – New SDS format

The information and recommendations set forth herein are taken from sources believed to be accurate as of the date of preparation, however, KERR Corporation makes no warranty with respect to the accuracy or suitability of the recommendations, and assumes no liability to any use thereof.