

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name: ALLOY PRIMER

Manufacturer: Kuraray Noritake Dental Inc.

SDS Expiry: 21 June 2027

Supplier Details: Henry Schein New Zealand
243-249 Bush Road, Rosedale, Auckland, 0632
PO Box 101 140, North Shore, Auckland 0745
Ph. 0800 808 855
www.henryschein.co.nz

Emergency Contacts: Poisons/Hazardous Chemical Info Centre –
0800POISON/0800764766 (24 Hours)
Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 3 / 6

HSNO Group Standard: Dental Products Flammable Group Standard 2020 HSR002556

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared – January 2023

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.

Safety Data Sheet
according to WHS Regulations

Printing date 21.06.2022

Version number 7

Revision date: 21.06.2022

1 Identification

- **Product identifier**
- **Trade name: ALLOY PRIMER**
- **Article number: AZ054**
- **Registration number** Not applicable
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Adhesive, dental metal
- **Details of the supplier of the safety data sheet**
- **Manufacturer:**
Kuraray Noritake Dental Inc.
1621, Sakazu, Kurashiki,
Okayama 710-0801, Japan
- **Supplier :**
< Australia >
HENRY SCHEIN HALAS
Building 3, Level 6
189-O'Riordan Street,
Mascot, NSW 2020
Australia
Freephone: 1300 65 88 22
www.henryschein.com.au
< New Zealand >
Henry Schein New Zealand
23 William Pickering Drive, Albany
PO Box 101 140, North Shore, Auckland 0745
Ph. 0800 808 855
www.henryschein.co.nz
- **Emergency telephone number:**
< Australia >
AUSTRALIAN POISONS INFORMATION CENTRE
24 hours service: phone 13 11 26
Police/Firebrigade/Ambulance: 000
< New Zealand >
Poisons/Hazardous Chemical Info Centre
0800POISON/0800764766 (24 Hours)
Phone 111 for Fire, Ambulance or Police

2 Hazard(s) Identification

- **Classification of the substance or mixture**
This product is classified as hazardous according to WHS/NOHSC(AU) and HSNO(NZ), and dangerous according to ADG Code(AU) and NZS5433(NZ).
Flam. Liq. 2 H225 Highly flammable liquid and vapour.
Eye Irritation 2A H319 Causes serious eye irritation.
STOT SE 3 H336 May cause drowsiness or dizziness.
- **Additional information :**
Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Keep container tightly closed.
- **Label elements**
- **GHS label elements**
The product is classified and labelled according to the Globally Harmonised System (GHS).

(Contd. on page 2)

-AU-

Trade name: ALLOY PRIMER

(Contd. of page 1)

· **Hazard pictograms**



GHS02 GHS07

· **Signal word** Danger

· **Hazard statements**

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P242 Use non-sparking tools.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Other hazards** Avoid breathing sanding dust / swarf.

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition and Information on Ingredients

· **Chemical characterisation: Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 67-64-1	acetone	>90%
EINECS: 200-662-2	Flam. Liq. 2, H225; Eye Irritation 2A, H319; STOT SE 3, H336	

· **Other ingredients:**

6-(4-Vinylbenzyl-N-propyl)amino-1,3,5-triazine-2,4-dithione

10-Methacryloyloxydecyl dihydrogen phosphate

4 First Aid Measures

· **Description of first aid measures**

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:** Generally the product does not irritate the skin.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:**

Do not induce vomiting; call for medical help immediately.

If symptoms persist consult doctor.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

Safety Data Sheet
according to WHS Regulations

Printing date 21.06.2022

Version number 7

Revision date: 21.06.2022

Trade name: ALLOY PRIMER

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures** See Section 8.
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and Storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location (2-25°C).
- **Information about storage in one common storage facility:**
Store away from oxidising agents.
Store away from reducing agents.
- **Further information about storage conditions:**
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
Protect from heat and direct sunlight.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

(Contd. on page 4)

Safety Data Sheet
according to WHS Regulations

Printing date 21.06.2022

Version number 7

Revision date: 21.06.2022

Trade name: ALLOY PRIMER

(Contd. of page 3)

· **Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

67-64-1 acetone

NES	Short-term value: 2375 mg/m ³ , 1000 ppm Long-term value: 1185 mg/m ³ , 500 ppm
-----	--

· **Additional information:** The lists valid during the making were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

· **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.

· **Protection of hands:**

Neoprene gloves

Solvent resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Butyl rubber, BR

Neoprene gloves

· **Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Liquid

Colour: Transparent

· **Odour:** Acetone-like

· **pH-value:** Not determined

· **Change in condition**

Melting point/freezing point: -94.7 °C (acetone)

Initial boiling point and boiling range: 55 °C (acetone)

· **Flash point:** -19 °C (acetone)

· **Ignition temperature:** 465.0 °C (acetone)

· **Decomposition temperature:** Not determined

· **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

(Contd. on page 5)

Safety Data Sheet according to WHS Regulations

Printing date 21.06.2022

Version number 7

Revision date: 21.06.2022

Trade name: ALLOY PRIMER

(Contd. of page 4)

· Explosion limits:	
Lower:	2.6 Vol % (acetone)
Upper:	13.0 Vol % (acetone)
· Oxidising properties	Not determined
· Vapour pressure:	233.0 hPa (20°C, acetone)
· Density:	0.79 g/cm ³ (acetone)
· Relative density	Not determined
· Vapour density	2.0 g/cm ³ (acetone, air=1)
· Evaporation rate	Not determined
· Solubility in / Miscibility with water:	Partly miscible.
· Partition coefficient: n-octanol/water:	-0.24 (acetone)
· Viscosity:	Not determined
· Other information	No further relevant information available.

10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** Carbon monoxide and carbon dioxide

11 Toxicological Information

· Information on toxicological effects

· LD/LC50 values relevant for classification:

67-64-1 acetone

Oral	LD50	5800 mg/kg (rat)
Dermal	LD50	20000 mg/kg (rabbit)

- **Primary irritant effect:**
- **Skin corrosion/irritation** No irritant effect
- **Serious eye damage/irritation** Irritating effect
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 6)

Printing date 21.06.2022

Version number 7

Revision date: 21.06.2022

Trade name: ALLOY PRIMER


(Contd. of page 5)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

14 Transport information

· UN-Number	1090
· ADG, IMDG, IATA	
· UN proper shipping name	1090 ACETONE, solution
· ADG	Atsetoon lahus
· IMDG, IATA	
· Transport hazard class(es)	
· ADG, IMDG, IATA	
	
· Class	3 Flammable liquids.
· Label	3
· Packing group	
· ADG, IMDG, IATA	II
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Flammable liquids.
· Hazard identification number (Kemler code):	33
· EMS Number:	F-E,S-D
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADG	
· Limited quantities (LQ)	LQ4
· Transport category	2
· Tunnel restriction code	D/E
· UN "Model Regulation":	UN1090, ACETONE, solution, 3, II

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian Inventory of Industrial Chemicals

All ingredients are listed.

(Contd. on page 7)

Safety Data Sheet
according to WHS Regulations

Printing date 21.06.2022

Version number 7

Revision date: 21.06.2022

Trade name: ALLOY PRIMER

(Contd. of page 6)

· Standard for the Uniform Scheduling of Medicines and Poisons

All substances have the value S5.

· Chemical safety assessment

- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5.000 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50.000 t
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ELINCS: European List of Notified Chemical Substances

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

- *** Data compared to the previous version altered.**

-AU-