



Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name: CLEARFIL DC Activator

Manufacturer: Kuraray Noritake Dental Inc.

SDS Expiry: 21 June 2027

Supplier Details: Henry Schein New Zealand

243-249 Bush Road, Rosedale, Auckland, 0632 PO Box 101 140, North Shore, Auckland 0745

Ph. 0800 808 855

www.henryschein.co.nz

Emergency Contacts: Poisons/Hazardous Chemical Info Centre –

0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 3 / 6

HSNO Group Standard: Dental Products Flammable Group Standard 2020 HSR002556

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared – January 2023

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.





Printing date 21.06.2022 Version number 3 Revision date: 21.06.2022

1 Identification

· Product identifier

· Trade name: CLEARFIL DC Activator

· Article number: AZ196

· Registration number Not applicable

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Dental bonding material

· Details of the supplier of the safety data sheet

· Manufacturer:

Kuraray Noritake Dental Inc. 1621, Sakazu, Kurashiki, Okayama 710-0801, Japan

· Supplier:

< Australia >

HENRY SCHEIN HALAS

Building 3, Level 6 189-O'Riordan Street,

Mascot, NSW 2020

Australia

Freephone: 1300 65 88 22 www.henryschein.com.au

< New Zealand >

Henry Schein New Zealand

23 William Pickering Drive, Albany

PO Box 101 140, North Shore, Auckland 0745

Ph. 0800 808 855

www.henryschein.co.nz

· Emergency telephone number:

< Australia >

AUSTRALIAN POISONS INFORMATION CENTRE

24 hours service: phone 13 11 26 Police/Firebrigade/Ambulance: 000

< New Zealand >

Poisons/Hazardous Chemical Info Centre 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police

2 Hazard(s) Identification

· Classification of the substance or mixture

This product is classified as hazardous according to WHS/NOHSC(AU) and HSNO(NZ), and dangerous according to ADG Code(AU) and NZS5433(NZ).

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irritation 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms





GHS02

· Signal word Danger

(Contd. on page 2)



Printing date 21.06.2022 Version number 3 Revision date: 21.06.2022

Trade name: CLEARFIL DC Activator

(Contd. of page 1)

· Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P242 Use non-sparking tools.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Other hazards

· **PBT:** Not applicable. · **vPvB:** Not applicable.

3 Composition and Information on Ingredients

· Chemical characterisation: Substances None

· Chemical characterisation: Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

📀 Flam. Liq. 2, H225; 🗘 Eye Irritation 2A, H319

>90%

· Other ingredients:

Catalysts Accelerators

4 First Aid Measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Do not induce vomiting; call for medical help immediately.

If symptoms persist consult doctor.

- **Information for doctor:**
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)



Printing date 21.06.2022 Version number 3 Revision date: 21.06.2022

Trade name: CLEARFIL DC Activator

(Contd. of page 2)

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures See Section 8.
- · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).
- · Information about storage in one common storage facility:

Store away from oxidising agents.

Store away from reducing agents.

· Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol

NES 1880 mg/m³, 1000 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.

(Contd. on page 4)



Printing date 21.06.2022 Version number 3 Revision date: 21.06.2022

Trade name: CLEARFIL DC Activator

(Contd. of page 3)

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection: Not required.

Physical and Chemical Propertie	es established
· Information on basic physical and chen · General Information · Appearance:	nical properties
Form:	Liquid
Colour:	Transparent
· Odour:	Alcohol-like
· pH-value:	Not determined
· Change in condition	
Melting point/freezing point:	-114.5 °C (ethanol)
Initial boiling point and boiling range	2: 78 °C (ethanol)
· Flash point:	13 °C (ethanol)
· Ignition temperature:	425.0 °C (ethanol)
· Decomposition temperature:	Not determined
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Explosion limits:	
Lower:	3.5 Vol % (ethanol)
Upper:	15.0 Vol % (ethanol)
Oxidising properties	Not determined
· Vapour pressure:	59.0 hPa (20°C, ethanol)
Density:	0.79 g/cm ³
· Relative density	Not determined
· Vapour density	1.6 g/cm³ (ethanol, air=1)
Evaporation rate	Not determined
· Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	-0.32 (ethanol)
· Viscosity:	Not determined



Printing date 21.06.2022 Version number 3 Revision date: 21.06.2022

Trade name: CLEARFIL DC Activator

(Contd. of page 4)

• Other information No further relevant information available.

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological Information

- · Information on toxicological effects
- · LD/LC50 values relevant for classification:

64-17-5 ethanol

04-17-5 et	04-17-5 ethanol		
Oral	LD50	3450 mg/kg (mouse)	
		7060 mg/kg (rat)	
Inhalative	LC50/4 h	20000 mg/l (rat)	
	LD50	3600 mg/kg (rat - intraperioneal)	

- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect
- · Serious eve damage/irritation No irritant effect.
- · Respiratory or skin sensitisation No sensitising effects known.

12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

ΑU



Printing date 21.06.2022 Version number 3 Revision date: 21.06.2022

Trade name: CLEARFIL DC Activator

(Contd. of page 5)

Transport information	
UN-Number ADG, IMDG, IATA	1170
UN proper shipping name ADG	1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
IMDG	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
IATA	ETHANOL SOLUTION
Transport hazard class(es)	
Class	3 Flammable liquids.
Label	3
Packing group ADG, IMDG, IATA	П
Environmental hazards: Marine pollutant:	No
Special precautions for user Hazard identification number (Kemler code) EMS Number:	Warning: Flammable liquids. : 33 F-E,S-D
Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
UN "Model Regulation":	UN1170, ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Australian Inventory of Industrial Chemicals

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

- · Chemical safety assessment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ELINCS: European List of Notified Chemical Substances

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

·* Data compared to the previous version altered.