



Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name: CLEARFIL LINER BOND 2V; BOND B

Manufacturer: Kuraray Noritake Dental Inc.

SDS Expiry: 27 July 2027

Supplier Details: Henry Schein New Zealand

243-249 Bush Road, Rosedale, Auckland, 0632 PO Box 101 140, North Shore, Auckland 0745

Ph. 0800 808 855

www.henryschein.co.nz

Emergency Contacts: Poisons/Hazardous Chemical Info Centre –

0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 6

HSNO Group Standard: Dental Products Subsidiary Hazard Group Standard 2020

HSR002558

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared – January 2023

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.





Printing date 27.07.2022 Version number 4 Revision date: 27.07.2022

### 1 Identification

· Product identifier

· Trade name: CLEARFIL LINER BOND 2V; BOND B

· Article number: AZ061-BB

· Registration number Not applicable

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Dental bonding material
- · Details of the supplier of the safety data sheet
- · Manufacturer:

Kuraray Noritake Dental Inc. 1621, Sakazu, Kurashiki, Okayama, 710-0801, Japan

· Supplier:

< Australia >

HENRY SCHEIN HALAS

Building 3, Level 6

189-O'Riordan Street,

Mascot, NSW 2020

Australia

Freephone: 1300 65 88 22 www.henryschein.com.au

< New Zealand >

Henry Schein New Zealand

23 William Pickering Drive, Albany

PO Box 101 140, North Shore, Auckland 0745

Ph. 0800 808 855

www.henryschein.co.nz

· Emergency telephone number:

< Australia >

AUSTRALIAN POISONS INFORMATION CENTRE

24 hours service: phone 13 11 26 Police/Firebrigade/Ambulance: 000

< New Zealand >

Poisons/Hazardous Chemical Info Centre 0800POISON/0800764766 (24 Hours)

Phone 111 for Fire, Ambulance or Police

### 2 Hazard(s) Identification

### · Classification of the substance or mixture

This product is classified as hazardous according to WHS/NOHSC(AU) and HSNO(NZ), but non-dangerous according to ADG Code(AU) and NZS 5433(NZ).

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms





Printing date 27.07.2022 Version number 4 Revision date: 27.07.2022

Trade name: CLEARFIL LINER BOND 2V; BOND B

(Contd. of page 1)

· Signal word Warning

### · Hazard-determining components of labelling:

2-hydroxyethyl methacrylate

benzoyl peroxide

#### · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

#### · Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P362+P364 Take off contaminated clothing and wash it before reuse. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Other hazards

· **PBT:** Not applicable. · **vPvB:** Not applicable.

### **3 Composition and Information on Ingredients**

· Chemical characterisation: Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
	bisphenol A diglycidylmethacrylate	25-50%
EINECS: 216-367-7		
		25-50%
EINECS: 212-782-2	🕠 Skin Irrit. 2, H315; Eye Irritation 2A, H319; Skin Sens. 1, H317	
	benzoyl peroxide	$\leq 2.5\%$
EINECS: 202-327-6	📀 🚱 Self-react. B, H241; 🗘 Eye Irritation 2A, H319; Skin Sens. 1, H317	

### · Other ingredients:

Hydrophobic aliphatic dimethacrylate

Colloidal silica

## **4 First Aid Measures**

- · Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Do not induce vomiting; call for medical help immediately.

If symptoms persist consult doctor.

- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)



Printing date 27.07.2022 Version number 4 Revision date: 27.07.2022

Trade name: CLEARFIL LINER BOND 2V; BOND B

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **5 Fire Fighting Measures**

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

### **6 Accidental Release Measures**

- · Personal precautions, protective equipment and emergency procedures See Section 8.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and Storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

### 8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)



Printing date 27.07.2022 Version number 4 Revision date: 27.07.2022

Trade name: CLEARFIL LINER BOND 2V; BOND B

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

#### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

### 9 Physical and Chemical Properties

- Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Colour: Transparent
Odour: Odourless

· pH-value: Not determined

· Change in condition

· Decomposition temperature:

Melting point/freezing point: -12 °C (2-hidroksietilmetakrilâts)

Initial boiling point and boiling range: 205 °C (2-hydroxyethyl methacrylate)

• Flash point: 97 °C (2-hydroxyethyl methacrylate)
• Ignition temperature: Not determined

• Explosive properties: Product does not present an explosion hazard.

Not determined

(Contd. on page 5)



Printing date 27.07.2022 Version number 4 Revision date: 27.07.2022

Trade name: CLEARFIL LINER BOND 2V; BOND B

	(Contd. of pag
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
· Oxidising properties	Not determined
· Vapour pressure:	Not determined
· Density:	1.1 g/cm <sup>3</sup>
· Relative density	Not determined
· Vapour density	Not determined.
· Evaporation rate	Not determined
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined
· Viscosity:	Not determined
· Other information	No further relevant information available.

## 10 Stability and Reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

## 11 Toxicological Information

· Information on toxicological effects

· LD/I	· LD/LC50 values relevant for classification:		
		hydroxyethyl methacrylate	
Oral		4680 mg/kg (guinea pig)	
		3275 mg/kg (mouse)	
		5050 mg/kg (rat)	
		zoyl peroxide	
Oral	LD50	5700 mg/kg (mouse)	
		7710 mg/kg (rat)	
	LD50	250 mg/kg (mouse - intraperitoneal)	

- · Primary irritant effect:
- · Skin corrosion/irritation Irritant to skin and mucous membranes.
- · Serious eye damage/irritation Irritating effect
- · Respiratory or skin sensitisation Sensitisation possible through skin contact.

## 12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 6)



Printing date 27.07.2022 Version number 4 Revision date: 27.07.2022

Trade name: CLEARFIL LINER BOND 2V; BOND B

(Contd. of page 5)

- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

·Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Transport information	
· UN-Number	
· ADG, ADN, IMDG, IATA	Void
· UN proper shipping name	
· ADG	Void
· ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADG, ADN, IMDG, IATA	
·Class	Void
· Packing group	
· ADG, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Ann	nex II of
Marpol and the IBC Code	Not applicable.
· UN "Model Regulation":	Void

## 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

94-36-0 benzoyl peroxide S2, S4, S5

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

A T 1



Printing date 27.07.2022 Version number 4 Revision date: 27.07.2022

Trade name: CLEARFIL LINER BOND 2V; BOND B

(Contd. of page 6)

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ELINCS: European List of Notified Chemical Substances Self-react. B: Self-reactive substances and mixtures – Type B Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

\* Data compared to the previous version altered.