

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

| Product Name: | CLEARFIL PHOTO CORE, CLEARFIL PHOTO CORE PLT |
|------------------------|--|
| Manufacturer: | Kuraray Noritake Dental Inc. |
| SDS Expiry: | 21 June 2027 |
| Supplier Details: | Henry Schein New Zealand 243-249 Bush Road, Rosedale, Auckland, 0632 PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz |
| Emergency Contacts: | Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police |
| HSNO Class/Category: | 6 |
| HSNO Group Standard: | Dental Products Subsidiary Hazard Group Standard 2020 HSR002558 |
| Statements/Pictograms: | As per attached Safety Data Sheet (SDS) |
| Date Prepared: | This coversheet was prepared – January 2023 |

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.





Safety Data Sheet according to WHS Regulations

Version number 4

Revision date: 21.06.2022

1 Identification

· Product identifier

[·] Trade name: CLEARFIL PHOTO CORE, CLEARFIL PHOTO CORE PLT

- Article number: AZ020
- Registration number Not applicable

 \cdot Relevant identified uses of the substance or mixture and uses advised against

- No further relevant information available.
- · Application of the substance / the mixture Core build-up material

• Details of the supplier of the safety data sheet

· Manufacturer: Kuraray Noritake Dental Inc. 1621, Sakazu, Kurashiki, Okayama 710-0801, Japan • Supplier : < Australia > HENRY SCHEIN HALAS Building 3, Level 6 189-O'Riordan Street, Mascot, NSW 2020 Australia Freephone: 1300 65 88 22 www.henryschein.com.au < New Zealand > Henry Schein New Zealand 23 William Pickering Drive, Albany PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz · Emergency telephone number: < Australia > AUSTRALIAN POISONS INFORMATION CENTRE 24 hours service: phone 13 11 26 Police/Firebrigade/Ambulance: 000 < New Zealand > Poisons/Hazardous Chemical Info Centre 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police

2 Hazard(s) Identification

· Classification of the substance or mixture

This product is classified as non-hazardous according to WHS/NOHSC(AU) and HSNO(NZ), and is non-dangerous according to ADG Code(AU) and NZS5433(NZ).

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

· Label elements

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS). **Hazard pictograms**



· Signal word Warning

(Contd. on page 2)

⁻ A



Printing date 21.06.2022

Version number 4

Revision date: 21.06.2022

Trade name: CLEARFIL PHOTO CORE, CLEARFIL PHOTO CORE PLT

(Contd. of page 1)

| · Hazard statem | ents |
|--------------------------|---|
| H315 Causes sk | in irritation. |
| H319 Causes set | rious eye irritation. |
| · Precautionary | statements |
| P264 | Wash thoroughly after handling. |
| P280 | Wear protective gloves / eye protection / face protection. |
| P302+P352 | IF ON SKIN: Wash with plenty of water. |
| P321 | Specific treatment (see on this label). |
| P305+P351+P33 | 38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if |
| | present and easy to do. Continue rinsing. |
| P332+P313 | If skin irritation occurs: Get medical advice/attention. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P337+P313 | If eye irritation persists: Get medical advice/attention. |
| · Other hazards | |
| • PBT: Not applie | cable. |
| vPvP. Not appl | icable |

• **vPvB:** Not applicable.

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

| · Dangerous components: | | | |
|-------------------------------|---|------|--|
| CAS: 1565-94-2 b | visphenol A diglycidylmethacrylate | <13% | |
| EINECS: 216-367-7 🏹 | 🕻 Skin Irrit. 2, H315; Eye Irritation 2A, H319 | | |
| CAS: 109-16-0 T | Friethyleneglycol dimethacrylate | <6% | |
| EINECS: 203-652-6 | Skin Irrit. 2, H315; Eye Irritation 2A, H319; STOT SE 3, H335 | | |
| • Other ingredients: | | | |
| Silanated silica filler | | | |
| Silanated barium glass filler | | | |
| dl-Camphorquinone | | | |

Catalysts

Accelerators

4 First Aid Measures

- · Description of first aid measures
- · General information: Avoid breathing dust / vapour / spray mist.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

AU



Safety Data Sheet according to WHS Regulations

Version number 4

Printing date 21.06.2022

Trade name: CLEARFIL PHOTO CORE, CLEARFIL PHOTO CORE PLT

(Contd. of page 2)

· Advice for firefighters

• Protective equipment: No special measures required.

6 Accidental Release Measures

• Personal precautions, protective equipment and emergency procedures See Section 8.

- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:
- Pick up mechanically. Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and Storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location (2-25°C).

· Information about storage in one common storage facility:

- Store away from oxidising agents.
- Store away from reducing agents.
- · Further information about storage conditions:
- Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Printing date 21.06.2022

Version number 4

Trade name: CLEARFIL PHOTO CORE, CLEARFIL PHOTO CORE PLT

(Contd. of page 3)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

| 9 Physical and Chemical Propertie | S | | | |
|---|---|--|--|--|
| · Information on basic physical and chemical properties | | | | |
| · General Information | | | | |
| · Appearance: | | | | |
| Form: | Pasty | | | |
| Colour: | According to product specification | | | |
| · Odour: | Odourless | | | |
| · pH-value: | Not determined | | | |
| · Change in condition | | | | |
| Melting point/freezing point: | Not determined | | | |
| Initial boiling point and boiling range | : Not determined | | | |
| · Flash point: | Not determined | | | |
| · Ignition temperature: | Not determined | | | |
| · Decomposition temperature: | Not determined | | | |
| · Explosive properties: | Product does not present an explosion hazard. | | | |
| · Explosion limits: | | | | |
| Lower: | Not determined | | | |
| Upper: | Not determined | | | |
| · Oxidising properties | Not determined | | | |
| · Vapour pressure: | Not determined | | | |
| · Density: | 2.2 g/cm ³ | | | |
| Relative density | Not determined | | | |
| · Vapour density | Not determined | | | |
| · Evaporation rate | Not determined | | | |
| · Solubility in / Miscibility with | | | | |
| water: | Insoluble. | | | |
| · Partition coefficient: n-octanol/water: | Not determined. | | | |
| · Viscosity: | Not determined | | | |
| · Other information | No further relevant information available. | | | |

10 Stability and Reactivity

• Reactivity No further relevant information available.

(Contd. on page 5)

AU



Version number 4

Printing date 21.06.2022

Trade name: CLEARFIL PHOTO CORE, CLEARFIL PHOTO CORE PLT

(Contd. of page 4)

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- \cdot Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological Information

- · Information on toxicological effects
- · Primary irritant effect:
- · Skin corrosion/irritation Irritant to skin and mucous membranes.
- · Serious eye damage/irritation Irritating effect
- · Respiratory or skin sensitisation No sensitising effects known.

12 Ecological Information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- \cdot Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water.
- \cdot Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

 \cdot Recommendation Disposal must be made according to official regulations.

14 Transport information

| [·] UN-Number [·] ADG, ADN, IMDG, IATA | Void | |
|--|------|--|
| | | |
| · UN proper shipping name | | |
| · ADG | Void | |
| · ADN, IMDG, IATA | Void | |
| [.] Transport hazard class(es) [.] ADG, ADN, IMDG, IATA [.] Class | Void | |
| Decking group | | |
| [·] Packing group · ADG, IMDG, IATA | Void | |
| · Environmental hazards: | | |
| Marine pollutant: | No | |

AU



Printing date 21.06.2022

Version number 4

Trade name: CLEARFIL PHOTO CORE, CLEARFIL PHOTO CORE PLT

| | | (Contd. of page 5) |
|---|-----------------|--------------------|
| • Special precautions for user | Not applicable. | |
| • Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. | | |
| · UN "Model Regulation": | Void | |
| | | |

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Australian Inventory of Industrial Chemicals

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ELINCS: European List of Notified Chemical Substances Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

• * Data compared to the previous version altered.