

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name:	K-ETCHANT Gel
Manufacturer:	Kuraray
SDS Expiry:	21 June 2027
Supplier Details:	Henry Schein New Zealand 243-249 Bush Road, Rosedale, Auckland, 0632 PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz
Emergency Contacts:	Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police
HSNO Class/Category:	8
HSNO Group Standard:	Dental Products Corrosive Group Standard 2020 HSR002555
Statements/Pictograms:	As per attached Safety Data Sheet (SDS)
Date Prepared:	This coversheet was prepared – July 2023

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.



Safety Data Sheet according to WHS Regulations

Version number 5

Revision date: 21.06.2022

1 Identification

· Product identifier

· Trade name: K-ETCHANT GEL

- Article number: AZ021
- **Registration number** Not applicable
- · Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- · Application of the substance / the mixture Dental etching composite

· Details of the supplier of the safety data sheet

· Manufacturer: Kuraray Noritake Dental Inc. 1621, Sakazu, Kurashiki, Okayama, 710-0801, Japan • Supplier : < Australia > HENRY SCHEIN HALAS Building 3, Level 6 189-O'Riordan Street, Mascot, NSW 2020 Australia Freephone: 1300 65 88 22 www.henryschein.com.au < New Zealand > Henry Schein New Zealand 23 William Pickering Drive, Albany PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz · Emergency telephone number: < Australia > AUSTRALIAN POISONS INFORMATION CENTRE 24 hours service: phone 13 11 26 Police/Firebrigade/Ambulance: 000 < New Zealand > Poisons/Hazardous Chemical Info Centre 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police

2 Hazard(s) Identification

Classification of the substance or mixture
 This product is classified as hazardous according to WHS/NOHSC(AU) and HSNO(NZ), and dangerous according to ADG Code(AU) and NZS5433(NZ).
 Skin Corr. 1B H314 Causes severe skin burns and eye damage.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS). • Hazard pictograms



· Signal word Danger

(Contd. on page 2)

AU

(Contd. of page 1)



Printing date 21.06.2022

Safety Data Sheet according to WHS Regulations

Version number 5

Trade name: K-ETCHANT GEL

phosphoric aci	
Hazard staten	
H314 Causes s	severe skin burns and eye damage.
Precautionary	y statements
P260	Do not breathe dusts or mists.
P280	Wear eye protection / face protection.
P303+P361+P	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

• **PBT:** Not applicable. • **vPvB:** Not applicable.

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

1			
· Dangerous compon	ents:		
CAS: 7664-38-2 EINECS: 231-633-2	phosphoric acid	♦ Skin Corr. 1B, H314; ♦ Acute Tox. 4, H302	35-45%
Other ingredients:			
Colloidal silica			
Water			

Dyes

4 First Aid Measures

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

(Contd. of page 2)



Printing date 21.06.2022

Safety Data Sheet according to WHS Regulations

Version number 5

Revision date: 21.06.2022

Trade name: K-ETCHANT GEL

• Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures See Section 8.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

 \cdot Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and Storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store in a cool location (2-25°C).
- Information about storage in one common storage facility:

Store away from oxidising agents.

Store away from reducing agents.

- Further information about storage conditions:
- Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

• Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

7664-38-2 phosphoric acid

WES Short-term value: 3 mg/m³ Long-term value: 1 mg/m³

• Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

U



Safety Data Sheet according to WHS Regulations

Version number 5

Trade name: K-ETCHANT GEL

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

 Information on basic physical and chem General Information 	ical properties	
· Appearance:		
Form:	Gel	
Colour:	Red	
· Odour:	Odourless	
· pH-value:	1.8 (100-fold-dilution)	
· Change in condition		
Melting point/freezing point:	42.4 °C (phosphoric acid)	
Initial boiling point and boiling range:	Not determined	
· Flash point:	Not determined	
· Ignition temperature:	Not determined	
· Decomposition temperature:	Not determined	
· Explosive properties:	Product does not present an explosion hazard.	



Version number 5

Revision date: 21.06.2022

Trade name: K-ETCHANT GEL

	(Contd. of pag	ge 4
· Explosion limits:		
Lower:	Not determined	
Upper:	Not determined	
 Oxidising properties 	Not determined	
· Vapour pressure:	Not determined	
· Density:	1.3 g/cm ³	
· Relative density	Not determined	
· Vapour density	Not determined	
· Evaporation rate	Not determined	
· Solubility in / Miscibility with		
water:	Partly miscible.	
· Partition coefficient: n-octanol/water:	Not determined	
· Viscosity:	Not determined	
· Other information	No further relevant information available.	

10 Stability and Reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- \cdot Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological Information

· Information on toxicological effects

· LD/LC50 values relevant for classification:

7664-38-2 phosphoric acid

Oral LD50 1250 mg/kg (mouse)

1250 mg/kg (rat)

Dermal LD50 2740 mg/kg (rabbit)

Primary irritant effect:

· Skin corrosion/irritation Caustic effect on skin and mucous membranes.

 \cdot Serious eye damage/irritation Strong caustic effect.

· Respiratory or skin sensitisation No sensitising effects known.

12 Ecological Information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.

(Contd. on page 6)

AU



Safety Data Sheet according to WHS Regulations

Version number 5

Revision date: 21.06.2022

(Contd. of page 5)

Trade name: K-ETCHANT GEL

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

\cdot Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

4 Transport information	
· UN-Number · ADG, IMDG, IATA	1805
· UN proper shipping name · ADG · IMDG, IATA	1805 PHOSPHORIC ACID, SOLUTION PHOSPHORIC ACID, SOLUTION
· Transport hazard class(es)	
· ADG, IMDG, IATA	
· Class	8 Corrosive substances.
·Label	8
[·] Packing group [·] ADG, IMDG, IATA	III
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code EMS Number:): 80 F-A,S-B
	· · · · · · ·
• Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· UN "Model Regulation":	UN1805, PHOSPHORIC ACID, SOLUTION, 8, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 7)

⁻ AU



Safety Data Sheet according to WHS Regulations

Version number 5

Trade name: K-ETCHANT GEL

· Australian Inventory of Industrial Chemicals

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

7664-38-2 phosphoric acid

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ELINCS: European List of Notified Chemical Substances Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

• * Data compared to the previous version altered.

(Contd. of page 6)

S5, S6