

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name: Porcelain Etch

Manufacturer: Ultradent

SDS Expiry: 3 August 2028

Supplier Details: Henry Schein New Zealand
243-249 Bush Road, Rosedale, Auckland, 0632
PO Box 101 140, North Shore, Auckland 0745
Ph. 0800 808 855
www.henryschein.co.nz

Emergency Contacts: Poisons/Hazardous Chemical Info Centre –
0800POISON/0800764766 (24 Hours)
Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 6 / 8

HSNO Group Standard: Dental Products Acutely Toxic Corrosive Group Standard 2020
HSR002559

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared – September 2023

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.

Safety Data Sheet
according to WHS Regulations

Printing date 03.08.2023

Revision: 03.08.2023

1 Identification

- **Product identifier**
- **Trade name:** *Ultradent™ Porcelain Etch*
- **Article number:** *SDS 4-001.16R02, 10324*
- **Relevant identified uses of the substance or mixture and uses advised against**
Professional dental acid etching solution
- **Application of the substance / the mixture** *Professional dental acid etching solution*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
*Ultradent Products, Inc.
505 W. Ultradent Drive (10200 S)
South Jordan, UT 84095-3942
USA
onlineordersupport@ultradent.com*
-
- Ultradent Australia Pty Ltd.
Level 22/2 Market Street
Sydney NSW 2000
Australia
Email: info.anz@ultradent.com
Toll Free: 1-800-290929*
- **Further information obtainable from:** *Customer Service*
- **Emergency telephone number:**
*CHEMTREC (NORTH AMERICA) : (800) 424-9300
(INTERNATIONAL) : +(703) 527-3887*

2 Hazard(s) Identification

- **Classification of the substance or mixture**

*skull and crossbones**Acute Tox. 3 H301 Toxic if swallowed.**Acute Tox. 2 H310 Fatal in contact with skin.**Acute Tox. 3 H331 Toxic if inhaled.**corrosion**Skin Corr. 1A H314 Causes severe skin burns and eye damage.**Eye Dam. 1 H318 Causes serious eye damage.*

- **Label elements**
- **GHS label elements** *Void*
- **Hazard pictograms** *GHS05, GHS06*
- **Signal word** *Danger*

(Contd. on page 2)

AU

Safety Data Sheet

according to WHS Regulations

Printing date 03.08.2023

Revision: 03.08.2023

Trade name: **Ultradent™ Porcelain Etch**

(Contd. of page 1)

- **Hazard-determining components of labelling:**

Hydrofluoric Acid

- **Hazard statements**

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H331 Toxic if inhaled.

H314 Causes severe skin burns and eye damage.

- **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe dusts or mists.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see on this label).

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition and Information on Ingredients

- **Chemical characterisation: Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

7664-39-3	Hydrofluoric Acid	≥7-<10%
	⚠ Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; ⚠ Skin Corr. 1A, H314	

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- **General information:**

Immediately remove any clothing soiled by the product.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:**

Rub in Ca-gluconate solution or Ca-gluconate gel immediately.

Immediately remove all soiled and contaminated clothing.

Seek immediate medical advice.

Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** *Rinse opened eye for several minutes under running water. Then consult a doctor.*

- **After swallowing:**

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

(Contd. on page 3)

Safety Data Sheet according to WHS Regulations

Printing date 03.08.2023

Revision: 03.08.2023

Trade name: **Ultradent™ Porcelain Etch**

(Contd. of page 2)

- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire Fighting Measures

- **Suitable extinguishing agents:**
Foam, dry chemical, carbon dioxide
Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
- **Protective equipment:** Mouth respiratory protective device.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and Storage

- **Handling:**
- **Precautions for safe handling:**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Unsuitable material for receptacle: glass or ceramic.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
See product labelling.
Keep container tightly sealed.
- **Specific end use(s)** Professional Dental Acid Etching Solution

8 Exposure controls and personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 03.08.2023

Revision: 03.08.2023

Trade name: **Ultradent™ Porcelain Etch**

(Contd. of page 3)

Ingredients with limit values that require monitoring at the workplace:
7664-39-3 Hydrofluoric Acid
WES Peak limitation: 2.6 mg/m³, 3 ppm

· **Additional information:** The lists valid during the making were used as basis.

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Protective work clothing

9 Physical and Chemical Properties

· **General Information**

· **Appearance:**

· **Form:** Gel

· **Colour:** Yellow

· **Odour:** Acidic

· **Odour threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

· **Melting point/freezing point:** Undetermined.

· **Initial boiling point and boiling range:** 100 °C

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 03.08.2023

Revision: 03.08.2023

Trade name: **Ultradent™ Porcelain Etch**

(Contd. of page 4)

- **Flash point:** Not applicable.
- **Flammability (solid, gas):** Not applicable.
- **Decomposition temperature:** Not determined.
- **Auto-ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product does not present an explosion hazard.
- **Explosion limits:**
- **Lower:** Not determined.
- **Upper:** Not determined.
- **Vapour pressure:** Not determined.
- **Density at 20 °C:** 1.1-1.2 g/cm³
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not determined.
- **Solubility in / Miscibility with**
- **water:** Not miscible or difficult to mix.
- **Partition coefficient: n-octanol/water:** Not determined.
- **Viscosity:**
- **Dynamic:** Not determined.
- **Kinematic:** Not determined.
- **Other information** No further relevant information available.

10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:**
 Reacts with organic substances.
 Reacts with strong alkali.
 Reacts with acids.
 Reacts with certain metals.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**
 Hydrogen fluoride
 Hydrogen
 Corrosive gases/vapours

11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity**
 Toxic if swallowed.
 Fatal in contact with skin.
 Toxic if inhaled.

- **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)

Oral	LD50	51.4-58.2 mg/kg
Dermal	LD50	51.4-58.2 mg/kg
Inhalative	LC50/4 h	5.14-5.82 mg/l

(Contd. on page 6)

Safety Data Sheet according to WHS Regulations

Printing date 03.08.2023

Revision: 03.08.2023

Trade name: Ultradent™ Porcelain Etch

(Contd. of page 5)

- **Skin corrosion/irritation** Causes severe skin burns and eye damage.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity**
Does not meet the classification criteria for this hazard class.
Based on available data, the classification criteria are not met.
- **Carcinogenicity**
Does not meet the classification criteria for this hazard class.
Based on available data, the classification criteria are not met.
- **Reproductive toxicity**
Does not meet the classification criteria for this hazard class.
Based on available data, the classification criteria are not met.
- **STOT-single exposure**
Does not meet the classification criteria for this hazard class.
Based on available data, the classification criteria are not met.
- **STOT-repeated exposure**
Does not meet the classification criteria for this hazard class.
Based on available data, the classification criteria are not met.
- **Aspiration hazard**
Does not meet the classification criteria for this hazard class.
Based on available data, the classification criteria are not met.

12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Not hazardous for water.
Must not reach sewage water or drainage ditch undiluted or unneutralised.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Dispose of contents/container in accordance with international, federal, state, and local regulations.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

AU

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations







Printing date 03.08.2023

Revision: 03.08.2023

Trade name: **Ultradent™ Porcelain Etch**

(Contd. of page 6)

14 Transport information

<ul style="list-style-type: none"> · UN-Number · ADG, IMDG, IATA 	<p style="text-align: right;">UNI790</p>
<ul style="list-style-type: none"> · UN proper shipping name · ADG · IMDG, IATA 	<p style="text-align: right;">1790 HYDROFLUORIC ACID HYDROFLUORIC ACID</p>
<ul style="list-style-type: none"> · Transport hazard class(es) · ADG 	<div style="display: flex; align-items: center; justify-content: center; gap: 20px;">   </div> <p style="text-align: right;">8 Corrosive substances. 8+6.1</p>
<ul style="list-style-type: none"> · IMDG 	<div style="display: flex; align-items: center; justify-content: center; gap: 20px;">   </div> <p style="text-align: right;">8 Corrosive substances. 8/6.1</p>
<ul style="list-style-type: none"> · IATA 	<div style="display: flex; align-items: center; justify-content: center; gap: 20px;">   </div> <p style="text-align: right;">8 Corrosive substances. 8 (6.1)</p>
<ul style="list-style-type: none"> · Packing group · ADG, IMDG, IATA 	<p style="text-align: right;">II</p>
<ul style="list-style-type: none"> · Environmental hazards: 	<p style="text-align: right;">Not applicable.</p>
<ul style="list-style-type: none"> · Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Segregation groups · Stowage Category · Stowage Code · Handling Code · Segregation Code 	<p style="text-align: right;">Warning: Corrosive substances. 86 F-A,S-B (SGG1a) Strong acids D SW1 Protected from sources of heat. SW2 Clear of living quarters. H2 Keep as cool as reasonably practicable SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides</p>
<ul style="list-style-type: none"> · Transport in bulk according to Annex II of Marpol and the IBC Code 	<p style="text-align: right;">Not applicable.</p>

(Contd. on page 8)

Safety Data Sheet

according to WHS Regulations

Printing date 03.08.2023

Revision: 03.08.2023

Trade name: **Ultradent™ Porcelain Etch**

(Contd. of page 7)

· **Transport/Additional information:**

· **ADG**

· **Limited quantities (LQ)**

1L

· **Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **Transport category**

2

· **Tunnel restriction code**

E

· **IMDG**

· **Limited quantities (LQ)**

1L

· **Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **UN "Model Regulation":**

UN 1790 HYDROFLUORIC ACID, 8 (6.1), II

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Australian Inventory of Industrial Chemicals**

7732-18-5 | Water

11138-66-2 | Xanthan Gum

1934-21-0 | FD&C Yellow 5

· **Standard for the Uniform Scheduling of Medicines and Poisons**

7664-39-3 | Hydrofluoric Acid

S5, S6, S7

· **Australia: Priority Existing Chemicals**

None of the ingredients is listed.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Seveso category** H2 ACUTE TOXIC

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 50 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t

· **Chemical safety assessment:**

Device is a strong acid and is extremely toxic. It is to be used only as directed with PPE, and only by licensed dental professionals.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases from Section 3**

H300 Fatal if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H330 Fatal if inhaled.

· **Department issuing SDS:** Environmental, Health, and Safety

· **Contact:** Customer Service

(Contd. on page 9)

Safety Data Sheet

according to WHS Regulations

Printing date 03.08.2023

Revision: 03.08.2023

Trade name: Ultradent™ Porcelain Etch

(Contd. of page 8)

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 2: Acute toxicity – Category 2

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 1: Acute toxicity – Category 1

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· * Data compared to the previous version altered.

AU