



Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name: Ultra-Blend™ plus

Manufacturer: Ultradent

SDS Expiry: 3 August 2028

Supplier Details: Henry Schein New Zealand

243-249 Bush Road, Rosedale, Auckland, 0632 PO Box 101 140, North Shore, Auckland 0745

Ph. 0800 808 855

www.henryschein.co.nz

Emergency Contacts: Poisons/Hazardous Chemical Info Centre –

0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 6 / 8

HSNO Group Standard: Dental Products Carcinogenic Group Standard 2020

HSR002560

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared – September 2023

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.





Printing date 03.08.2023 Revision: 03.08.2023

1 Identification

- · Product identifier
- · Trade name: Ultra-BlendTM plus
- · Article number: SDS 39-001.12R02, 41618, 41601.
- · Relevant identified uses of the substance or mixture and uses advised against Professional dental liner
- · Application of the substance / the mixture Professional dental liner
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ultradent Products, Inc.

505 W. Ultradent Drive (10200 S)

South Jordan, UT 84095-3942

USA

on line order support @ultradent.com

Ultradent Australia Pty Ltd.

Level 22/2 Market Street

Sydney NSW 2000

Australia

Email: info.anz@ultradent.com Toll Free: 1-800-290929

- · Further information obtainable from: Customer Service
- · Emergency telephone number:

CHEMTREC (NORTH AMERICA) : (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887

2 Hazard(s) Identification

· Classification of the substance or mixture



health hazard

Carc. 2 H351 Suspected of causing cancer. Route of exposure: Inhalation.



corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements Void
- · Hazard pictograms GHS05, GHS07, GHS08

(Contd. on page 2)

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: Ultra-BlendTM plus

(Contd. of page 1)

· Signal word Danger

· Hazard-determining components of labelling:

Diurethane Dimethacrylate

Trade Secret

Titanium Dioxide

Calcium Hydroxide

Triethylene Glycol Dimethacrylate

· Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer. Route of exposure: Inhalation.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P103 Read label before use. P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous d	components:	
72869-86-4	Diurethane Dimethacrylate	30-60%
	♦ Skin Sens. 1, H317	
7727-43-7	Barium Sulfate	10-<30%
1305-62-0	Calcium Hydroxide	≥3-<10%
	♦ Eye Dam. 1, H318	
	Trade Secret	≥5-<10%
	♦ Skin Corr. 1A, H314; Eye Dam. 1, H318	
109-16-0	Triethylene Glycol Dimethacrylate	≥1-<10%
	♦ Skin Sens. 1, H317	
13463-67-7	Titanium Dioxide	≥0.1-<10%
	♦ Carc. 2, H351	
	Trade Secret	≥0.1-<1%
	Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Serious eye damage/	
	irritation – Category 2A, H319; Skin Sens. 1, H317; Flam. Liq. 4, H227	

Additional information: For the wording of the listed hazard phrases refer to section 16.

ΑU

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: Ultra-BlendTM plus

(Contd. of page 2)

4 First Aid Measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

This product is a thick paste, therefore inhalation is extremely unlikely.

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Do not induce vomiting. Seek medical help if necessary.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

· Suitable extinguishing agents:

Foam, dry chemical, carbon dioxide

Use fire extinguishing methods suitable to surrounding conditions.

· Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

· Protective equipment:

Wear fully protective suit.

Mouth respiratory protective device.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 4)

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: Ultra-BlendTM plus

(Contd. of page 3)

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from exposure to the light.

Keep container tightly sealed.

· Specific end use(s) Professional dental liner

8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

7727-43-7 Barium Sulfate

WES Long-term value: 10 mg/m³ inhalable dust

1305-62-0 Calcium Hydroxide

WES Long-term value: 5 mg/m³

13463-67-7 Titanium Dioxide

WES Long-term value: 10 mg/m³ inhalable dust

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

(Contd. of page 4)

Safety Data Sheet according to WHS Regulations

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: Ultra-BlendTM plus

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and Chemical Properties

· General Information

· Appearance:

Form: Paste
Colour: White
Odour: Odourless
Odour threshold: Not determined.

• pH-value: Not applicable (non-aqueous)

· Change in condition

Melting point/freezing point:
 Initial boiling point and boiling range:
 Flash point:
 Flammability (solid, gas):
 Decomposition temperature:
 Undetermined.
 Not applicable.
 Not determined.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.
 Upper: Not determined.
 Vapour pressure: Not determined.
 Density at 20 °C: 1.33-1.39 g/cm³
 Relative density Not determined.
 Vapour density Not determined.
 Evaporation rate Not determined.

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined.Kinematic: Not determined.

• Other information No further relevant information available.

10 Stability and Reactivity

- · Reactivity Stable
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: Light
- · Incompatible materials:

Metals

Strong Acids

(Contd. on page 6)

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: Ultra-BlendTM plus

(Contd. of page 5)

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 1	values relev	ant for classification:			
72869-86-	4 Diurethan	ne Dimethacrylate			
Oral	LD50	>5,000 mg/kg (rat)			
7727-43-7	7727-43-7 Barium Sulfate				
Oral	LD50	>3,000 mg/kg (mouse)			
		307,000 mg/kg (rat)			
1305-62-0	Calcium H	ydroxide			
Oral	LD50	7,340 mg/kg (rat)			
109-16-0 T	Triethylene (Glycol Dimethacrylate			
Oral	LD50	>5,000 mg/kg (rat)			
	LC50 Fish	16.4 mg/l (Fish) (Toxicity to fish)			
Dermal	LD50	>2,000 mg/kg (mouse)			
13463-67-	7 Titanium	Dioxide			
Oral	LD50	>5,000 mg/kg (rat)			
Dermal	LD50	>5,000 mg/kg (rabbit)			
Trade Seci	ret				
Oral	LD50	1,550 mg/kg (rat)			
	LC50 Fish	19 mg/l (Fish)			
Dermal	LD50	2,000 mg/kg (rabbit)			
Inhalative	LC50/4 h	96 mg/l (rat)			

- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Suspected of causing cancer. Route of exposure: Inhalation.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

· Toxicity

· Aquatic toxicity:		
72869-86-4 Diurethane Dimethacrylate		
EC50	>0.6 mg/kg (Algae)	
Biodegradability	28 days (Aerobic) (Biodegradability testing)	
7727-43-7 Bariu	n Sulfate	
EC50	32 mg/kg (daphnia)	
	(Contd. on page 7)	

(Contd. on page 7)

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: Ultra-BlendTM plus

	(Contd. of pag
109-16-0 Triethy	lene Glycol Dimethacrylate
EC50	>100 mg/kg (Algae)
Biodegradability	28 days (Aerobic) (Biodegradability testing)
Aqua toxicity	32 mg/l (daphnia) (No Observed Effect Concentration)
13463-67-7 Titan	ium Dioxide
EC50	>100 mg/kg (Algae)
	>100 mg/kg (Algae) >1,000 mg/kg (Fish)
Trade Secret	
EC50	42 mg/kg (Algae)

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Dispose of contents/container in accordance with international, federal, state, and local regulations.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number		
ADG, ADN, IMDG, IATA	not regulated	
UN proper shipping name		
ADG, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
ADG, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
ADG, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not Applicable	

(Contd. on page 8)

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: Ultra-BlendTM plus

(Contd. of page 7)

· Transport in bulk according to Annex II of Marpol

and the IBC Code Not applicable.

· UN "Model Regulation": not regulated

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian I	· Australian Inventory of Industrial Chemicals		
72869-86-4	Diurethane Dimethacrylate		
7727-43-7	Barium Sulfate		
	Calcium Hydroxide		
	Triethylene Glycol Dimethacrylate		
13463-67-7	Titanium Dioxide		
	Trade Secret		
	Camphorquinone		
	Zinc Ferrite Brown Spinel		
	Chromium Iron Oxide		
1332-37-2	Red Iron Oxide		
1317-61-9	Iron Oxide Black		

· Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment:

Device is biocompatible when used as directed by dental professionals per ISO 10993-1

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases from Section 3

H227 Combustible liquid.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

- · Department issuing SDS: Environmental, Health, and Safety
- · Contact: Customer Service

(Contd. on page 9)

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: Ultra-BlendTM plus

(Contd. of page 8)

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 4: Flammable liquids - Category 4

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Serious eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2

* * Data compared to the previous version altered.

. . .