



Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name: Universal Dentin Sealant

Manufacturer: Ultradent

SDS Expiry: 27 July 2028

Supplier Details: Henry Schein New Zealand

243-249 Bush Road, Rosedale, Auckland, 0632 PO Box 101 140, North Shore, Auckland 0745

Ph. 0800 808 855

www.henryschein.co.nz

Emergency Contacts: Poisons/Hazardous Chemical Info Centre –

0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 3 / 6

HSNO Group Standard: Dental Products Flammable Group Standard 2020 HSR002556

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared – September 2023

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.





Printing date 27.07.2023 Revision: 27.07.2023

1 Identification

- · Product identifier
- · Trade name: UltradentTM Universal Dentin Sealant
- · Article number: SDS 142-001.08R02, 10344
- Relevant identified uses of the substance or mixture and uses advised against Professional Dentin Sealant
- · Application of the substance / the mixture Professional Dentin Sealant
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ultradent Products, Inc.

505 W. Ultradent Drive (10200 S)

South Jordan, UT 84095-3942

USA

onlineordersupport@ultradent.com

Ultradent Australia Pty Ltd.

Level 22/2 Market Street

Sydney NSW 2000

Australia

Email: info.anz@ultradent.com Toll Free: 1-800-290929

- · Further information obtainable from: Customer Service
- · Emergency telephone number:

CHEMTREC (NORTH AMERICA) : (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887

2 Hazard(s) Identification

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Serious eye damage/irritation – Category 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements Void
- · Hazard pictograms GHS02, GHS07
- · Signal word Danger
- · Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

(Contd. on page 2)

Printing date 27.07.2023 Revision: 27.07.2023

Trade name: UltradentTM Universal Dentin Sealant

(Contd. of page 1)

P103 Read label before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P241 Use explosion-proof electrical/ventilating/lighting equipment.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

64-17-5 Ethyl Alcohol >60-<80% Flam. Liq. 2, H225; Serious eye damage/irritation – Category 2A, H319

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

General information:

Show this safety data sheet to the doctor in attendance. When symptoms persist or in all cases of doubt seek medical advice.

Immediately remove any clothing soiled by the product.

· After inhalation:

Immediate medical attention is required. Move to fresh air. If not breathing, give artificial respiration. Consult a physician.

· After skin contact:

Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes. Use a mild soap if available. Call a physician if irritation develops or persists.

Immediately rinse with water.

· After eye contact:

Remove contact lenses, if present. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician if irritation develops or persists.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse mouth with water and afterwards drink plenty of water or milk. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get medical attention immediately.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

· Indication of any immediate medical attention and special treatment needed Treat symptomatically.

5 Fire Fighting Measures

- · Suitable extinguishing agents: Use water spray, fog, carbon dioxide (CO₂), foam or dry chemical.
- · Special hazards arising from the substance or mixture

Hazardous decomposition products formed under fire conditions. Flash back possible over considerable distance. Hazardous Combustion Products: No information available.

Explosion Data:

(Contd. on page 3)

Printing date 27.07.2023 Revision: 27.07.2023

Trade name: UltradentTM Universal Dentin Sealant

(Contd. of page 2)

Sensitivity to Mechanical Impact: None. Sensitivity to Static Discharge: None.

· Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas. Remove all sources of ignition. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist.

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not allow material to contaminate ground water system. See Section 12 for additional Ecological information.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Methods for Containment: Prevent further leakage or spillage if safe to do so.

Methods for cleaning up: Pick up and transfer to properly labeled containers

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling:

Advice on safe handling: Keep containers tightly closed in a dry, cool and well-ventilated place. Hygiene measures: When using, do not eat, drink or smoke. Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing before re-use.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Storage:

Requirements to be met by storerooms and receptacles:

Storage Conditions: Keep locked up or in an area accessible only to qualified or authorized persons. Store between 41 and 77 $^{\circ}F$ (5 - 25 $^{\circ}$ C) in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Store in original container.

Store in a cool location.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

See product labelling.

Keep container tightly sealed.

Store in cool, dry conditions in well - sealed receptacles.

· Specific end use(s) Professional Dentin Sealant

AU

Printing date 27.07.2023 Revision: 27.07.2023

Trade name: UltradentTM Universal Dentin Sealant

(Contd. of page 3)

8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

64-17-5 Ethyl Alcohol

WES Long-term value: 1880 mg/m³, 1000 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Engineering Measures: Ensure adequate ventilation, especially in confined areas.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eve protection:

Safety glasses with side shields.



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and Chemical Properties

- · General Information
- · Appearance:

· Form: Liquid
· Colour: Yellow-brown
· Odour: Pleasant

Odours threshold: Not determine

· Odour threshold: Not determined.

(Contd. on page 5)

Printing date 27.07.2023 Revision: 27.07.2023

Trade name: UltradentTM Universal Dentin Sealant

(Contd. of page 4)

· pH-value: Not determined.

· Change in condition

• Melting point/freezing point: -114 °C • Initial boiling point and boiling range: 78 °C • Flash point: 11 °C

• Flammability (solid, gas): Highly flammable.
• Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product is not explosive. However, formation of explosive air/vapour

mixtures are possible.

· Explosion limits:

Lower:

Vapour pressure at 20 °C:

Density at 20 °C:

Relative density

Vapour density at 20 °C

Evaporation rate

Solubility in / Miscibility with

• water: Fully miscible. • Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined. Kinematic: Not determined.

• *Other information* No further relevant information available.

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- Thermal decomposition / conditions to be avoided: Stable under recommended storage conditions
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: Contact with acetyl chloride and a wide range of oxidizers.
- · Incompatible materials: Strong oxidizing agents
- · Hazardous decomposition products: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:				
64-17-5 Et	64-17-5 Ethyl Alcohol			
Oral	LD50	5,600 mg/kg (Guinea pig)		
		3,400 mg/kg (mouse)		
		7,060 mg/kg (rat)		
	LC50 Fish	>10,000 mg/l (Fish)		
Inhalative	LC50/4 h	39 mg/l (mouse)		
		20,000 mg/l (rat)		

· Skin corrosion/irritation

Product Information

• May cause irritation and defatting of skin on prolonged contact.

(Contd. on page 6)

Printing date 27.07.2023 Revision: 27.07.2023

Trade name: UltradentTM Universal Dentin Sealant

(Contd. of page 5)

Component Information

• No information available

Based on available data, the classification criteria are not met.

· Serious eye damage/irritation

Product Information

• Liquid or vapor may cause irritation.

Component Information

• No information available

Causes serious eve irritation.

· Respiratory or skin sensitisation

Product Information

• Exposure to over 1000 ppm may cause headache, drowsiness, vomiting, coughing, dizziness or stupor.

Component Information

• No information available

Based on available data, the classification criteria are not met.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

- · Toxicity
- · Aquatic toxicity:

64-17-5 Ethyl Alcohol

Algae Toxicity 1,000 mg/l (Algae)

- · Persistence and degradability No information available
- · Behaviour in environmental systems:
- · Bioaccumulative potential

Discharge into the environment must be avoided Chemical Name log Pow Ethanol -0.32

64-17-5

- · Mobility in soil No information available
- · Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects Discharge into the environment must be avoided

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Dispose of contents/container in accordance with international, federal, state, and local regulations.

(Contd. on page 7)

Printing date 27.07.2023 Revision: 27.07.2023

Trade name: UltradentTM Universal Dentin Sealant

(Contd. of page 6)

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

Transport information	
UN-Number ADG, IMDG, IATA	UN1866
UN proper shipping name ADG IMDG, IATA	1866 RESIN SOLUTION RESIN SOLUTION
Transport hazard class(es)	
ADG, IMDG, IATA	
Class Label	3 Flammable liquids. 3
Packing group ADG, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Flammable liquids. 33 F-E, <u>S-E</u> B
Transport in bulk according to Annex II of Marp and the IBC Code	pol Not applicable.
Transport/Additional information:	
ADG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category Tunnel restriction code	2 D/E
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1866 RESIN SOLUTION, 3, II

Printing date 27.07.2023 Revision: 27.07.2023

Trade name: UltradentTM Universal Dentin Sealant

(Contd. of page 7)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Australian Inventory of Industrial Chemicals

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · Chemical safety assessment:

Device is biocompatible when used as directed by dental professionals per ISO 10993-1

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases from Section 3

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

- · Department issuing SDS: Environmental, Health, and Safety
- · Contact: Customer Service
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Serious eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A

* Data compared to the previous version altered.

AU