

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name:	Castavaria Pwd
Manufacturer:	Vertex-Dental
SDS Expiry:	1 July 2026
Supplier Details:	Henry Schein New Zealand 243-249 Bush Road, Rosedale, Auckland, 0632 PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz
Emergency Contacts:	Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police
HSNO Class/Category:	6/9
HSNO Group Standard:	Dental Products Subsidiary Hazard Group Standard 2020 HSR002558
Statements/Pictograms:	As per attached Safety Data Sheet (SDS)
Date Prepared:	This coversheet was prepared – August 2023

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.



Vertex Dental Vertex Castavaria - Pour Material D

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 10/7/2021 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: Vertex Castavaria - Pour Material D
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category
Use of the substance/mixture
Use of the substance/mixture

: Professional use : Manufacturing of dental applications.

: Dentistry

Title	Life cycle stage	Use descriptors
Vertex Castavaria - Pour Material D	Professional	SU20

Full text of use descriptors: see section 16

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Vertex-Dental Centurionbaan 190 3769 AV Soesterberg The Netherlands T +31 886160400 info@vertex-dental.com - www.vertex-dental.com

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Organic peroxide Not classified

Hazardous to the aquatic environment - Chronic Hazard, Category 3 H412 Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects. May produce an allergic reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Signal word (CLP)	: Warning
Hazard statements (CLP)	: H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P273 - Avoid release to the environment.
	P501 - Dispose of contents/container to an approved waste disposal plant.
EUH-statements	: EUH208 - Contains dibenzoyl peroxide; benzoyl peroxide, methyl methacrylate; methyl 2- methylprop-2-enoate; methyl 2-methylpropenoate. May produce an allergic reaction.

2.3. Other hazards

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	% w/w (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit (Note D)	CAS-No.: 80-62-6 EC-No.: 201-297-1 EC Index-No.: 607-035-00-6 REACH-no: 01-2119452498- 28	0.1 – 1	Flam. Liq. 2, H225 STOT SE 3, H335 Skin Irrit. 2, H315 Skin Sens. 1, H317
dibenzoyl peroxide; benzoyl peroxide substance with national workplace exposure limit(s) (GB)	CAS-No.: 94-36-0 EC-No.: 202-327-6 EC Index-No.: 617-008-00-0 REACH-no: 01-2119511472- 50	0.1 – 1	Org. Perox. B, H241 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)

Note D : Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3.

However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words "non-stabilised".

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures 4.1. Description of first aid measures First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow the victim to rest. First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Call a poison center or a doctor if you feel unwell. 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.			
5.2. Special hazards arising from the substance or mixture				
Hazardous decomposition products in case of fire	: Toxic fumes may be released.			
5.3. Advice for firefighters				
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.			
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.			

SECTION 6: Accidental release measures				
6.1. Personal precautions, protective e	equipment and emergency procedures			
6.1.1. For non-emergency personnel				
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust, fume. Evacuate unnecessary personnel.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
Emergency procedures	: Ventilate area.			
6.2. Environmental precautions				

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up			
For containment	: Collect spillage.		
Methods for cleaning up	: Mechanically recover the product. On land, sweep or shovel into suitable containers. Minimise generation of dust. Store away from other materials.		
Other information	: Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and stor	age
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, in	ncluding any incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep only in the original container in a cool well

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Incompatible products	:	Strong bases. Strong acids.
Incompatible materials	:	Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

dibenzoyl peroxide; benzoyl peroxide (94-36-0)		
United Kingdom - Occupational Exposure Limits		
Local name	Dibenzoyl peroxide	
WEL TWA (OEL TWA) [1]	5 mg/m³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
methyl methacrylate; methyl 2-methylprop-2-e	enoate; methyl 2-methylpropenoate (80-62-6)	
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Methyl methacrylate	
IOEL TWA [ppm]	50 ppm	
IOEL STEL [ppm]	100 ppm	
Regulatory reference	COMMISSION DIRECTIVE 2009/161/EU	
United Kingdom - Occupational Exposure Limits		
Local name	Methyl methacrylate	
WEL TWA (OEL TWA) [1]	208 mg/m ³	
WEL TWA (OEL TWA) [2]	50 ppm	
WEL STEL (OEL STEL)	416 mg/m ³	
WEL STEL (OEL STEL) [ppm]	100 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

dibenzoyl peroxide; benzoyl peroxide (94-36-0)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	6.6 mg/kg bodyweight/day
Long-term - local effects, dermal	0.034 mg/m³
Long-term - systemic effects, inhalation	11.75 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	1.65 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	2.9 mg/m³
Long-term - systemic effects, dermal	3.3 mg/kg bodyweight/day

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PHEC (viter)002 µglPMEC aqua (incine vater)0062 µglPMEC aqua (incine vater)002 µglPMEC aqua (incine vater)038 mgkg dwtPMEC sediment (incise/water)038 mgkg dwtPMEC sediment (incise/water)038 mgkg dwtPMEC sediment (incise/water)0378 mgkg dwtPMEC sediment plant0378 mgkg dwtPMEC sediment plant0378 mgkPMEC sediment plant0378 mgkCance - local affects, dermal15 mg/cm²Acute - local affects, dermal15 mg/cm²Long-term - systemic effects, dermal15 mg/cm²Acute - local affects, inhalation28 mg/m²Long-term - systemic effects, dermal1.5 mg/cm²Long-term - systemic effects, inhalation2.6 mg/sg ind/weight/dayLong-term - systemic effects, inhalation2.8 mg/m²Long-term - systemic effects, inhalation3.4 mg/m² <th>dibenzoyl peroxide; benzoyl peroxide (94-36-</th> <th>0)</th>	dibenzoyl peroxide; benzoyl peroxide (94-36-	0)		
PNEC aqua (narino water)0.602 µg1PNEC aqua (intermitent, freshwater)0.632 µg1PNEC sediment (freshwater)0.338 mgkg dwtPNEC sediment (freshwater)0.338 mgkg dwtPNEC sediment (maine water)0.338 mgkg dwtPNEC sediment (maine water)0.3758 mgkg dwtPNEC sedi0.758 mgkg dwtPNEC sedi (secondary poisong)6.67 mgkg foodPNEC (sron)0.358 mglPNEC (sron)0.358 mglPNEC series (secondary poisong)6.67 mgkg foodPNEC series (secondary poisong)6.35 mglmethod (secondary poisong)1.5 mg/mglPNEC series (secondary poisong)1.5 mg/mglAcute- local effects, dermal1.5 mg/mglAcute- local effects, dermal1.5 mg/mglAcute- local effects, dermal1.5 mg/mglLong-term - systemic effects, dermal1.5 mg/mglAcute- local effects, dermal1.5 mg/mglAcute- local effects, inhalation208 mg/mglDEVELDMEL (Morelan population)208 mg/mglAcute- local effects, inhalation208 mg/mglAcute - local effects, inhalation8.2 mg/kg bodyweight/dayLong-term - systemic effects, inhalation8.2 mg/kg bodyweigh	PNEC (Water)			
PNEC aqua (intermittent, freshwater) 0.602 µg/l PNEC (sediment (freshwater) 0.338 mg/kg dwl PNEC sediment (freshwater) 0.338 mg/kg dwl PNEC sediment (freshwater) 0.358 mg/kg dwl PNEC sediment (freshwater) 0.0758 mg/kg dwl PNEC for) PNEC for) PNEC for) PNEC for) PNEC for) PNEC seal tectordary poisoning) & 6 7 mg/kg dwd PNEC for) PNEC seal tectordary poisoning) & 6 7 mg/kg dwd PNEC seage treatment plant & 0 55 mg/l Mather local effects, inhulation 15 mg/cm² Acute - local effects, inhulation 15 mg/cm² Long-term - systemic effects, inhulation 208 mg/m² Long-term - systemic effects, inhulation 21 mg/kg bod/wight/day Long-term - systemic effects, inhulation 22 mg/kg bod/wight/day Long-term - sys	PNEC aqua (freshwater)	0.602 µg/l		
PNEC (sediment) 0.338 mg/kg dwt PNEC sediment (treshwater) 0.338 mg/kg dwt PNEC (sol) 0.0758 mg/kg dwt PNEC (sor) 0.05 mg/kg food PNEC (sol) 0.05 mg/kg food PNEC (sol) 0.35 mg/l PNEC (sol) 1.5 mg/cm²	PNEC aqua (marine water)	0.0602 µg/l		
PNEC sediment (treshwater) 0.338 mg/kg dwt PNEC sediment (marine water) 0.0338 mg/kg dwt PNEC (Soil) 0.0758 mg/kg dwt PNEC (Soil) 0.0758 mg/kg dwt PNEC (Soil) 0.0758 mg/kg dwd PNEC (Soil) 0.0758 mg/kg food PNEC (Sorl) 0.0758 mg/kg food PNEC (Sorl) 0.35 mg/l PNEC Sewage treatment plant 0.35 mg/l methyl methacrylate; methyl 2-methylprop>-zwate; methyl 2-methylpropencate (So-62-6) DNEL/DMEL (Workers) 1.5 mg/cm² Acute - local effects, demail 1.5 mg/cm² Long-term - systemic effects, demail 1.5 mg/cm² Long-term - systemic effects, demail 1.5 mg/cm² Long-term - systemic effects, inhalation 208 mg/m³ DNEL/DMEL (General population) 208 mg/m³ Acute - local effects, inhalation 208 mg/m³ Long-term - systemic effects, inhalation 208 mg/m³ Long-term - systemic effects, inhalation 208 mg/m³ Long-term - systemic effects, inhalation 2.1 mg/m³ Long-term - systemic effects, inhalation 2.8 mg/kg bodyweight/day Long-term - systemic ef	PNEC aqua (intermittent, freshwater)	0.602 µg/l		
PNEC solinent (maine water) 0.0338 mg/kg dwt PNEC (soli) 0.0758 mg/kg dwt PNEC soli 0.0758 mg/kg dwt PNEC (oral) 6.67 mg/kg food PNEC (oral) 6.67 mg/kg food PNEC (solig scondary poisoning) 6.67 mg/kg food PNEC (sorger treatment plant 0.35 mg/l methyl methacrylate; methyl 2-methylprop-2-w=tre: methyl 2-methylpropenoate (80-62-6) DNELDMEL (Workers) Acute - local effects, demal 1.5 mg/cm² Acute - local effects, demal 1.5 mg/cm² Long-term - systemic effects, demal 1.6 mg/m² Long-term - systemic effects, demal 1.5 mg/cm² Acute - local effects, inhalation 208 mg/m² Long-term - systemic effects, inhalation 208 mg/m² Acute - local effects, inhalation 208 mg/m² Acute - local effects, inhalation 208 mg/m² Long-term - systemic effects, demal 1.5 mg/cm² Acute - local effects, inhalation 208 mg/m² Long-term - systemic effects, inhalation 1.5 mg/cm² Long-term - systemic effects, demal 3.2 mg/kg body/weight/day Long-term - systemic effects, inhalation	PNEC (Sediment)			
PNEC (soli) 0.0758 mg/kg dwl PNEC (oral) 0.0758 mg/kg dwl PNEC (oral) 0.87 mg/kg food PNEC (soli) 0.87 mg/kg food PNEC (sori) 0.35 mg/l PNEC (sori) 0.35 mg/l PNEC (sorie) 0.35 mg/l PNEC (soli) 0.35 mg/l PNEC (soli) 0.35 mg/l PNEL/OMEL (Workers) 0.35 mg/l Acute - local effects, dermal 1.5 mg/cm² Acute - local effects, dermal 1.5 mg/cm² Acute - local effects, dermal 1.5 mg/cm² Long-term - systemic effects, inhalation 208 mg/m³ DomeLinder (General population) 208 mg/m³ Acute - local effects, dermal 1.5 mg/cm² Acute - local effects, inhalation 208 mg/m³ DMELD/DMEL (General population) 208 mg/m³ Acute - local effects, dermal 1.5 mg/cm² Acute - local effects, inhalation 208 mg/m³ Long-term - systemic effects, inhalation 208 mg/m³ Long-term - systemic effects, inhalation 1.5 mg/cm² Long-term - systemic effects, inhalation 1.4 mg/cm² <td>PNEC sediment (freshwater)</td> <td>0.338 mg/kg dwt</td>	PNEC sediment (freshwater)	0.338 mg/kg dwt		
PNEC soll 0.0758 mg/kg dwt PNEC Oral 6.67 mg/kg food PNEC oral (secondary poisoning) 6.67 mg/kg food PNEC Service (STP) 0.35 mg1 PNEC Service (STP) 0.35 mg1 PNEL/DMEL (Workers) 0.35 mg1 Acute - local effects, demal 1.5 mg/cm³ Acute - local effects, demal 1.5 mg/cm³ Long-term - systemic effects, inhalation 416 mg/m³ Long-term - systemic effects, inhalation 208 mg/m³ DNEL/DMEL (General population) 208 mg/m³ Acute - local effects, inhalation 208 mg/m³ DNEL/DMEL (General population) 208 mg/m³ Acute - local effects, inhalation 208 mg/m³ Duel teffects, inhalation 208 mg/m³ Long-term - systemic effects, inhalation 208 mg/m³ Long-term - systemic effects, inhalation 208 mg/m³ Long-term - systemic effects, dermal 1.5 mg/cm² Long-term - systemic effects, effect 8.2 mg/kg bod/weight/day Long-term - systemic effects, dermal 1.5 mg/cm² Long-term - local effects, dermal 1.6 mg/cm² Long-term - local effects, derm	PNEC sediment (marine water)	0.0338 mg/kg dwt		
PNEC (oral) K.67 mg/kg food PNEC (oral (secondary poisoning) 6.67 mg/kg food PNEC (STP) Image: Comparison of the compa	PNEC (Soil)			
PNEC oral (secondary poisoning) 6.67 mg/kg food PNEC (STP) PNEC sewage treatment plant 0.35 mg/l methyl methacrylate; methyl 2-methylprop-2-s-tet; methyl 2-methylpropenoate (80-62-6) DNEL/DMEL (Workors) Acute - local effects, dermal 1.5 mg/cm ³ Acute - local effects, dermal 13.67 mg/kg bodyweight/day Long-term - systemic effects, dermal 1.5 mg/cm ³ Long-term - systemic effects, inhalation 208 mg/m ³ Long-term - local effects, inhalation 208 mg/m ³ DNEL/DMEL (General population) 208 mg/m ³ Acute - local effects, inhalation 208 mg/m ³ Long-term - systemic effects, inhalation 208 mg/m ³ Acute - local effects, inhalation 208 mg/m ³ Long-term - systemic effects, inhalation 74.3 mg/m ³ Long-term - systemic effects, inhalation 74.3 mg/m ³ Long-term - local effects, inhalation 9.4 mg/m ³ PNEC (Water) 9.4 mg/m ³ </td <td>PNEC soil</td> <td>0.0758 mg/kg dwt</td>	PNEC soil	0.0758 mg/kg dwt		
PNEC (STP) 0.35 mg/l PNEC sewage treatment plant 0.35 mg/l methyl methacrylate; methyl 2-methylprop-2-s-ate; methyl 2-methylpropenoate (80-62-6) DNEL/DMEL (Workers) Acute - local effects, dermal 1.5 mg/cm² Acute - local effects, dermal 1.5 mg/cm² Long-term - systemic effects, dermal 1.5 mg/cm² Long-term - systemic effects, dermal 1.5 mg/cm² Long-term - systemic effects, inhalation 208 mg/m³ Long-term - systemic effects, ornal 1.5 mg/cm² Acute - local effects, inhalation 208 mg/m³ Long-term - systemic effects, dermal 1.5 mg/cm² Long-term - systemic effects, dermal 8.2 mg/kg bodyweight/day Long-term - systemic effects, dermal 8.2 mg/kg bodyweight/day Long-term - local effects, inhalation 1.4 mg/m³ Long-term - systemic effects, dermal 9.2 mg/kg bodyweight/day Long-term - local effects, inhalation	PNEC (Oral)			
PNEC sewage treatment plant 0.35 mg/l methyl methacrylate; methyl 2-methylprope-2base; methyl 2-methylpropenoate (80-62-6) DNEL/DMEL (Workers) Acute - local effects, dernal 1.5 mg/cm² Acute - local effects, inhalation 416 mg/m³ Long-term - systemic effects, dernal 1.5 mg/cm² Long-term - systemic effects, inhalation 208 mg/m³ Long-term - systemic effects, inhalation 208 mg/m³ DNEL/DMEL (General population) 208 mg/m³ Acute - local effects, inhalation 208 mg/m³ Long-term - systemic effects, inhalation 2.5 mg/kg bodyweight/day Long-term - systemic effects, dermal 8.2 mg/kg bodyweight/day Long-term - systemic effects, dermal 8.2 mg/kg bodyweight/day Long-term - systemic effects, dermal 9.2 mg/kg bodyweight/day Long-term - systemic effects, dermal 9.2 mg/kg bodyweight/da	PNEC oral (secondary poisoning)	6.67 mg/kg food		
methyl methacrylate; methyl 2-methylprop-2-e-otate; methyl 2-methylpropenoate (80-62-6) DNEL/DNEL (Workers) Acute - local effects, dermal 1.5 mg/cm² Acute - local effects, inhalation 416 mg/m³ Long-term - systemic effects, dermal 1.5 mg/cm² Long-term - systemic effects, inhalation 208 mg/m³ Long-term - local effects, inhalation 208 mg/m³ DNEL/DMEL (General population) 208 mg/m³ Acute - local effects, inhalation 208 mg/m³ Long-term - systemic effects, inhalation 208 mg/m³ Acute - local effects, inhalation 208 mg/m³ Long-term - systemic effects, oral 8.2 mg/kg bodyweight/day Long-term - systemic effects, oral 8.2 mg/kg bodyweight/day Long-term - systemic effects, inhalation 7.4 mg/m³ Long-term - systemic effects, inhalation 1.5 mg/cm² Long-term - systemic effects, inhalation 1.4 mg/m³ Long-term - systemic effects, inhalation 7.4 mg/kg bodyweight/day Long-term - local effects, inhalation 1.5 mg/cm² Long-term - local effects, inhalation 1.4 mg/m³ PNEC (water) 0.94 mg/l PNEC aqua (marine	PNEC (STP)			
DNEL/DMEL (Workers) Acute - local effects, dermal 1.5 mg/cm² Acute - local effects, inhalation 416 mg/m³ Long-term - systemic effects, dermal 13.67 mg/kg bodyweight/day Long-term - systemic effects, dermal 1.5 mg/cm² Long-term - systemic effects, inhalation 208 mg/m³ Long-term - local effects, inhalation 208 mg/m³ DNEL/DMEL (General population) 208 mg/m³ Acute - local effects, inhalation 208 mg/m³ Long-term - systemic effects, inhalation 74.3 mg/m³ Long-term - systemic effects, dermal 8.2 mg/kg bodyweight/day Long-term - systemic effects, dermal 1.5 mg/cm² Long-term - systemic effects, inhalation 74.3 mg/m³ Long-term - local effects, inhalation 104 mg/m³ PNEC (Water) 0.94 mg/l PNEC aqua (intermittent, freshwater) 0.94 mg/l PNEC aqua (intermittent, marine water)	PNEC sewage treatment plant	0.35 mg/l		
Acute - local effects, dermal 1.5 mg/cm ² Acute - local effects, inhalation 416 mg/m ³ Long-term - systemic effects, dermal 13.67 mg/kg bodyweight/day Long-term - local effects, dermal 1.5 mg/cm ² Long-term - systemic effects, inhalation 208 mg/m ³ Long-term - local effects, inhalation 208 mg/m ³ Long-term - local effects, inhalation 208 mg/m ³ Long-term - local effects, inhalation 208 mg/m ³ DNEL/DMEL (General population) 208 mg/m ³ Acute - local effects, dermal 1.5 mg/cm ² Acute - local effects, dermal 208 mg/m ³ Long-term - systemic effects, otheral 8.2 mg/kg bodyweight/day Long-term - systemic effects, inhalation 74.3 mg/m ³ Long-term - local effects, dermal 1.5 mg/cm ² Long-term - local effects, inhalation 104 mg/m ³ PNEC (Water) 0.94 mg/l PNEC aqua (intermittent, freshwater) 0.94 mg/l PNEC aqua (intermittent, freshwater) 0.94 mg/l PNEC Quau (intermittent, marine water) 0.94 mg/l PNEC (Sediment) 5.74 mg/kg dwt PNEC sediment (freshwater) 0.102 mg/kg dwt PNEC Sediment (marine water) 0.102 mg/kg dwt	methyl methacrylate; methyl 2-methylprop-2-	enoate; methyl 2-methylpropenoate (80-62-6)		
Acute - local effects, inhalation 416 mg/m³ Long-term - systemic effects, dermal 13.67 mg/kg bodyweight/day Long-term - local effects, inhalation 208 mg/m³ Long-term - systemic effects, inhalation 208 mg/m³ DNEL/DMEL (General population) 208 mg/m³ Acute - local effects, inhalation 208 mg/m³ Long-term - systemic effects, oral 8.2 mg/kg bodyweight/day Long-term - systemic effects, inhalation 74.3 mg/m³ Long-term - systemic effects, dermal 8.2 mg/kg bodyweight/day Long-term - local effects, inhalation 74.3 mg/m³ Long-term - local effects, inhalation 8.2 mg/kg bodyweight/day Long-term - local effects, dermal 1.5 mg/cm² Long-term - local effects, inhalation 9.4 mg/m³ PNEC (Water) 0.94 mg/l PNEC aqua (intermittent, freshwater) 0.94 mg/l PNEC aqua (intermittent, marine water) 0.94 mg/l PNEC Sediment (marine water) 0.94 mg/l PN	DNEL/DMEL (Workers)			
Long-term - systemic effects, dermal 13.67 mg/kg bodyweight/day Long-term - local effects, dermal 1.5 mg/cm² Long-term - systemic effects, inhalation 208 mg/m³ DNEL/DMEL (General population) 208 mg/m³ Acute - local effects, inhalation 208 mg/m³ Acute - local effects, inhalation 208 mg/m³ Long-term - systemic effects, oral 1.5 mg/cm² Acute - local effects, inhalation 208 mg/m³ Long-term - systemic effects, oral 8.2 mg/kg bodyweight/day Long-term - systemic effects, inhalation 74.3 mg/m³ Long-term - systemic effects, dermal 8.2 mg/kg bodyweight/day Long-term - systemic effects, dermal 1.5 mg/cm² Long-term - local effects, inhalation 74.3 mg/m³ Long-term - local effects, dermal 8.2 mg/kg bodyweight/day Long-term - local effects, dermal 0.94 mg/l PNEC (Water) 0.94 mg/l PNEC (Water) 0.94 mg/l PNEC qaug (intermittent, freshwater) 0.94 mg/l PNEC aqua (intermittent, marine water) 0.94 mg/l PNEC (Seediment) 5.74 mg/kg dwt PNEC sediment (freshwater)	Acute - local effects, dermal	1.5 mg/cm ²		
Long-term - local effects, dermal 1.5 mg/cm ² Long-term - local effects, inhalation 208 mg/m ³ DNEL/DMEL (General population) 208 mg/m ³ Acute - local effects, dermal 1.5 mg/cm ² Acute - local effects, inhalation 208 mg/m ³ Long-term - systemic effects, orbitalion 208 mg/m ³ Long-term - systemic effects, oral 8.2 mg/kg bodyweight/day Long-term - systemic effects, inhalation 74.3 mg/m ³ Long-term - systemic effects, dermal 8.2 mg/kg bodyweight/day Long-term - systemic effects, dermal 8.2 mg/kg bodyweight/day Long-term - systemic effects, dermal 1.5 mg/cm ² Long-term - systemic effects, inhalation 74.3 mg/m ³ Long-term - local effects, dermal 1.5 mg/cm ² Long-term - local effects, inhalation 10.4 mg/m ³ PNEC (Water) 0.94 mg/l PNEC qua (freshwater) 0.94 mg/l PNEC qua (intermittent, freshwater) 0.94 mg/l PNEC qua (intermittent, marine water) 0.94 mg/l PNEC dediment (marine water) 0.94 mg/l PNEC sediment (marine water) 0.74 mg/kg dwt PNEC sediment (marine water) 0.102 mg/kg dwt <t< td=""><td>Acute - local effects, inhalation</td><td>416 mg/m³</td></t<>	Acute - local effects, inhalation	416 mg/m ³		
Long-term - systemic effects, inhalation208 mg/m³Long-term - local effects, inhalation208 mg/m³DNEL/DMEL (General population)Acute - local effects, dermal1.5 mg/cm²Acute - local effects, inhalation208 mg/m³Long-term - systemic effects, oral8.2 mg/kg bodyweight/dayLong-term - systemic effects, oral8.2 mg/kg bodyweight/dayLong-term - systemic effects, inhalation74.3 mg/m³Long-term - systemic effects, dermal8.2 mg/kg bodyweight/dayLong-term - systemic effects, dermal8.2 mg/kg bodyweight/dayLong-term - systemic effects, dermal1.5 mg/cm²Long-term - local effects, inhalation104 mg/m³PNEC (Water)0.94 mg/lPNEC aqua (freshwater)0.94 mg/lPNEC aqua (intermittent, freshwater)0.94 mg/lPNEC aqua (intermittent, marine water)0.94 mg/lPNEC Sediment (freshwater)5.74 mg/kg dwtPNEC sediment (marine water)0.102 mg/kg dwtPNEC Sediment (marine water)0.102 mg/kg dwtPNEC Sediment (marine water)0.102 mg/kg dwt	Long-term - systemic effects, dermal	13.67 mg/kg bodyweight/day		
Long-term - local effects, inhalation208 mg/m³DNEL/DMEL (General population)Acute - local effects, dermal1.5 mg/cm²Acute - local effects, inhalation208 mg/m³Long-term - systemic effects, oral8.2 mg/kg bodyweight/dayLong-term - systemic effects, inhalation74.3 mg/m³Long-term - systemic effects, dermal8.2 mg/kg bodyweight/dayLong-term - systemic effects, dermal8.2 mg/kg bodyweight/dayLong-term - systemic effects, dermal8.2 mg/kg bodyweight/dayLong-term - local effects, dermal1.5 mg/cm²Long-term - local effects, inhalation1.4 mg/m³PNEC (Water)0.94 mg/lPNEC aqua (freshwater)0.94 mg/lPNEC aqua (intermittent, freshwater)0.94 mg/lPNEC aqua (intermittent, marine water)0.94 mg/lPNEC (Sediment)5.74 mg/kg dwtPNEC sediment (freshwater)5.74 mg/kg dwtPNEC sediment (marine water)0.102 mg/kg dwtPNEC (Soil)	Long-term - local effects, dermal	1.5 mg/cm ²		
DNEL/DMEL (General population) Acute - local effects, dermal 1.5 mg/cm² Acute - local effects, inhalation 208 mg/m³ Long-term - systemic effects, oral 8.2 mg/kg bodyweight/day Long-term - systemic effects, inhalation 74.3 mg/m³ Long-term - systemic effects, dermal 8.2 mg/kg bodyweight/day Long-term - systemic effects, dermal 8.2 mg/kg bodyweight/day Long-term - systemic effects, dermal 1.5 mg/cm² Long-term - local effects, dermal 1.5 mg/cm² Long-term - local effects, inhalation 104 mg/m³ PNEC (Water) 0.94 mg/l PNEC aqua (freshwater) 0.94 mg/l PNEC aqua (intermittent, freshwater) 0.94 mg/l PNEC aqua (intermittent, marine water) 0.94 mg/l PNEC (Sediment) 5.74 mg/kg dwt PNEC sediment (freshwater) 0.102 mg/kg dwt PNEC (Soil) 5.74 mg/kg dwt	Long-term - systemic effects, inhalation	208 mg/m ³		
Acute - local effects, dermal1.5 mg/cm2Acute - local effects, inhalation208 mg/m3Long-term - systemic effects, oral8.2 mg/kg bodyweight/dayLong-term - systemic effects, inhalation74.3 mg/m3Long-term - systemic effects, dermal8.2 mg/kg bodyweight/dayLong-term - systemic effects, dermal1.5 mg/cm2Long-term - local effects, inhalation104 mg/m3PNEC qua (freshwater)0.94 mg/lPNEC aqua (marine water)0.94 mg/lPNEC aqua (intermittent, freshwater)0.94 mg/lPNEC aqua (intermittent, marine water)0.94 mg/lPNEC sediment (freshwater)5.74 mg/kg dwtPNEC sediment (marine water)0.102 mg/kg dwtPNEC sediment (marine water)0.102 mg/kg dwt	Long-term - local effects, inhalation	208 mg/m ³		
Acute - local effects, inhalation208 mg/m³Long-term - systemic effects, oral8.2 mg/kg bodyweight/dayLong-term - systemic effects, inhalation74.3 mg/m³Long-term - systemic effects, dermal8.2 mg/kg bodyweight/dayLong-term - systemic effects, dermal8.2 mg/kg bodyweight/dayLong-term - local effects, dermal1.5 mg/cm²Long-term - local effects, inhalation104 mg/m³PNEC (Water)0.94 mg/lPNEC aqua (freshwater)0.94 mg/lPNEC aqua (intermittent, freshwater)0.94 mg/lPNEC aqua (intermittent, marine water)0.94 mg/lPNEC aqua (intermittent, marine water)0.94 mg/lPNEC sediment (freshwater)5.74 mg/kg dwtPNEC sediment (marine water)0.102 mg/kg dwtPNEC sediment (marine water)0.102 mg/kg dwt	DNEL/DMEL (General population)	DNEL/DMEL (General population)		
Long-term - systemic effects, oral8.2 mg/kg bodyweight/dayLong-term - systemic effects, inhalation74.3 mg/m³Long-term - systemic effects, dermal8.2 mg/kg bodyweight/dayLong-term - local effects, dermal1.5 mg/cm²Long-term - local effects, inhalation104 mg/m³PNEC (Water)0.94 mg/lPNEC aqua (freshwater)0.94 mg/lPNEC aqua (intermittent, freshwater)0.94 mg/lPNEC aqua (intermittent, freshwater)0.94 mg/lPNEC aqua (intermittent, freshwater)0.94 mg/lPNEC sediment (freshwater)5.74 mg/kg dwtPNEC sediment (marine water)0.102 mg/kg dwtPNEC sediment (marine water)0.94 mg/l	Acute - local effects, dermal	1.5 mg/cm ²		
Long-term - systemic effects, inhalation74.3 mg/m³Long-term - systemic effects, dermal8.2 mg/kg bodyweight/dayLong-term - local effects, dermal1.5 mg/cm²Long-term - local effects, inhalation104 mg/m³PNEC (Water)PNEC aqua (freshwater)PNEC aqua (freshwater)0.94 mg/lPNEC aqua (intermittent, freshwater)0.94 mg/lPNEC aqua (intermittent, marine water)0.94 mg/lPNEC aqua (intermittent, marine water)0.94 mg/lPNEC sediment)9.94 mg/lPNEC sediment (freshwater)5.74 mg/kg dwtPNEC sediment (marine water)0.102 mg/kg dwtPNEC (Soil)	Acute - local effects, inhalation	208 mg/m ³		
Lorg-term - systemic effects, dermal8.2 mg/kg bodyweight/dayLong-term - local effects, dermal1.5 mg/cm²Long-term - local effects, inhalation104 mg/m³PNEC (Water)0.94 mg/lPNEC aqua (freshwater)0.94 mg/lPNEC aqua (intermittent, freshwater)0.94 mg/lPNEC aqua (intermittent, marine water)0.94 mg/lPNEC sediment)0.94 mg/lPNEC sediment (freshwater)0.94 mg/lPNEC (Sediment)5.74 mg/kg dwtPNEC sediment (marine water)0.102 mg/kg dwtPNEC (Soil)	Long-term - systemic effects,oral	8.2 mg/kg bodyweight/day		
Long-term - local effects, dermal1.5 mg/cm²Long-term - local effects, inhalation104 mg/m³PNEC (Water)0.94 mg/lPNEC aqua (freshwater)0.94 mg/lPNEC aqua (marine water)0.94 mg/lPNEC aqua (intermittent, freshwater)0.94 mg/lPNEC aqua (intermittent, marine water)0.94 mg/lPNEC sediment (freshwater)0.94 mg/lPNEC sediment (freshwater)5.74 mg/kg dwtPNEC (Soil)0.102 mg/kg dwt	Long-term - systemic effects, inhalation	74.3 mg/m ³		
Long-term - local effects, inhalation 104 mg/m³ PNEC (Water) 0.94 mg/l PNEC aqua (freshwater) 0.94 mg/l PNEC aqua (intermittent, freshwater) 0.94 mg/l PNEC aqua (intermittent, freshwater) 0.94 mg/l PNEC aqua (intermittent, marine water) 0.94 mg/l PNEC aqua (intermittent, marine water) 0.94 mg/l PNEC (Sediment) 0.94 mg/l PNEC sediment (freshwater) 5.74 mg/kg dwt PNEC sediment (marine water) 0.102 mg/kg dwt PNEC (Soil) V	Long-term - systemic effects, dermal	8.2 mg/kg bodyweight/day		
PNEC (Water) 0.94 mg/l PNEC aqua (freshwater) 0.94 mg/l PNEC aqua (marine water) 0.94 mg/l PNEC aqua (intermittent, freshwater) 0.94 mg/l PNEC aqua (intermittent, marine water) 0.94 mg/l PNEC aqua (intermittent, marine water) 0.94 mg/l PNEC (Sediment) 0.94 mg/l PNEC (Sediment) 5.74 mg/kg dwt PNEC sediment (freshwater) 0.102 mg/kg dwt PNEC (Soil) V	Long-term - local effects, dermal	1.5 mg/cm ²		
PNEC aqua (freshwater) 0.94 mg/l PNEC aqua (marine water) 0.94 mg/l PNEC aqua (intermittent, freshwater) 0.94 mg/l PNEC aqua (intermittent, marine water) 0.94 mg/l PNEC (Sediment) 0.94 mg/l PNEC (Sediment) 5.74 mg/kg dwt PNEC sediment (marine water) 0.102 mg/kg dwt PNEC (Soil) V	Long-term - local effects, inhalation	104 mg/m³		
PNEC aqua (marine water) 0.94 mg/l PNEC aqua (intermittent, freshwater) 0.94 mg/l PNEC aqua (intermittent, marine water) 0.94 mg/l PNEC aqua (intermittent, marine water) 0.94 mg/l PNEC (Sediment) 0.94 mg/l PNEC sediment (freshwater) 5.74 mg/kg dwt PNEC sediment (marine water) 0.102 mg/kg dwt PNEC (Soil) V	PNEC (Water)			
PNEC aqua (intermittent, freshwater) 0.94 mg/l PNEC aqua (intermittent, marine water) 0.94 mg/l PNEC (Sediment) 0.94 mg/l PNEC (Sediment) 5.74 mg/kg dwt PNEC sediment (freshwater) 5.74 mg/kg dwt PNEC sediment (marine water) 0.102 mg/kg dwt PNEC (Soil) Image: Complex sediment (marine water)	PNEC aqua (freshwater)	0.94 mg/l		
PNEC aqua (intermittent, marine water) 0.94 mg/l PNEC (Sediment) 5.74 mg/kg dwt PNEC sediment (freshwater) 5.74 mg/kg dwt PNEC sediment (marine water) 0.102 mg/kg dwt	PNEC aqua (marine water)	0.94 mg/l		
PNEC (Sediment) 5.74 mg/kg dwt PNEC sediment (freshwater) 5.74 mg/kg dwt PNEC sediment (marine water) 0.102 mg/kg dwt	PNEC aqua (intermittent, freshwater)	0.94 mg/l		
PNEC sediment (freshwater) 5.74 mg/kg dwt PNEC sediment (marine water) 0.102 mg/kg dwt PNEC (Soil)	PNEC aqua (intermittent, marine water)	0.94 mg/l		
PNEC sediment (marine water) 0.102 mg/kg dwt PNEC (Soil)	PNEC (Sediment)			
PNEC (Soil)	PNEC sediment (freshwater)	5.74 mg/kg dwt		
	PNEC sediment (marine water)	0.102 mg/kg dwt		
PNEC soil 1.47 mg/kg dwt	PNEC (Soil)			
	PNEC soil	1.47 mg/kg dwt		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate (80-62-6)	
PNEC (STP)	
PNEC sewage treatment plant	10 mg/l

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Protective clothing. Safety glasses. Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Wear eye glasses with side protection according to EN 166.

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing. Standard. EN 13034

Hand protection:

Wear suitable gloves resistant to chemical penetration. The protective gloves to be used must comply with the specifications of the regulation 2016/425 and the resultant standard EN 374. penetration time (maximum wearing period): > 480 m. Suitable material: Nitrile rubber, Neoprene

8.2.2.3. Respiratory protection

Respiratory protection:

Dust production: dust mask with filter type P2. Standard. EN 149

8.2.2.4. Thermal hazards No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: coloured.
Appearance	: Fine grains.
Odour	: Methyl methacrylate.
Odour threshold	: Not available
Melting point	: 150 – 230 °C
Freezing point	: Not applicable
Boiling point	: Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Flammability	: Non flammable.
Explosive properties	: Weakly to moderately explosive.
Explosive limits	: Not applicable
Lower explosive limit (LEL)	: Not applicable
Upper explosive limit (UEL)	: Not applicable
Flash point	: ≈ 390 °C
Auto-ignition temperature	: ≈ 465 °C
Decomposition temperature	: No data available
pH	: Not applicable
pH solution	: Not available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Solubility	: Water: Negligible
	Organic solvent:Soluble in organic solvents
Partition coefficient n-octanol/water (Log Kow)	: Not available
Partition coefficient n-octanol/water (Log Pow)	: Not applicable
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not applicable
Relative density	: 1.1 – 1.18
Relative vapour density at 20 °C	: Not applicable
Particle size	: Not available
Particle size distribution	: Not available
Particle shape	: Not available
Particle aspect ratio	: Not available
Particle aggregation state	: Not available
Particle agglomeration state	: Not available
Particle specific surface area	: Not available
Particle dustiness	: Not available

methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate (80-62-6)	
Boiling point	100.36 °C @ 101.325 kPa
Flash point	10 °C @ 101.325 kPa
Auto-ignition temperature	430 – 435 °C @ 101.3 - 101.325 kPa
Vapour pressure	3.7 kPa @ 20°C

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content	:	0 %
Bulk density	:	0.6 – 0.7 g/ml

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Het product is stabiel wanneer opgeslagen en behandeld onder aanbevolen omstandigheden.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.4. Conditions to avoid
ignition sources. Direct sunlight.
10.5. Incompatible materials
Strong acids. Strong bases.
10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (oral):Acute toxicity (dermal):Acute toxicity (inhalation):	Not classified Not classified Not classified	
dibenzoyl peroxide; benzoyl peroxide (94-36-	0)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Animal sex: male	
LC0, Inhalation, rat	24,3 mg/l/4h	
methyl methacrylate; methyl 2-methylprop-2-	enoate; methyl 2-methylpropenoate (80-62-6)	
LD50 oral rat	7900 – 9400 mg/kg	
LD50 dermal rabbit	5000 mg/kg	
LC50 Inhalation - Rat	29.8 mg/l/4h	
	Not classified pH: Not applicable	
Additional information:Serious eye damage/irritation:	Based on available data, the classification criteria are not met Not classified pH: Not applicable	
Additional information:Respiratory or skin sensitisation:Germ cell mutagenicity:Additional information:Carcinogenicity:	Based on available data, the classification criteria are not met Not classified Not classified Based on available data, the classification criteria are not met Not classified	
Additional information:Reproductive toxicity:Additional information:STOT-single exposure:Additional information:	Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met	
methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate (80-62-6)		
STOT-single exposure	May cause respiratory irritation.	
STOT-repeated exposure : Additional information :	Not classified Based on available data, the classification criteria are not met	
dibenzoyl peroxide; benzoyl peroxide (94-36-0)		
NOAEL (oral, rat, 90 days)	190 – 1000	
NOAEL (dermal, rat/rabbit, 90 days)	833 mg/kg bodyweight/day	
methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate (80-62-6)		
LOAEC (inhalation, rat, vapour, 90 days)	416 mg/m³ air	
NOAEL (oral, rat, 90 days)	124.1 – 164 mg/kg bodyweight/day	
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	500 – 1000 ppm	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aspiration hazard Additional information	: Not classified : Based on available data, the classification criteria are not met
Vertex Castavaria - Pour Material D	
Viscosity, kinematic	No data available
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties No additional information available	
11.2.2. Other information	
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - water : Hazardous to the aquatic environment, short-term : (acute)	Avoid release to the environment. Toxic to aquatic life with long lasting effects. Not classified Harmful to aquatic life with long lasting effects.	
dibenzoyl peroxide; benzoyl peroxide (94-36-0))	
LC50 - Fish [1]	0.0602 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	0.11 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	0.0422 – 0.0711 mg/l	
methyl methacrylate; methyl 2-methylprop-2-e	enoate; methyl 2-methylpropenoate (80-62-6)	
LC50 - Fish [1]	79 mg/l	
EC50 - Crustacea [1]	69 mg/l	
EC50 72h - Algae [1]	110 mg/l	
LOEC (chronic)	68 mg/l (21 d)	
NOEC (acute)	40 mg/l (4 d)	
NOEC (chronic)	37 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	37 mg/l (21 d)	
12.2. Persistence and degradability		
Vertex Castavaria - Pour Material D		
Persistence and degradability	May cause long-term adverse effects in the environment.	
12.3. Bioaccumulative potential		
Vertex Castavaria - Pour Material D		
Partition coefficient n-octanol/water (Log Pow)	Not applicable	

Farmion coefficient n-octanol/water (Log Fow)	Not applicable	
Bioaccumulative potential	Not established.	
dibenzoyl peroxide; benzoyl peroxide (94-36-0)		
Partition coefficient n-octanol/water (Log Pow)	3.2	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate (80-62-6)		
Partition coefficient n-octanol/water (Log Pow)	1.38 @ 20 °C and pH 7	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		
12.7. Other adverse effects		
Additional information :	Avoid release to the environment.	
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		

Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations Ecology - waste materials	Dispose in a safe manner in accordance with local/national regulations.Avoid release to the environment.

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID
I4.1. UN number or ID nu	ımber			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping	name	·	·	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard cl	ass(es)	·		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group		·	·	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haza	irds	·	·	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea Not applicable

Air transport Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	methyl methacrylate; methyl 2-methylprop-2- enoate; methyl 2- methylpropenoate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	methyl methacrylate; methyl 2-methylprop-2- enoate; methyl 2- methylpropenoate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

: 0%

15.1.2. National regulations

VOC content

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations a	nd acronyms:	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Data sources

Other information

 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
 DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which

Disclaimer OF LIABLITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

Full text of H- and EUH-statements:		
Aquatic Acute 1 Hazardous to the aquatic environment — Acute Hazard, Category 1		
Aquatic Chronic 1 Hazardous to the aquatic environment — Chronic Hazard, Category 1		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
EUH208	Contains dibenzoyl peroxide; benzoyl peroxide, methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2- methylpropenoate. May produce an allergic reaction.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H241	Heating may cause a fire or explosion.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Org. Perox. B	Organic Peroxides, Type B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	

Full text of use descriptors	
SU20	Health services

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Org. Perox. Not classified		Expert judgment
Aquatic Chronic 3	H412	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.