



Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name: NextDent Gingiva Mask

Manufacturer: Vertex-Dental

SDS Expiry: 31 January 2029

Supplier Details: Henry Schein New Zealand

243-249 Bush Road, Rosedale, Auckland, 0632 PO Box 101 140, North Shore, Auckland 0745

Ph. 0800 808 855

www.henryschein.co.nz

Emergency Contacts: Poisons/Hazardous Chemical Info Centre –

0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 6 / 9

HSNO Group Standard: Dental Products Subsidiary Hazard Group Standard 2020

HSR002558

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared – May 2025

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.





# Dent® NextDent Gingiva Mask

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 7/31/2018 Revision date: 1/31/2024 Supersedes version of: 12/22/2020 Version: 2.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Trade name : NextDent Gingiva Mask

Product group Trade product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

: Professional use Main use category

Use of the substance/mixture : Manufacture of 3D-printed applications for the dental industry

Use of the substance/mixture : Dentistry

Title	Life cycle stage	Use descriptors
NextDent Gingiva Mask	Professional	SU20

Full text of use descriptors: see section 16

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Vertex-Dental Centurionbaan 190 3769 AV Soesterberg The Netherlands T+31 886160400

info@vertex-dental.com, www.vertex-dental.com

#### 1.4. Emergency telephone number

**Emergency number** 

(Only for the purpose of informing medical personnel in cases of accidental intoxications. The emergency phone number is 24 hours/day available.)

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Skin sensitisation, Category 1 H317 Specific target organ toxicity - Single exposure, Category 3, H335 Respiratory tract irritation

Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

## Adverse physicochemical, human health and environmental effects

May cause respiratory irritation. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) : Warning

Contains : phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide; 2-hydroxyethyl acrylate; Exo-1,7,7-

trimethylbicyclo[2.2.1]hept-2-yl methacrylate; Methacrylic acid, monoester with propane-1,2-

diol

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.H319 - Causes serious eye irritation.H335 - May cause respiratory irritation.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing spray, mist.

P280 - Wear protective gloves, eye protection, face protection. P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

P501 - Dispose of contents/container to a hazardous or special waste collection point.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	% w/w (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Poly(oxy(methyl-1,2-ethanediyl)), .alpha(2-methyl-1-oxo-2- propenyl)omegahydroxy- (4-PO)	CAS-No.: 39420-45-6 EC-No.: 609-674-6	30 – 50	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412
Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate (Note D)	CAS-No.: 7534-94-3 EC-No.: 231-403-1 REACH-no: 01-2119886505- 27	10 – 20	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Chronic 3, H412
Methacrylic acid, monoester with propane-1,2-diol (Note D)	CAS-No.: 27813-02-1 EC-No.: 248-666-3 REACH-no: 01-2119490226- 37	1 – 5	Eye Irrit. 2, H319 Skin Sens. 1, H317

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	% w/w (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	CAS-No.: 162881-26-7 EC-No.: 423-340-5 EC Index-No.: 015-189-00-5 REACH-no: 01-2119489401-38	1 – 5	Skin Sens. 1, H317 Aquatic Chronic 4, H413
2-hydroxyethyl acrylate (Note D)	CAS-No.: 818-61-1 EC-No.: 212-454-9 EC Index-No.: 607-072-00-8 REACH-no: 01-2119459345- 34	0.1 – 1	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Acute Tox. 4 (Dermal), H312 (ATE=1100 mg/kg bodyweight) Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Chronic 3, H412

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (% w/w (% w/w))
Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate	CAS-No.: 7534-94-3 EC-No.: 231-403-1 REACH-no: 01-2119886505- 27	(10 ≤ C < 100) STOT SE 3, H335
2-hydroxyethyl acrylate	CAS-No.: 818-61-1 EC-No.: 212-454-9 EC Index-No.: 607-072-00-8 REACH-no: 01-2119459345-	(0.2 ≤ C ≤ 100) Skin Sens. 1, H317

Note D:

Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'.

Full text of H- and EUH-statements: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest. Call a poison center or a doctor if you feel unwell.

First-aid measures after skin contact

Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Wash skin with plenty of water. Take off

First-aid measures after eye contact

contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

: Immediately rinse with water for a prolonged period while holding the eyelids wide open.

Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists:

Get medical advice/attention. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion

: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact : May cause an allergic skin reaction. May cause respiratory irritation.: Causes skin irritation. Irritation. May cause an allergic skin reaction.

: Causes serious eye irritation. Eye irritation.

1/31/2024 (Revision date) EN (English) 3/19

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Symptoms/effects after ingestion : None under normal conditions.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard. Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment. Do not enter fire

area without proper protective equipment, including respiratory protection.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid breathing mist, spray.

Avoid contact with skin and eyes.

## 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area. Evacuate unnecessary personnel. Stop leak if safe to do so.

### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to

prevent migration and entry into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13. For further information refer to section 13.

1/31/2024 (Revision date) EN (English) 4/19

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed Precautions for safe handling

: Not expected to present a significant hazard under anticipated conditions of normal use.

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal

protective equipment.

Hygiene measures

: Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Keep only in original container. Keep container closed when not in use. To avoid the risks of

fires, all contaminated materials should be stored in purpose-built containers or in metal containers with tight-fitting self-closing lids. Store locked up. Store in a well-ventilated place.

Keep container tightly closed.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage area : Keep container in a well-ventilated place.

Packaging materials : Store always product in container of same material as original container.

### 7.3. Specific end use(s)

No additional information available

#### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

## 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide (162881-26-7)	
DNEL/DMEL (Workers)	
Acute - systemic effects, dermal	3.33 mg/kg bodyweight/day
Acute - systemic effects, inhalation	7.84 mg/m³
Long-term - systemic effects, dermal	3 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	7.84 mg/m³
DNEL/DMEL (General population)	
Acute - systemic effects, dermal	1.67 mg/kg bodyweight/day
Acute - systemic effects, inhalation	1.93 mg/m³
Acute - systemic effects, oral	1.67 mg/kg bodyweight/day

## Safety Data Sheet

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine	oxide (162881-26-7)
Long-term - systemic effects,oral	1.5 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	1.93 mg/m³
Long-term - systemic effects, dermal	1.5 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.8 μg/l
PNEC aqua (marine water)	0.8 μg/l
PNEC aqua (intermittent, freshwater)	0.8 μg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.712 mg/kg dwt
PNEC sediment (marine water)	0.712 mg/kg dwt
PNEC (Soil)	
PNEC soil	20 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	1 mg/l
2-hydroxyethyl acrylate (818-61-1)	
DNEL/DMEL (Workers)	
Long-term - local effects, inhalation	2.4 mg/m³
DNEL/DMEL (General population)	
Long-term - local effects, inhalation	1.2 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	0.0172 mg/l
PNEC aqua (marine water)	0.00172 mg/l
PNEC aqua (intermittent, freshwater)	0.0361 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.0636 mg/kg dwt
PNEC sediment (marine water)	0.00636 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.00263 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	10 mg/l
Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate (7534-94-3)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	0.35 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	1.22 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	0.21 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0.36 mg/m³
Long-term - systemic effects, dermal	0.21 mg/kg bodyweight/day

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate (7534-94-3)		
PNEC (Water)		
PNEC aqua (freshwater)	0.00233 mg/l	
PNEC aqua (marine water)	0.000233 mg/l	
PNEC aqua (intermittent, freshwater)	0.0179 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	1.2 mg/kg dwt	
PNEC sediment (marine water)	0.12 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0.239 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	2.45 mg/l	
Methacrylic acid, monoester with propane-1,2	2-diol (27813-02-1)	
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	4.2 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	14.7 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	2.5 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	4.35 mg/m³	
Long-term - systemic effects, dermal	2.5 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0.904 mg/l	
PNEC aqua (marine water)	0.904 mg/l	
PNEC aqua (intermittent, freshwater)	0.972 mg/l	
PNEC aqua (intermittent, marine water)	0.972 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	6.28 mg/kg dwt	
PNEC sediment (marine water)	6.28 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0.727 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	10 mg/l	

#### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

## Appropriate engineering controls:

Ensure good ventilation of the work station.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Wear recommended personal protective equipment.

#### Personal protective equipment symbol(s):







#### 8.2.2.1. Eye and face protection

#### Eye protection:

Wear eye glasses with side protection according to EN 166. Safety glasses

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing. Standard. EN 13034

#### Hand protection:

Wear suitable gloves resistant to chemical penetration. The protective gloves to be used must comply with the specifications of the regulation 2016/425 and the resultant standard ISO 374-1. penetration time (maximum wearing period): > 480 m. Suitable material: butyl rubber, Nitrile rubber (NBR). Layer thickness: 0,3 mm. If there is a risk of liquid being splashed: Nitrile rubber gloves Incidental

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

No personal breathing protective equipment is normally required. In case of inadequate ventilation wear respiratory protection. particle filter device (DIN EN 143)

#### 8.2.2.4. Thermal hazards

No additional information available

## 8.2.3. Environmental exposure controls

## Environmental exposure controls:

Use appropriate container to avoid environmental contamination. Avoid release to the environment.

#### Other information:

Solubility

Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour pink. **Appearance** Viscous. Odour Ester. Odour threshold Not available Melting point Not applicable Freezing point Not available Boiling point Not available Flammability Non flammable. Lower explosion limit Not available Upper explosion limit Not available Not available Flash point Auto-ignition temperature Not available Decomposition temperature Not available рΗ Not available : Not available Viscosity, kinematic Viscosity, dynamic 1 – 2 Pa·s

Water: Insoluble
Organic solvent: Soluble in organic solvents

Partition coefficient n-octanol/water (Log Kow) : Not available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Vapour pressure : Not available
Vapour pressure at 50°C : Not available
Density : Not available

Relative density : 1.05 – 1.2 Relative density, liquid (water=1)

Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : 0 %

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Not established.

## 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

ricate texterty (illinatation)	THO CHAOCHIO	
phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide (162881-26-7)		
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:	
2-hydroxyethyl acrylate (818-61-1)		
LD50 oral rat	540 mg/kg	
LD50 dermal rat	1000 mg/kg bw/day	
Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate (7534-94-3)		
LD50 oral rat	3.16 – 6.81 ml/kg	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878		
Poly(oxy(methyl-1,2-ethanediyl)), .alpha(2-methyl-1-oxo-2- propenyl)omegahydroxy- (4-PO) (39420-45-6)		
LD50 oral rat	> 2000 mg/kg	
Methacrylic acid, monoester with propane-1,2-diol (27813-02-1)		
LD50 oral rat	> 2000 mg/kg bodyweight	
LD50 dermal rabbit	5000 mg/kg	
Skin corrosion/irritation :	Causes skin irritation.	
Poly(oxy(methyl-1,2-ethanediyl)), .alpha(2-m	ethyl-1-oxo-2- propenyl)omegahydroxy- (4-PO) (39420-45-6)	
рН	≈ 7	
Serious eye damage/irritation :	Causes serious eye irritation.	
Poly(oxy(methyl-1,2-ethanediyl)), .alpha(2-m	ethyl-1-oxo-2- propenyl)omegahydroxy- (4-PO) (39420-45-6)	
рН	≈7	
• •	May cause an allergic skin reaction.	
Germ cell mutagenicity : Additional information :	Not classified  Based on available data, the classification criteria are not met	
Carcinogenicity :	Not classified	
Additional information :	Based on available data, the classification criteria are not met	
Reproductive toxicity :	Not classified	
Additional information :	Based on available data, the classification criteria are not met	
STOT-single exposure : Additional information :	May cause respiratory irritation.  Based on available data, the classification criteria are not met	
Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl met		
STOT-single exposure	May cause respiratory irritation.	
STOT-repeated exposure : Additional information :	Not classified Based on available data, the classification criteria are not met	
phenyl bis(2,4,6-trimethylbenzoyl)-phosphine	oxide (162881-26-7)	
NOAEL (oral, rat, 28 days)	> 300 mg/kg bodyweight/day	
NOAEC (inhalation, rat, 28 days)	> mg/l	
NOAEC (inhalation, rat, dust/mist/fume, 28 days)	>	
NOAEL (oral, rat, 90 days)	> 1000 mg/kg bodyweight Animal: rat, Guideline: other:92/69/eec	
2-hydroxyethyl acrylate (818-61-1)		
LOAEC (inhalation, rat, gas, 90 days)	0.024 mg/l	
NOAEL (oral, rat, 28 days)	> 100 mg/kg bodyweight/day	
NOAEL (oral, rat, 90 days)	196 – 305	
NOAEC (inhalation, rat, vapour, 90 days)	0.0024 mg/l air Animal: rat	
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	2.4 mg/m³	
Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate (7534-94-3)		
LOAEC (inhalation, rat, gas, 90 days)	350 ppm Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study), Remarks on results: other:	
NOAEL (oral, rat, 28 days)	17 mg/kg bodyweight/day	
NOAEL (oral, rat, 90 days)	25 – 500 mg/kg bodyweight/day	
NOAEC (inhalation, rat, gas, 90 days)	100 ppm Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study), Remarks on results: other:	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Methacrylic acid, monoester with propane-1,2-diol (27813-02-1)		
LOAEC (inhalation, rat, gas, 90 days)	350 ppm Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)	
NOAEL (oral, rat, 28 days)	300 – 2100 mg/kg bodyweight/day	
NOAEC (inhalation, rat, vapour, 28 days)	100 mg/l	
NOAEL (oral, rat, 90 days)	300 – 2500 mg/kg bodyweight/day	
NOAEC (inhalation, rat, gas, 90 days)	100 ppm Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)	
Aspiration hazard	· Not classified	

Aspiration hazard Not classified

Additional information : E	Based on available data, the classification criteria are not met
Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate (7534-94-3)	
Viscosity, kinematic 4.61 – 8.39 mm²/s @ 20 °C	
Poly(oxy(methyl-1,2-ethanediyl)), .alpha(2-methyl-1-oxo-2- propenyl)omegahydroxy- (4-PO) (39420-45-6)	
Viscosity, kinematic 40 mm²/s @ 20 °C (ASTM D-445)	
Methacrylic acid, monoester with propane-1.2-diol (27813-02-1)	

Viscosity, kinematic  $4.24 - 8.88 \text{ mm}^2/\text{s}$ 

## 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general Avoid release to the environment. Harmful to aquatic life with long lasting effects.

Ecology - water May cause long lasting harmful effects to aquatic life.

Hazardous to the aquatic environment, short-term Not classified

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)

(chronic)		
phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide (162881-26-7)		
LC50 - Fish [1]	> 90 μg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 - Crustacea [1]	> 1175 μg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	> 0.26 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
LOEC (chronic)	0.008 mg/l	
NOEC (chronic)	0.008 mg/l (21 d)	
NOEC chronic fish	> 0.09 mg/l (96h, Danio rerio)	
NOEC chronic algae	0.26 mg/l	
2-hydroxyethyl acrylate (818-61-1)		
LC50 - Fish [1]	4.8 – 17.5 mg/l	
EC50 - Crustacea [1]	9.3 mg/l	
EC50 72h - Algae [1]	6 mg/l	
NOEC (chronic)	0.48 – 0.86 mg/l	
NOEC chronic crustacea	0.86 – 3.8 mg/l (21 days)	

## Safety Data Sheet

2-hydroxyethyl acrylate (818-61-1)		
NOEC chronic algae	1 mg/l	
Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate (7534-94-3)		
LC50 - Fish [1]	1.79 mg/l	
EC50 - Crustacea [1]	2.57 mg/l	
EC50 72h - Algae [1]	2.28 mg/l	
EC50 96h - Algae [1]	2.66 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 96h - Algae [2]	0.913 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)	
LOEC (chronic)	0.428 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	0.233 mg/l	
NOEC chronic crustacea	0.233 mg/l (21 days)	
Poly(oxy(methyl-1,2-ethanediyl)), .alpha(2-m	nethyl-1-oxo-2- propenyl)omegahydroxy- (4-PO) (39420-45-6)	
LC50 - Fish [1]	> 100 mg/l	
EC50 - Crustacea [1]	10 – 100 mg/l	
Methacrylic acid, monoester with propane-1,2	2-diol (27813-02-1)	
LC50 - Fish [1]	100 mg/l	
LC50 - Fish [2]	493 (48 h)	
EC50 - Crustacea [1]	143 – 380 mg/l	
EC50 72h - Algae [1]	97.2 – 345 mg/l	
NOEC (chronic)	45.2 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic crustacea	45.2 mg/l ( 21 d)	
12.2. Persistence and degradability		
NextDent Gingiva Mask		
Persistence and degradability	May cause long-term adverse effects in the environment.	
phenyl bis(2,4,6-trimethylbenzoyl)-phosphine	e oxide (162881-26-7)	
Persistence and degradability	{0}% biodegradation {1}.	
2-hydroxyethyl acrylate (818-61-1)		
Persistence and degradability	Rapidly degradable	
Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate (7534-94-3)		
Persistence and degradability	Rapidly degradable	
Poly(oxy(methyl-1,2-ethanediyl)), .alpha(2-methyl-1-oxo-2- propenyl)omegahydroxy- (4-PO) (39420-45-6)		
Persistence and degradability	Rapidly degradable	
Methacrylic acid, monoester with propane-1,2-diol (27813-02-1)		
Persistence and degradability	Rapidly degradable	
<u>,                                      </u>	I .	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.3. Bioaccumulative potential

NextDent Gingiva Mask			
Bioaccumulative potential	Not established.		
phenyl bis(2,4,6-trimethylbenzoyl)-phosphine	oxide (162881-26-7)		
Partition coefficient n-octanol/water (Log Pow)	4.65 – 5.8 @ 20-22 °C and pH 7.5		
Bioaccumulative potential	No data available.		
2-hydroxyethyl acrylate (818-61-1)	2-hydroxyethyl acrylate (818-61-1)		
Partition coefficient n-octanol/water (Log Pow) -0.17 @ 25 °C			
Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl met	hacrylate (7534-94-3)		
Partition coefficient n-octanol/water (Log Pow) 5.09			
Poly(oxy(methyl-1,2-ethanediyl)), .alpha(2-methyl-1-oxo-2- propenyl)omegahydroxy- (4-PO) (39420-45-6)			
Partition coefficient n-octanol/water (Log Pow) 0.97 @ 20 °C (OESO 107)			
Methacrylic acid, monoester with propane-1,2-diol (27813-02-1)			
Partition coefficient n-octanol/water (Log Pow) 0.97 @ 20 °C and pH 2 - 8			

#### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : Can be dumped in according to local regulations. Disposal must be done according to official regulations.

Additional information : Do not re-use empty containers.

Ecological information : Avoid release to the environment.

European List of Waste (LoW, EC 2000/532) : 18 00 00 - WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED

RESEARCH (EXCEPT KITCHEN AND RESTAURANT WASTES NOT ARISING FROM

IMMEDIATE HEALTH CARE)

HP Code : HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin

irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one

or more sectors of the environment

### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

1/31/2024 (Revision date) EN (English) 13/19

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID	
14.1. UN number or ID n	14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper shipping	g name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard o	14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group	14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
No supplementary information available.					

## 14.6. Special precautions for user

### **Overland transport**

Not applicable

## Transport by sea

Not applicable

### Air transport

Not applicable

### **Inland waterway transport**

Not applicable

#### Rail transport

Not applicable

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (	EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description	
3(b)	NextDent Gingiva Mask; 2-hydroxyethyl acrylate; Exo-1,7,7- trimethylbicyclo[2.2.1]hept -2-yl methacrylate; Poly(oxy(methyl-1,2- ethanediyl)), .alpha(2- methyl-1-oxo-2- propenyl)omega hydroxy- (4-PO); Methacrylic acid, monoester with propane- 1,2-diol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	NextDent Gingiva Mask; 2-hydroxyethyl acrylate; Exo-1,7,7- trimethylbicyclo[2.2.1]hept -2-yl methacrylate; Poly(oxy(methyl-1,2- ethanediyl)), .alpha(2- methyl-1-oxo-2- propenyl)omega hydroxy- (4-PO)	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

## **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Dual-Use Regulation (428/2009)**

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

#### VOC Directive (2004/42)

VOC content : 0 %

### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Indication of chan	ges		
Section	Changed item	Change	Comments
	Revision date	Modified	
1.1	Trade name	Added	
2.1	Adverse physicochemical, human health and environmental effects	Added	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Precautionary statements (CLP)	Modified	
2.2	Hazard statements (CLP)	Modified	
3	Composition/information on ingredients	Modified	
4.1	First-aid measures after ingestion	Added	
4.1	First-aid measures after inhalation	Added	
4.1	First-aid measures after eye contact	Added	
4.1	First-aid measures after skin contact	Added	
4.1	First-aid measures general	Added	
4.2	Symptoms/effects after ingestion	Added	
4.2	Symptoms/effects after eye contact	Added	
4.2	Symptoms/effects after inhalation	Added	
4.2	Symptoms/effects after skin contact	Added	
4.3	Other medical advice or treatment	Added	
5.1	Suitable extinguishing media	Added	
5.2	Hazardous decomposition products in case of fire	Added	
5.2	Fire hazard	Added	
5.2	Explosion hazard	Added	
5.3	Protection during firefighting	Added	
5.3	Firefighting instructions	Added	
6.1	Emergency procedures	Added	
6.1	Protective equipment	Added	
6.1	General measures	Added	
6.1	Protective equipment	Added	
6.1	Emergency procedures	Added	
6.2	Environmental precautions	Added	
6.3	For containment	Added	

## Safety Data Sheet

Indication of changes			
Section	Changed item	Change	Comments
6.3	Other information	Added	
6.3	Methods for cleaning up	Added	
6.4	Reference to other sections (8, 13)	Added	
7.1	Additional hazards when processed	Added	
7.1	Precautions for safe handling	Added	
7.1	Hygiene measures	Added	
7.2	Technical measures	Added	
7.2	Packaging materials	Added	
7.2	Storage conditions	Added	
8.2	Hand protection	Modified	
8.2	Personal protective equipment	Added	
8.2	Appropriate engineering controls	Added	
8.2	Environmental exposure controls	Added	
8.2	Eye protection	Added	
9.1	Melting point	Added	
10.1	Reactivity	Added	
10.6	Hazardous decomposition products	Added	
12.1	Ecology - general	Added	
13.1	European List of Waste (LoW, EC 2000/532)	Added	
13.1	Waste treatment methods	Added	
13.1	Sewage disposal recommendations	Added	
13.1	Additional information	Added	
13.1	Product/Packaging disposal recommendations	Added	
15.1	REACH Annex XVII	Added	
15.2	Chemical safety assessment	Added	
16	Abbreviations and acronyms	Added	

Abbreviations and acronyms:		
CAS-No.	Chemical Abstract Service number	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BLV	Biological limit value	
BCF	Bioconcentration factor	
BOD	Biochemical oxygen demand (BOD)	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
COD	Chemical oxygen demand (COD)	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
ED	Endocrine disrupting properties	
EC-No.	European Community number	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
IOELV	Indicative Occupational Exposure Limit Value	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
N.O.S.	Not Otherwise Specified	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
TRGS	Technical Rules for Hazardous Substances	
SDS	Safety Data Sheet	
VOC	Volatile Organic Compounds	
WGK	Water Hazard Class	
vPvB	Very Persistent and Very Bioaccumulative	

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Other information

: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H412	Harmful to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

Full text of use descriptors	
SU20	Health services

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Skin Irrit. 2	H315 Calculation method	
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H335	Calculation method
Aquatic Chronic 3	H412	Calculation method

The classification complies with : ATP 12

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

1/31/2024 (Revision date) EN (English) 19/19