

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name: VIONIC BASE RESIN FLEX pink-translucent

Manufacturer: DETAX GmbH

SDS Expiry: 27 August 2030

Supplier Details: Henry Schein New Zealand
243-249 Bush Road, Rosedale, Auckland, 0632
PO Box 101 140, North Shore, Auckland 0745
Ph. 0800 808 855
www.henryschein.co.nz

Emergency Contacts: Poisons/Hazardous Chemical Info Centre –
0800POISON/0800764766 (24 Hours)
Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 6.3A, 6.4A, 6.5B, 6.9B, 9.1B

HSNO Group Standard: Dental Products Subsidiary Hazard Group Standard 2020
HSR002558

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared – March 2026

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.

VITA VIONIC® BASE RESIN FLEX pink-translucent

Revision: 27.08.2025

Product code: 3150

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

VITA VIONIC® BASE RESIN FLEX pink-translucent

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Light-curing plastic for the generative manufacture of removable dental prosthesis bases.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: DETAX GmbH
Street: Carl-Zeiss-Strasse 4
Place: D-76275 Ettlingen
Telephone: +497243/510-0
E-mail: post@detax.com
Internet: www.detax.com

Supplier

Company name: VITA Zahnfabrik H.Rauter GmbH & Co.KG
Street: Spitalgasse 3
Place: D-79713 Bad Säckingen
Telephone: +49(0)7761-562-0
E-mail: info@vita-zahnfabrik.com
Contact person: regulatory affairs
E-mail: info@vita-zahnfabrik.com
Internet: www.vita-zahnfabrik.com
Responsible Department: Regulatory Affairs

Telefax: +49(0)7761-562-299

1.4. Emergency telephone number:

+1-800-424-9300 (CHEMTREC)

Further Information

medical device

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Irrit. 2; H315
Eye Irrit. 2; H319
Skin Sens. 1B; H317
STOT SE 3; H335
Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

VITA VIONIC® BASE RESIN FLEX pink-translucent

Revision: 27.08.2025

Product code: 3150


Page 2 of 12

Hazard components for labelling

7,7,9(oder 7,9,9)-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahehexadecan-1,16-diylobismethacrylate
Isobornylmethacrylat
(Octahydro-1H-4,7-methanoinden-5-yl)methyl acrylate
Hydroxypropylmethacrylat
2-hydroxyethyl methacrylate
Ethylphenyl(2,4,6-trimethylbenzoyl)phosphinate

Signal word: Warning

Pictograms:



Hazard statements

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P501 Dispose of contents/container to an appropriate recycling or disposal facility.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P337+P313 If eye irritation persists: Get medical advice/attention.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312 Call a POISON CENTER/doctor if you feel unwell.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of acrylic/methacrylic resins with additives

VITA VIONIC® BASE RESIN FLEX pink-translucent

Revision: 27.08.2025

Product code: 3150

Page 3 of 12

Relevant ingredients

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification (Regulation (EC) No 1272/2008)	
72869-86-4	7,7,9(oder 7,9,9)-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazaheptadecan-1,16-diylbismethacrylate	40- < 60%
	276-957-5	01-2120751202-68
	Skin Sens. 1B, Aquatic Chronic 2; H317 H411	
7534-94-3	Isobornylmethacrylat	5 - < 20%
	231-403-1	
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, Aquatic Chronic 3; H315 H319 H335 H412	
127823-21-6	(Octahydro-1H-4,7-methanoinden-5-yl)methyl acrylate	5 - < 20%
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1B, STOT SE 3, Aquatic Chronic 2; H315 H319 H317 H335 H411	
27813-02-1	Hydroxypropylmethacrylat	5 - < 20%
	248-666-3	01-2119490226-37
	Eye Irrit. 2, Skin Sens. 1; H319 H317	
868-77-9	2-hydroxyethyl methacrylate	0,1 < 5 %
	212-782-2	01-2119490169-29
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1; H315 H319 H317	
68909-20-6	Silamine, 1,1,1 trimethyl-N-trimethylsilyl-hydrolyseprodukt mit Siliciumdioxid	0,1 - < 5 %
	272-697-1	
	STOT RE 2; H373	
84434-11-7	Ethylphenyl(2,4,6-trimethylbenzoyl)phosphinate	0,1 < 5 %
	282-810-6	01-2119987994-10
	Skin Sens. 1, Aquatic Chronic 2; H317 H411	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
72869-86-4	276-957-5	7,7,9(oder 7,9,9)-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazaheptadecan-1,16-diylbismethacrylate	40- < 60%
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	
7534-94-3	231-403-1	Isobornylmethacrylat	5 - < 20%
		dermal: LD50 = > 3000 mg/kg; oral: LD50 = > 2000 mg/kg	
127823-21-6		(Octahydro-1H-4,7-methanoinden-5-yl)methyl acrylate	5 - < 20%
		oral: LD50 = 2000 mg/kg	
27813-02-1	248-666-3	Hydroxypropylmethacrylat	5 - < 20%
		dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 2000 mg/kg	
868-77-9	212-782-2	2-hydroxyethyl methacrylate	0,1 < 5 %
		dermal: LD50 = >5000 mg/kg; oral: LD50 = 5564 mg/kg	
84434-11-7	282-810-6	Ethylphenyl(2,4,6-trimethylbenzoyl)phosphinate	0,1 < 5 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	

SECTION 4: First aid measures

VITA VIONIC® BASE RESIN FLEX pink-translucent

Revision: 27.08.2025

Product code: 3150

Page 4 of 12

4.1. Description of first aid measures

After inhalation

Remove the affected person to fresh air and immobilize in a position that facilitates breathing. Seek medical attention if symptoms occur.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Rinse contaminated skin with plenty of water. Remove contaminated clothing and shoes. Consult a doctor if symptoms occur. Seek medical advice immediately.

After contact with eyes

Immediately flush eyes with plenty of water and occasionally lift upper and lower eyelids. Check for contact lenses and remove if present. Seek medical attention if irritation occurs.

After ingestion

Rinse the mouth with water. If the substance has been swallowed and the affected person is conscious, give small amounts of water to drink. Do not induce vomiting unless specifically instructed to do so by medical personnel. Seek medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Match fire extinguishing measures to the surrounding area.

5.2. Special hazards arising from the substance or mixture

The product is not self-igniting. Vapours may form explosive mixtures with air.

5.3. Advice for firefighters

Wear protective clothing. Use self-contained breathing apparatus. Wear complete protective equipment.

Additional information

Use water spray to cool containers. Fire residues and contaminated extinguishing water must be disposed of in accordance with local regulations. Do not allow to enter drains/surface waters/groundwater.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Ensure good ventilation/exhaustion at the workplace. Avoid contact with eyes and skin. Wear personal protective equipment.

6.2. Environmental precautions

Do not allow to enter drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Other information

For safe handling information: see section 7. See Section 8 for information regarding appropriate personal protective equipment. See section 13 for further details on waste treatment.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

VITA VIONIC® BASE RESIN FLEX pink-translucent

Revision: 27.08.2025

Product code: 3150

Page 5 of 12

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Hygienic measures: Wash hands, arms and face thoroughly after handling chemical products and at the end of the day wash hands, forearms, and face thoroughly after handling chemical products and at the end of the workday, as well as before eating, smoking, and visiting the restroom. Select appropriate methods for removing contaminated clothing. Wash contaminated clothing before reuse. Ensure that eyewash stations and safety showers are available near the work area.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Hints on joint storage

No special measures are necessary.

Further information on storage conditions

Store in a dry place. Store in a closed container. Sensitivity to light (photosensitive).

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Eye protection Wear eye/face protection.

Hand protection

Wear suitable gloves. When handling chemical products, chemical-resistant, impermeable gloves conforming to a recognized standard must always be worn if a risk assessment so requires. > 8 hours (penetration time): Nitrile rubber

Skin protection

Wear suitable protective clothing.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:

Colour: pink

Boiling point or initial boiling point and 209 °C

boiling range:

Flash point: >93 °C

Auto-ignition temperature: 355 °C

Water solubility: The mixture is not soluble (in water).

Vapour pressure: 0,11 hPa

(at 20 °C)

9.2. Other information

VITA VIONIC® BASE RESIN FLEX pink-translucent

Revision: 27.08.2025

Product code: 3150

Page 6 of 12

Information with regard to physical hazard classes

Explosive properties

Not classified as explosive.

Oxidizing properties

Not oxidising.

SECTION 10: Stability and reactivity

10.1. Reactivity

Under normal storage conditions and use, no hazardous reactions will occur.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reacts with : Oxidizing agent ,Strong acid ,Strong Bases.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

VITA VIONIC® BASE RESIN FLEX pink-translucent

Revision: 27.08.2025

Product code: 3150

Page 7 of 12

Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
72869-86-4	7,7,9(oder 7,9,9)-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecan-1,16-diylbismethacrylate				
	oral	LD50 > 5000 mg/kg	Ratte	OECD 401	
	dermal	LD50 > 2000 mg/kg	Ratte	OECD 402	
7534-94-3	Isobornylmethacrylat				
	oral	LD50 > 2000 mg/kg	Rat	MSDS	
	dermal	LD50 > 3000 mg/kg	Rabbit	MSDS	
127823-21-6	(Octahydro-1H-4,7-methanoinden-5-yl)methyl acrylate				
	oral	LD50 2000 mg/kg	Ratte		OECD
27813-02-1	Hydroxypropylmethacrylat				
	oral	LD50 > 2000 mg/kg	Rat	OECD 401	
	dermal	LD50 > 5000 mg/kg	Rabbit		
868-77-9	2-hydroxyethyl methacrylate				
	oral	LD50 5564 mg/kg	Rat		
	dermal	LD50 >5000 mg/kg	Rabbit		
84434-11-7	Ethylphenyl(2,4,6-trimethylbenzoyl)phosphinate				
	oral	LD50 > 5000 mg/kg	Rat		OECD 401
	dermal	LD50 > 2000 mg/kg	Rat		

11.2. Information on other hazards

Further information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

VITA VIONIC® BASE RESIN FLEX pink-translucent

Revision: 27.08.2025

Product code: 3150

Page 8 of 12

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
72869-86-4	7,7,9(oder 7,9,9)-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecan-1,16-diylbismethacrylate					
	Acute fish toxicity	LC50 >100 mg/l	96 h			OECD 203
	Acute algae toxicity	ErC50 >100 mg/l	72 h			OECD 201
	Acute crustacea toxicity	EC50 >100 mg/l	48 h	Daphnia magna	OECD 202	
7534-94-3	Isobornylmethacrylat					
	Acute fish toxicity	LC50 1,79 mg/l	96 h		MSDS	
	Acute crustacea toxicity	EC50 > 2,57 mg/l	48 h	Daphnia magna	MSDS	
127823-21-6	(Octahydro-1H-4,7-methanoinden-5-yl)methyl acrylate					
	Acute fish toxicity	LC50 1,8 mg/l	96 h	Danio rerio		OECD 203
	Acute algae toxicity	ErC50 1,15 mg/l	72 h	Pseudokirchneriellas ubcapitata		OECD 201
	Acute crustacea toxicity	EC50 2,64 mg/l	48 h	Daphnia magna		OECD 202
27813-02-1	Hydroxypropylmethacrylat					
	Acute fish toxicity	LC50 493 mg/l	96 h	Leuciscus idus(Goldorfe)		
	Acute algae toxicity	ErC50 > 97,2 mg/l	72 h	Pseudokirchneriellas ubcapitata	OECD 201	
	Acute crustacea toxicity	EC50 380 mg/l	48 h	Daphnia magna	OECD 202	
868-77-9	2-hydroxyethyl methacrylate					
	Acute fish toxicity	LC50 227 mg/l	96 h	Pimephales promelas (fathead minnow)	Manufacturer	
84434-11-7	Ethylphenyl(2,4,6-trimethylbenzoyl)phosphinate					
	Acute fish toxicity	LC50 1,89 mg/l	96 h	Danio rerio		

12.2. Persistence and degradability

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
127823-21-6	(Octahydro-1H-4,7-methanoinden-5-yl)methyl acrylate				
	OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D	11,8%	28		
	Nicht leicht biologisch abbaubar (nach OECD-Kriter				
27813-02-1	Hydroxypropylmethacrylat				
		94 %	28		
	The product is: Not readily biodegradable (according to OECD criteria).				

12.3. Bioaccumulative potential

VITA VIONIC® BASE RESIN FLEX pink-translucent

Revision: 27.08.2025

Product code: 3150

Page 9 of 12

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
72869-86-4	7,7,9(oder 7,9,9)-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecan-1,16-diylbismethacrylate	3,39
27813-02-1	Hydroxypropylmethacrylat	0,97
868-77-9	2-hydroxyethyl methacrylate	0,47

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter drains/surface waters/groundwater. Appropriate disposal / Package

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

UN 3082

14.2. UN proper shipping name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.


14.3. Transport hazard class(es):

9

14.4. Packing group:

III

Hazard label:



Classification code:

M6

Special Provisions:

274 335 375 601

Limited quantity:

5 L

Excepted quantity:

E1

Transport category:

3

Hazard No:

90

Tunnel restriction code:

-

Other applicable information (land transport)

Contains: 7,7,9(oder 7,9,9)-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecan-1,16-diylbismethacrylat

Inland waterways transport (ADN)

14.1. UN number or ID number:

UN 3082

14.2. UN proper shipping name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es):

9

14.4. Packing group:

III

Hazard label:



Classification code:

M6

Special Provisions:

274 335 375 601

Limited quantity:

5 L

VITA VIONIC® BASE RESIN FLEX pink-translucent

Revision: 27.08.2025

Product code: 3150

Page 10 of 12

Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 3082
14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.3. Transport hazard class(es): 9
14.4. Packing group: III
 Hazard label: 9



Special Provisions: 274 335 969
 Limited quantity: 5 L
 Excepted quantity: E1
 EmS: F-A, S-F

Other applicable information (marine transport)

Contains: 7,7,9(oder 7,9,9)-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecan-1,16-diylobismethacrylat
 Flash point: > 100°C

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3082
14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.3. Transport hazard class(es): 9
14.4. Packing group: III
 Hazard label: 9



Special Provisions: A97 A158 A197 A215
 Limited quantity Passenger: 30 kg G
 Passenger LQ: Y964
 Excepted quantity: E1
 IATA-packing instructions - Passenger: 964
 IATA-max. quantity - Passenger: 450 L
 IATA-packing instructions - Cargo: 964
 IATA-max. quantity - Cargo: 450 L

Other applicable information (air transport)

Contains: 7,7,9(oder 7,9,9)-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecan-1,16-diylobismethacrylat

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):
 Entry 3

Information according to Directive 2012/18/EU (SEVESO III): E2 Hazardous to the Aquatic Environment

VITA VIONIC® BASE RESIN FLEX pink-translucent

Revision: 27.08.2025

Product code: 3150

Page 11 of 12

National regulatory information

Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	3 - highly hazardous to water
Skin resorption/Sensitization:	Causes allergic hypersensitivity reactions.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,3,4,7,8,9,10,11,15.

Abbreviations and acronyms

Skin Irrit. 2: Skin irritation, hazard category 2
Eye Irrit. 2: Eye irritation, hazard category 2
Skin Sens. 1: Skin sensitisation, hazard category 1
Skin Sens. 1B: Skin sensitisation, hazard category 1B
STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3
STOT RE 2: Specific target organ toxicity - repeated exposure, hazard category 2
Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard category: Chronic 2
Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard category: Chronic 3
ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE: Acute Toxicity Estimates
ADN: European agreement concerning the international carriage of dangerous goods by inland waterways
BCF: Bioconcentration factor
CLP: Classification labelling packaging regulation; Regulation (EC) No 1272/2008
DMEL: Derived minimal effect level
DNEL: Derived-No effect level
DPD: Dangerous preparations directive 1999/45/EC
GHS: Globally harmonized system of classification and labelling of chemicals
IARC: International agency for research on cancer
EC50: mean effective concentration, 50%
IATA: International air transport association
IMDG: International Maritime Code for Dangerous Goods
LC50: lethal concentration, 50%
LD50: lethal dose, 50%
LOAEL: Lowest observed adverse effect level
NOAEL: No-Observed adverse effect level
NOEC: No-Observed effect concentration
OECD: Organisation for economic Co-operation and development
PBT: persistent, bioaccumulative and toxic
PNEC: Predicted No-Effect concentration
REACH: Registration, evaluation, authorisation and restriction of chemicals regulation (EC) No 1907/2006
RID: Regulations concerning the international carriage of dangerous goods by rail
SDS: Safety data sheet
STP: Sewage treatment plant
TLM: Median tolerance limit
vPvB: very persistent and very bioaccumulative

VITA VIONIC® BASE RESIN FLEX pink-translucent

Revision: 27.08.2025

Product code: 3150

Page 12 of 12

Classification for mixtures and used evaluation method

Classification	Classification procedure
Skin Irrit. 2; H315	
Eye Irrit. 2; H319	
Skin Sens. 1B; H317	
STOT SE 3; H335	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)