

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name: VM OPAQUE FLUID

Manufacturer: VITA Zahnfabrik H.Rauter GmbH & Co.KG

SDS Expiry: 17 January 2028

Supplier Details: Henry Schein New Zealand  
243-249 Bush Road, Rosedale, Auckland, 0632  
PO Box 101 140, North Shore, Auckland 0745  
Ph. 0800 808 855  
[www.henryschein.co.nz](http://www.henryschein.co.nz)

Emergency Contacts: Poisons/Hazardous Chemical Info Centre –  
0800POISON/0800764766 (24 Hours)  
Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 8.2A, 8.3A

HSNO Group Standard: Dental Products Corrosive Group Standard 2020 HSR002555

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared – June 2026

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.

## Safety Data Sheet

according to UK REACH Regulation

### VITA VM OPAQUE FLUID

Revision date: 17.01.2023

Product code: 168

Page 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

VITA VM OPAQUE FLUID

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Use as laboratory reagent

### 1.3. Details of the supplier of the safety data sheet

Company name: VITA Zahnfabrik H.Rauter GmbH & Co.KG

Street: Spitalgasse 3

Place: D-79713 Bad Säckingen

Post-office box: 1338

D-79704 Bad Säckingen

Telephone: +49(0)7761-562-0

Telefax: +49(0)7761-562-299

e-mail: info@vita-zahnfabrik.com

Contact person: regulatory affairs

e-mail: info@vita-zahnfabrik.com

Internet: www.vita-zahnfabrik.com

Responsible Department: Regulatory Affairs

### 1.4. Emergency telephone

+49-(0)761-19240

#### number:

#### Further Information

medical device

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### GB CLP Regulation

Skin Corr. 1; H314

Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### GB CLP Regulation

#### Hazard components for labelling

ethyl alcohol

sodium hydroxide; caustic soda

Signal word: Danger

#### Pictograms:



#### Hazard statements

H314

Causes severe skin burns and eye damage.

#### Precautionary statements

P260

Do not breathe dust/fume/gas/mist/vapours/spray.

P280

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

## Safety Data Sheet

according to UK REACH Regulation

### VITA VM OPAQUE FLUID

Revision date: 17.01.2023

Product code: 168

Page 2 of 9

P305+P351+P338 or shower.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### 2.3. Other hazards

No information available.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Hazardous components

| CAS No    | Chemical name                         |              |                  | Quantity  |
|-----------|---------------------------------------|--------------|------------------|-----------|
|           | EC No                                 | Index No     | REACH No         |           |
|           | Classification (GB CLP Regulation)    |              |                  |           |
| 64-17-5   | ethyl alcohol                         |              |                  | 1 - < 5 % |
|           | 200-578-6                             | 603-002-00-5 | 01-2119457610-43 |           |
|           | Flam. Liq. 2, Eye Irrit. 2; H225 H319 |              |                  |           |
| 1310-73-2 | sodium hydroxide; caustic soda        |              |                  | < 1 %     |
|           | 215-185-5                             | 011-002-00-6 |                  |           |
|           | Skin Corr. 1A; H314                   |              |                  |           |
| 7790-69-4 | Lithium nitrate                       |              |                  | < 1 %     |
|           | 232-218-9                             |              |                  |           |
|           | Ox. Sol. 3; H272                      |              |                  |           |

Full text of H and EUH statements: see section 16.

##### Specific Conc. Limits, M-factors and ATE

| CAS No    | EC No     | Chemical name                                                                                                                         | Quantity  |
|-----------|-----------|---------------------------------------------------------------------------------------------------------------------------------------|-----------|
|           |           | Specific Conc. Limits, M-factors and ATE                                                                                              |           |
| 64-17-5   | 200-578-6 | ethyl alcohol                                                                                                                         | 1 - < 5 % |
|           |           | dermal: LD50 = 7060 mg/kg                                                                                                             |           |
| 1310-73-2 | 215-185-5 | sodium hydroxide; caustic soda                                                                                                        | < 1 %     |
|           |           | Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0.5 - < 2<br>Eye Irrit. 2; H319: >= 0.5 - < 2 |           |

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

##### After inhalation

Provide fresh air. Medical treatment necessary.

##### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

##### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

##### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not

## Safety Data Sheet

according to UK REACH Regulation

### VITA VM OPAQUE FLUID

Revision date: 17.01.2023

Product code: 168

Page 3 of 9

allow a neutralisation agent to be drunk.

#### **4.2. Most important symptoms and effects, both acute and delayed**

No information available.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

##### **Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

#### **5.2. Special hazards arising from the substance or mixture**

Non-flammable.

#### **5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

##### **Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

Use personal protection equipment.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

#### **6.3. Methods and material for containment and cleaning up**

##### **Other information**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

##### **Advice on protection against fire and explosion**

No special fire protection measures are necessary.

##### **Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

#### **7.2. Conditions for safe storage, including any incompatibilities**

## Safety Data Sheet

according to UK REACH Regulation

### VITA VM OPAQUE FLUID

Revision date: 17.01.2023

Product code: 168

Page 4 of 9

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations.

#### Hints on joint storage

No special measures are necessary.

#### 7.3. Specific end use(s)

Use as laboratory reagent

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Exposure limits (EH40)

| CAS No    | Substance        | ppm  | mg/m <sup>3</sup> | fibres/ml | Category      | Origin |
|-----------|------------------|------|-------------------|-----------|---------------|--------|
| 64-17-5   | Ethanol          | 1000 | 1920              |           | TWA (8 h)     | WEL    |
| 1310-73-2 | Sodium hydroxide | -    | 2                 |           | STEL (15 min) | WEL    |

#### 8.2. Exposure controls



##### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Suitable eye protection: goggles.

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Recommended glove articles KCL Dermatril P Breakthrough time: 480 NBR (Nitrile rubber)

##### Skin protection

Use of protective clothing.

##### Respiratory protection

Provide adequate ventilation as well as local exhaust at critical locations. Technical ventilation of workplace

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

|                 |                |
|-----------------|----------------|
| Physical state: | Liquid         |
| Colour:         | colourless     |
| Odour:          | characteristic |

##### Changes in the physical state

|                               |                |
|-------------------------------|----------------|
| Melting point/freezing point: | not determined |
|-------------------------------|----------------|

## Safety Data Sheet

according to UK REACH Regulation

### VITA VM OPAQUE FLUID

Revision date: 17.01.2023

Product code: 168

Page 5 of 9

Boiling point or initial boiling point and boiling range: 100 °C

Flash point: not determined

#### Flammability

Solid/liquid: not applicable

Gas: not applicable

#### Explosive properties

The product is not: Explosive.

Lower explosion limits: not determined

Upper explosion limits: not determined

#### Self-ignition temperature

Solid: not applicable

Gas: not applicable

Decomposition temperature: not determined

pH-Value: 12,7

#### Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined

Vapour pressure:  
(at 50 °C) <=1100 hPa

Density: 1,00000 g/cm³

Relative vapour density: not determined

### 9.2. Other information

#### Information with regard to physical hazard classes

Oxidizing properties

Not oxidising.

#### Other safety characteristics

Solid content: 0,0 %

Evaporation rate: not determined

#### Further Information

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Possibility of hazardous reactions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxides, Oxidizing agent.

#### 10.4. Conditions to avoid

none

#### 10.5. Incompatible materials

Keep away from: Acid, Oxidizing agent, Peroxides.

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## Safety Data Sheet

according to UK REACH Regulation

### VITA VM OPAQUE FLUID

Revision date: 17.01.2023

Product code: 168

Page 6 of 9

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met.

| CAS No  | Chemical name  |                 |         |        |        |
|---------|----------------|-----------------|---------|--------|--------|
|         | Exposure route | Dose            | Species | Source | Method |
| 64-17-5 | ethyl alcohol  |                 |         |        |        |
|         | dermal         | LD50 7060 mg/kg |         |        |        |

#### Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## SECTION 12: Ecological information

### 12.1. Toxicity

The product is not: Ecotoxic.

### 12.2. Persistence and degradability

The product has not been tested.

### 12.3. Bioaccumulative potential

The product has not been tested.

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

#### Further information

Avoid release to the environment.

## Safety Data Sheet

according to UK REACH Regulation

### VITA VM OPAQUE FLUID

Revision date: 17.01.2023

Product code: 168

Page 7 of 9

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

## SECTION 14: Transport information

### Land transport (ADR/RID)

#### 14.1. UN number or ID number:

UN 1824

#### 14.2. UN proper shipping name:

SODIUM HYDROXIDE SOLUTION

#### 14.3. Transport hazard class(es):

8

#### 14.4. Packing group:

III

Hazard label:

8



Classification code:

C5

Limited quantity:

5 L

Excepted quantity:

E1

Transport category:

3

Hazard No:

80

Tunnel restriction code:

E

### Inland waterways transport (ADN)

#### 14.1. UN number or ID number:

UN 1824

#### 14.2. UN proper shipping name:

SODIUM HYDROXIDE SOLUTION

#### 14.3. Transport hazard class(es):

8

#### 14.4. Packing group:

III

Hazard label:

8



Classification code:

C5

Limited quantity:

5 L

Excepted quantity:

E1

### Marine transport (IMDG)

#### 14.1. UN number or ID number:

UN 1824

#### 14.2. UN proper shipping name:

SODIUM HYDROXIDE SOLUTION

#### 14.3. Transport hazard class(es):

8

#### 14.4. Packing group:

III

Hazard label:

8



Special Provisions:

223

Limited quantity:

5 L

Excepted quantity:

E1

EmS:

F-A, S-B

## Safety Data Sheet

according to UK REACH Regulation

### VITA VM OPAQUE FLUID

Revision date: 17.01.2023

Product code: 168

Page 8 of 9

Segregation group: 18 - alkalis

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** UN 1824  
**14.2. UN proper shipping name:** SODIUM HYDROXIDE SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
Hazard label: 8



Special Provisions: A3 A803  
Limited quantity Passenger: 1 L  
Passenger LQ: Y841  
Excepted quantity: E1  
IATA-packing instructions - Passenger: 852  
IATA-max. quantity - Passenger: 5 L  
IATA-packing instructions - Cargo: 856  
IATA-max. quantity - Cargo: 60 L

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

Warning: strongly corrosive.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

##### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 14.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

## Safety Data Sheet

according to UK REACH Regulation

### VITA VM OPAQUE FLUID

Revision date: 17.01.2023

Product code: 168

Page 9 of 9

EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service  
 LC50: Lethal concentration, 50%  
 LD50: Lethal dose, 50%  
 CLP: Classification, labelling and Packaging  
 REACH: Registration, Evaluation and Authorization of Chemicals  
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
 UN: United Nations  
 DNEL: Derived No Effect Level  
 DMEL: Derived Minimal Effect Level  
 PNEC: Predicted No Effect Concentration  
 ATE: Acute toxicity estimate  
 LL50: Lethal loading, 50%  
 EL50: Effect loading, 50%  
 EC50: Effective Concentration 50%  
 ErC50: Effective Concentration 50%, growth rate  
 NOEC: No Observed Effect Concentration  
 BCF: Bio-concentration factor  
 PBT: persistent, bioaccumulative, toxic  
 vPvB: very persistent, very bioaccumulative  
 RID: Regulations concerning the international carriage of dangerous goods by rail  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation  
 intérieures)  
 EmS: Emergency Schedules  
 MFAG: Medical First Aid Guide  
 ICAO: International Civil Aviation Organization  
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
 IBC: Intermediate Bulk Container  
 SVHC: Substance of Very High Concern  
 For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification     | Classification procedure |
|--------------------|--------------------------|
| Skin Corr. 1; H314 | On basis of test data    |
| Eye Dam. 1; H318   | On basis of test data    |

#### Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.  
 H272 May intensify fire; oxidiser.  
 H314 Causes severe skin burns and eye damage.  
 H318 Causes serious eye damage.  
 H319 Causes serious eye irritation.

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*