

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name:                   Admira Bond

Manufacturer:                   VOCO

SDS Expiry:                     24 January 2030

Supplier Details:               Henry Schein New Zealand  
243-249 Bush Road, Rosedale, Auckland, 0632  
PO Box 101 140, North Shore, Auckland 0745  
Ph. 0800 808 855  
[www.henryschein.co.nz](http://www.henryschein.co.nz)

Emergency Contacts:         Poisons/Hazardous Chemical Info Centre –  
0800POISON/0800764766 (24 Hours)  
Phone 111 for Fire, Ambulance or Police

HSNO Class/Category:       3 / 6 / 8

HSNO Group Standard:       Dental Products Flammable Group Standard 2020 HSR002556

Statements/Pictograms:     As per attached Safety Data Sheet (SDS)

Date Prepared:                 This coversheet was prepared – March 2025

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.

**Data sheet for medical devices / EU**

Printing date 24.01.2025

Version number 1

Revision: 24.01.2025

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name:** Admira Bond**Chemical Identification:**

This product is a medical device in accordance with Directive 93/42/EEC on medical devices or Regulation (EU) 2017/745 (MDR), which is used invasively or in contact with the body. It is therefore exempt from the classification and labelling requirements of Regulations (EC) 1907/2006 (REACH, Art. 2 (6) c)) and (EC) 1272/2008 ((UK) CLP, Article 1 (5) d).

A safety data sheet is not required by law for this product. This information is provided on a voluntary basis in the form of this Medical Devices Data Sheet.

**Product category** Dental medical device**Article category**

The information relevant for the application and for the safety of users and patients is defined in the product-specific directions for use. The instructions for use must be observed.

The product should only be applied by a professionally trained dental practitioner.

**Application of the substance / the mixture** bonding material**1.3 Details of the supplier of the data sheet****Manufacturer/Supplier:**

VOCO GmbH

Anton-Flettner-Str. 1-3

D-27472 Cuxhaven

info@voco.de

+49 (0) 4721-719-0 Mo - Fr / 08:00h - 16:00h

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

This product is a medical device in accordance with Directive 93/42/EEC on medical devices or Regulation (EU) 2017/745 (MDR), which is used invasively or in contact with the body. It is therefore exempt from the classification and labelling requirements of Regulations (EC) 1907/2006 (REACH, Art. 2 (6) c)) and (EC) 1272/2008 ((UK) CLP, Article 1 (5) d).

The classification criteria of Regulation (EC) No 1272/2008 are not directly applicable to this product, but are considered by us as an orienting basis for assessment. The health and environmental hazards have been assessed and classified on the basis of the information known to us on the components and their reaction processes. The following hazards based on the classification criteria of Regulation (EC) No 1272/2008 for humans and the environment cannot be excluded:

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H336 May cause drowsiness or dizziness.

**2.3 Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****3.2 Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

acetone	Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	50-75%
Ormocer	Skin Irrit. 2, H315; Eye Irrit. 2, H319	10-25%
HEMA	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	2.5-10%
Acidic adhesive monomer	Skin Corr. 1A, H314; Eye Dam. 1, H318; Skin Sens. 1, H317	2.5-10%

(Contd. on page 2)

**Data sheet for medical devices / EU**

Printing date 24.01.2025

Version number 1

Revision: 24.01.2025

**Trade name: Admira Bond**

(Contd. of page 1)

HPMA	Eye Irrit. 2, H319; Skin Sens. 1, H317	1-2.5%
------	--	--------

**· Additional information:***Further information on ingredients can be found in the instructions for use.**In case of known hypersensitivity to the ingredients mentioned in the instructions for use, do not use the product.***SECTION 4: First aid measures****· 4.1 Description of first aid measures****· General information:** *No special measures required.***· After inhalation:** *Supply fresh air; consult doctor in case of complaints.***· After skin contact:***Immediately wash with water and soap and rinse thoroughly.**If skin irritation continues, consult a doctor.***· After eye contact:***Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.***· After swallowing:***Rinse out mouth and then drink plenty of water.**If symptoms persist consult doctor.***· 4.2 Most important symptoms and effects, both acute and delayed** *No further relevant information available.***· 4.3 In case of contact with mucous membranes during treatment:** *No special measures required.***SECTION 5: Firefighting measures****· 5.1 Extinguishing media****· Suitable extinguishing agents:** *Use fire extinguishing methods suitable to surrounding conditions.***· 5.2 Special hazards arising from the substance or mixture** *No further relevant information available.***· 5.3 Advice for firefighters****· Protective equipment:** *No special measures required.***SECTION 6: Accidental release measures****· 6.1 Personal precautions, protective equipment and emergency procedures** *Not required.***· 6.2 Environmental precautions:** *No special measures required.***· 6.3 Methods and material for containment and cleaning up:***Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).**Ensure adequate ventilation.***· 6.4 Reference to other sections***See Section 7 for information on safe handling.**See Section 8 for information on personal protection equipment.**See Section 13 for disposal information.***SECTION 7: Handling and storage****· 7.1 Precautions for safe handling***Ensure good ventilation/exhaustion at the workplace.**Prevent formation of aerosols.**No special precautions are necessary if used correctly.**For use in dental application only.**Observe the instructions for use! This contains the relevant application and safety information for the use of this product.***· Information about fire - and explosion protection:***Keep ignition sources away - Do not smoke.**Protect against electrostatic charges.*

(Contd. on page 3)

EU

**Data sheet for medical devices / EU**

Printing date 24.01.2025

Version number 1

Revision: 24.01.2025

**Trade name: Admira Bond**

(Contd. of page 2)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Please observe the storage instructions on the packaging and in the instructions for use.

**SECTION 8: Exposure controls/personal protection**

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:**  
Due to the proportions contained in relation to the amount of product during use and the way it is incorporated into the product, monitoring of specific, workplace-related limit values is not applicable.
- **8.2 Exposure controls**
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**  
The usual precautionary measures are to be adhered to when handling chemicals.  
Avoid contact with the eyes and skin.  
In the context of the use of this product, the hygiene standards customary and general in dental practice, such as hand, mouth and eye protection, must be applied.

**SECTION 9: Physical and chemical properties**

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Liquid
- **Colour:** Yellowish
- **Odour:** Characteristic
- **Odour threshold:** Not determined.
- **Melting point/freezing point:** Undetermined.
- **Boiling point or initial boiling point and boiling range** Undetermined.
- **Flammability** Highly flammable.
- **Lower and upper explosion limit**
- **Lower:** Not determined.
- **Upper:** Not determined.
- **Flash point:** < 23 °C
- **Decomposition temperature:** Not determined.
- **pH at 20 °C** 2.1
- **Viscosity:**
- **Kinematic viscosity** Not determined.
- **Dynamic:** Not determined.
- **Solubility**
- **water:** Partly miscible.
- **Partition coefficient n-octanol/water (log value)** Not determined.
- **Vapour pressure:** Not determined.
- **Density and/or relative density**
- **Density:** Not determined.
- **Relative density** Not determined.
- **Vapour density** Not determined.

(Contd. on page 4)

EU

**Data sheet for medical devices / EU**

Printing date 24.01.2025

Version number 1

Revision: 24.01.2025

**Trade name: Admira Bond**

(Contd. of page 3)

- **9.2 Other information**
- **Appearance:**
- **Form:** Fluid
- **Important information on protection of health and environment, and on safety.**
- **Auto-ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
- **Change in condition:** The material will cure if exposed to light. Follow the instructions for light curing in the Instructions for Use.

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Stable.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11: Toxicological information**

- **Other information**  
As an invasive medical device, the product is subject to relevant laws and standards which ensure the safety and performance of the product when used appropriately and in accordance with the instructions for use. Specific toxicological information is not applicable at this point. The instructions for use must be observed.

**SECTION 12: Ecological information**

- **General notes:**  
As an invasive medical device, the product is subject to relevant laws and standards that ensure the safety and performance of the product when used properly and in accordance with the instructions for use. Special environmental information is not applicable at this point. The instructions for use must be observed.

**SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
- **Recommendation**  
Dispose of in accordance with official regulations. For further information, see the instructions for use.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

**SECTION 14: Transport information**

- **14.1 UN number or ID number**
- **ADR, IMDG, IATA** UN2924
- **14.2 UN proper shipping name**
- **ADR** 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ACETONE)

(Contd. on page 5)

EU

**Data sheet for medical devices / EU**







Printing date 24.01.2025

Version number 1

Revision: 24.01.2025

**Trade name: Admira Bond**

(Contd. of page 4)

· <b>IMDG, IATA</b>	<i>FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ACETONE)</i>
· <b>14.3 Transport hazard class(es)</b>	
· <b>ADR</b>	
 	
· <b>Class</b>	<i>3 Flammable liquids.</i>
· <b>Label</b>	<i>3+8</i>
· <b>IMDG</b>	
 	
· <b>Class</b>	<i>3 Flammable liquids.</i>
· <b>Label</b>	<i>3/8</i>
· <b>IATA</b>	
 	
· <b>Class</b>	<i>3 Flammable liquids.</i>
· <b>Label</b>	<i>3 (8)</i>
· <b>14.4 Packing group</b>	
· <b>ADR, IMDG, IATA</b>	<i>I</i>
· <b>14.5 Environmental hazards:</b>	<i>Not applicable.</i>
· <b>14.6 Special precautions for user</b>	<i>Warning: Flammable liquids.</i>
· <b>Hazard identification number (Kemler code):</b>	<i>338</i>
· <b>EMS Number:</b>	<i>F-E,S-C</i>
· <b>Stowage Category</b>	<i>E</i>
· <b>Stowage Code</b>	<i>SW2 Clear of living quarters.</i>
· <b>14.7 Maritime transport in bulk according to IMO instruments</b>	<i>Not applicable.</i>
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	<i>0</i>
· <b>Excepted quantities (EQ)</b>	<i>Code: E0</i> <i>Not permitted as Excepted Quantity</i>
· <b>Transport category</b>	<i>I</i>
· <b>Tunnel restriction code</b>	<i>C/E</i>
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	<i>0</i>
· <b>Excepted quantities (EQ)</b>	<i>Code: E0</i> <i>Not permitted as Excepted Quantity</i>
· <b>UN "Model Regulation":</b>	<i>UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ACETONE), 3 (8), I</i>

**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
*Regulation (EU) 2017/745*  
*Medical Devices Regulation*

(Contd. on page 6)

EU

**Data sheet for medical devices / EU**

Printing date 24.01.2025

Version number 1

Revision: 24.01.2025

**Trade name: Admira Bond**

(Contd. of page 5)

*Directive 93/42/EEC concerning medical devices*

*This product is regulated by Regulation (EU) No 2019/1148 - Regulation on the marketing and use of explosives precursors: All suspicious transactions and the loss and theft of significant quantities must be reported to the relevant national contact point. See [https://ec.europa.eu/home-affairs/sites/homeaffairs/files/what-we-do/policies/crisis-and-terrorism/explosives/explosives-precursors/docs/list\\_of\\_competent\\_authorities\\_and\\_national\\_contact\\_points\\_en.pdf](https://ec.europa.eu/home-affairs/sites/homeaffairs/files/what-we-do/policies/crisis-and-terrorism/explosives/explosives-precursors/docs/list_of_competent_authorities_and_national_contact_points_en.pdf). Translated with DeepL.com (free version)*

**15.2 Chemical safety assessment:**

*The health and environmental hazards have been assessed and classified on the basis of the information known to us on the components and their reaction processes.*

*A Chemical Safety Assessment has not been carried out.*

**SECTION 16: Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

*The product to which this data sheet is assigned is a medical device according to the EU Medical Devices Regulation EU 2017/745. Invasive medical devices or medical devices in direct physical contact are exempt from the requirements for classification and labelling according to Regulations (EC) 1907/2006 (REACH, Art. 2 (6) c) and (EC) 1272/2008 ((UK) CLP, Article 1 (5) d). The Medical Devices Regulation does not require a safety data sheet for invasive medical devices or medical devices in direct body contact, as the safe use of the product is indicated in the instructions for use and/or the labelling. Nevertheless, we provide a data sheet for medical devices in order to provide as transparent a source as possible for the assessment of hazards to humans and the environment.*

**Relevant phrases**

*H225 Highly flammable liquid and vapour.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
EUH066 Repeated exposure may cause skin dryness or cracking.*

**Department issuing Datasheet:** Knowledge Communication Department

**Contact:**

*Global headquarter:  
VOCO GmbH  
Anton-Flettner-Str. 1-3  
D-27472 Cuxhaven  
[info@voco.de](mailto:info@voco.de)  
+49 (0) 4721-719-0 Mo - Fr / 08:00h - 16:00h*

*Australian sponsor address:  
VOCO Australia Pty Ltd  
Level 19, 133-145 Castlereagh Street  
Sydney, NSW 2000  
Email: [info@voco.com](mailto:info@voco.com)*

*For further contact information, please visit [www.voco.dental](http://www.voco.dental)*

**Version number of previous version:** Not applicable.

**Abbreviations and acronyms:**

*Flam. Liq. 2: Flammable liquids – Category 2  
Skin Corr. 1A: Skin corrosion/irritation – Category 1A  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
Skin Sens. 1: Skin sensitisation – Category 1  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*