

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name:	Gyp-Strip
Manufacturer:	Whip Mix Corporation
SDS Expiry:	23 March 2027
Supplier Details:	Henry Schein New Zealand 243-249 Bush Road, Rosedale, Auckland, 0632 PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz
Emergency Contacts:	Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police
HSNO Class/Category:	6 / 8
HSNO Group Standard:	Dental Products Corrosive Group Standard 2020 HSR002555
Statements/Pictograms:	As per attached Safety Data Sheet (SDS)
Date Prepared:	This coversheet was prepared – October 2024

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.



# SAFETY DATA SHEET Regulation (EC) No 1907/2006 and 2020/878 (REACH)

I.1 Product Identifier: Product Type: Gypsum Remover Trade Names: Gyp-Strip				
I.2 Relevant Identified Uses of the Substa Product Use: Gypsum Remover Uses Advised Against: For professiona		e and Uses Ac	lvised Against:	
I.3 Details of the Supplier of the Substanc	e or Mixture:			
	REC 1(800) 42		26 – 28 ortmund 567 70 8-0 ind Canada)	
Other Product Information: Infor@whip		03-527-3887 (	Collect calls accepted)	
ection 2 Hazard Identification				
2.1 Classification of the Substance or Mixe OSHA/WHIMIS/GHS/CLP Classification				
Health Hazards	Physical Haz	ards	Environmental Hazards	
Eye Damage Category 1 (H318)	Not hazardou		Not Hazardous	





H314 Causes severe skin burns and eye damage.

H373 May cause damage to respiratory tract through prolonged or repeated exposure by inhalation.

# Prevention

P260 Do not breathe spray or mists.

P264 Wash thoroughly after handling.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

## Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P310 Immediately call a POISON CENTER or doctor. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with soap and water.

P363 Wash contaminated clothing before reuse.

P310 Immediately call a POISON CENTER or doctor.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER or doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor.

P314 Get medical attention if you feel unwell.

### Storage

P405 Store locked up.

### Disposal

P501 Dispose of contents and container in accordance with local and national regulations.

### 2.3 Other Hazards: None

### Section 3 Composition/Information on Ingredients.

### 3.1 Substance: Not applicable

#### 3.2 Mixture:

Substance	CAS No. / EC Number	%	CLP/GHS Classification (1272/2008)	ATE/ Specific Concentration limits/ M- Factor
Sodium Citrate	68-04-2/ 200-675-3	1-10	Not Classified	None
Tetrasodium EDTA	64-02-8/ 200-573-9	<10	Acute Tox. 4 H302 Acute Tox. 4 H332 Eye Dam. 1 H318 STOT RE 2 H373	ATE Oral: 1780 mg/kg ATE Inhalation, vapors: 11 mg/L (point estimate)
Sodium Hydroxide	1310-73-2/ 215-185-5	0.1-1	Met. Corr. 1 H290 Skin Corr. 1A H314 Eye Dam. 1 H318	SCL: Skin Corr. 1A: ≥5% SCL: Skin Corr. 1B: 2-<5% SCL: Skin Irrit. 2: 0.5-<2% SCL: Eye Irrit. 2: 0.5-<2%

## The specific identity and/or concentration of composition has been withheld as a trade secret.

See Section 16 for full text of GHS Classifications.

# Section 4 First-Aid Measures.

### 4.1 Description of First Aid Measures

**Inhalation:** Immediately remove victim to fresh air. If breathing is difficult, oxygen should be administered by qualified personnel. If breathing has stopped, administer artificial respiration. Get immediate medical attention. **Eyes:** Immediately flush with large quantities of water for at least 30 minutes, while holding the eyelids apart. Get immediate medical attention.

**Skin:** Flush skin with water for 15 minutes. Remove contaminated clothing and shoes. Get immediate medical attention. Launder clothing before reuse. Discard contaminated clothing.

**Ingestion:** If conscious, rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious or convulsing person. Get immediate medical attention.

**4.2 Most Important symptoms and effects, both acute and delayed:** Causes severe eye irritation or burns. Permanent damage may occur. Skin contact may cause severe irritation or burns. Inhalation of vapors or mists may cause respiratory irritation, difficulty in breathing and pulmonary edema. Swallowing may cause burns to the mouth, throat and stomach with abdominal pain, nausea and vomiting.

**4.3 Indication of any immediate medical attention and special treatment needed:** Immediate medical attention is required for routes of exposure.

Section 5 Fire-Fighting Measures.

5.1 Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

5.2 Special Hazards Arising from the Substance or Mixture: Combustion may produce carbon and sodium oxides.

**5.3 Advice for Fire-Fighters:** Firefighters should wear full emergency equipment and approved positive pressure self-contained breathing apparatus. Cool fire exposed containers with water.

Section 6 Accidental Release Measures.

**6.1 Personal Precautions, Protective Equipment and Emergency Procedures:** Evacuate spill area and keep unprotected personnel away. Prevent contact with the eyes, skin and clothing. Ventilate area. Wear appropriate protective clothing as described in Section 8.

**6.2 Environmental Precautions:** Prevent spill from entering sewers and water courses. Report releases as required by local and national authorities.

**6.3 Methods and Material for Containment and Cleaning Up:** Contain and collect using inert absorbent materials and place in appropriate containers for disposal. Neutralize small spills and residues with dilute acetic acid.

**6.4 Reference to Other Sections:** Refer to Section 8 for personal protective equipment and Section 13 for disposal information.

# Section 7 Handling and Storage.

**7.1 Precautions for Safe Handling** Prevent contact with the eyes, skin and clothing. Do not breathe vapors or mists. Wear protective clothing and equipment. Use only with adequate ventilation. Wash thoroughly with soap and water after handling. Keep containers closed when not in use.

Empty containers retain product residues can be hazardous. Follow all SDS precautions when handling empty containers.

**7.2 Conditions for Safe Storage, Including any Incompatibilities:** Store in a cool, dry, well-ventilated area away from oxidizing agents and other incompatible materials. Keep container tightly closed. Protect from physical damage.

## 7.3 Specific end use(s):

Industrial uses: None identified **Professional uses:** Die lubricant

# Section 8 Exposure Controls/Personal Protection

#### 8.1 Control Parameters:

Sodium Citrate	None Established
Tetrasodium EDTA	None Established
Sodium Hydroxide	2 mg/m <sup>3</sup> TWA OSHA PEL 2 mg/m <sup>3</sup> Ceiling ACGIH TLV 2 mg/m <sup>3</sup> TWA Belgium OEL 2 mg/m <sup>3</sup> TWA France OEL 2 mg/m <sup>3</sup> STEL Ireland OEL 2 mg/m <sup>3</sup> TWA Spain OEL 1 mg/m <sup>3</sup> TWA, 2 mg/m3 STEL (inhalable) Sweden OEL 2 mg/m <sup>3</sup> STEL UK WEL

Refer to local regulations for exposure limits not listed above.

## 8.2 Exposure Controls:

Recommended Monitoring Procedures: None.

Appropriate engineering controls: Use with adequate local exhaust ventilation to maintain exposures below the

occupational exposure limits.

### Personal Protective Measurers

**Respiratory protection:** None normally required. If the exposure levels are exceeded and irritation is experienced an approved dust/mist respirator appropriate for the form and concentration of the contaminants should be used. In the USA refer to OSHA regulations, in the EU refer to EN Standards (EN 149 or 405). Selection and use of respiratory equipment must be in accordance with applicable regulations and good industrial hygiene practice. **Skin protection:** Chemically impervious gloves are recommended. In the EU refer to EN 374.

**Eye/Face protection:** Chemical safety goggles and face shield should be worn where splashing is possible. In the EU refer to EN 166.

**Other:** Impervious clothing as needed to avoid contamination of personal clothing. An eye wash should be available in the immediate work area.

### Section 9 Physical and Chemical Properties.

#### 9.1 Information on basic Physical and Chemical Properties

Physical State: Liquid Appearance: Clear liquid Color: Colorless Odor: Characteristic Odor threshold: No data available Melting Point/Freezing Point: 32°F/ 0°C Boiling Point/Range: 212°F/ 100°C pH: 13 Flash Point: Not flammable Evaporation Rate: Less than 1 Vapor Pressure: Same as water Explosive Limits: LEL: Not applicable UEL: Not applicable	Vapor Density: Same as water Relative Vapor Density (at 20°C): No data available Specific Gravity: No data available Density/Relative Density: 1.13 Solubility(ies): Completely soluble in water Octanol/Water Partition Coefficient: No data available Auto-ignition Temperature: Not applicable Decomposition Temperature: No data available Kinematic Viscosity: No data available Particle Characteristics: Not applicable Flammability (gas, liquid, solid): Not flammable
9.2.1 Information with regard to physical hazard clas	ses: Not applicable
9.2.2 Other Safety Characteristics:	Not applicable

### Section 10 Stability and Reactivity.

**10.1 Reactivity:** None known.

10.2 Chemical stability: Stable

10.3 Possibility of hazardous reactions: None known.

10.4 Conditions to avoid: None known.

**10.5 Incompatible materials:** Avoid oxidizing agents.

**10.6 Hazardous decomposition products:** Thermal decomposition may produce carbon and sodium oxides.

#### Section 11 Toxicological Information.

## **11.1** Information on Toxicological Effects:

#### Potential Health Effects:

**Eyes:** Causes severe eye irritation and burns with pain, tearing, and redness. May cause permanent eye damage. **Skin:** Causes severe skin irritation and burns with redness, burning and pain.

**Ingestion:** Ingestion causes severe digestive tract irritation or burns to the mucous membranes, esophagus and stomach with shock and possible perforation and peritonitis. Ingestion may be fatal.

**Inhalation:** Inhalation of vapors or mists may cause severe irritation and burns of the nose, throat and upper respiratory tract. Prolonged inhalation may cause pulmonary edema and death.

**Chronic Health Effects:** Prolonged overexposure to tetrasodium EDTA will cause damage to the respiratory tract and cause difficulty in breathing.

#### Acute Toxicity Data:

Acute Toxicity Estimate: Oral: 17857 mg/kg Sodium Citrate: Oral rat LD50 5400 mg/kg, Dermal rat LD50 >2000 mg/kg Tetrasodium EDTA: Oral rat LD50 1780 mg/kg Sodium Hydroxide: No data available

Skin Corrosion/Irritation: Based on the pH, this product is corrosive to skin.
Serious Eye Damage/Irritation: Based on the pH, this product is corrosive to eyes.
Respiratory or Skin Sensitization: Based on the available data, the classification criteria are not met.
Germ Cell Mutagenicity: Based on the available data, the classification criteria are not met.
Carcinogenicity: None of the components of this product are listed as carcinogens by OSHA, IARC, NTP, or EU CLP.
Reproductive Toxicity: Based on the available data, the classification criteria are not met.
Specific Target Organ Toxicity:

Single Exposure: Based on the available data, the classification criteria are not met. Repeated Exposure: Based on the available data, the classification criteria are not met.

Aspiration Hazards: Based on the available data, the classification criteria are not met.

11.2 Information on other hazards: Not applicable

11.2.1 Endocrine disrupting properties: Not applicable

11.2.2 Other information: Not applicable

# Section 12 Ecological Data.

## 12.1 Toxicity:

Sodium Citrate: 48 hr LC50 Leuciscus idus melanotus 440 mg/L, 24 hr EC50 Daphnia magna 1535 mg/L, Tetrasodium EDTA: 96 hr LC50 Lepomis macrochirus 121 mg/L, 48 hr EC50 daphnia magna 140 mg/L, 72 hr EC50 Pseudokirchnerella subcapitata >100 mg/L

Sodium Hydroxide: 48 hr EC50 Ceriodaphnia sp.40.4 mg/L

**12.2 Persistence and degradability:** Sodium citrate Is readily biodegradable. Tetrasodium EDTA is inherently biodegradable.

**12.3 Bioaccumulative potential:** Tetrasodium EDTA has a BCF of <2.

12.4 Mobility in soil: No data available.

12.5 Results of PBT and vPvB assessment: Components do not meet the criteria of PBT or vPvB.

12.6 Endocrine Disrupting Properties: Not applicable

12.7 Other adverse effects: Not required.

Section 13 Disposal Considerations.

**13.1 Waste Treatment Methods:** Dispose in accordance with all national and local regulations.

## Section 14 Transport Information.

	14.1 UN Number	14.2 UN Proper Shipping Name	14.3 Hazard Class(s)	14.4 Packing Group	14.5 Environmental Hazards
US DOT		Not Regulated			
Canadian TDG		Not Regulated			
EU ADR/RID		Not Regulated			
IMDG		Not Regulated			
IATA/ICAO		Not Regulated			

Note: Classification for skin corrosion under GHS is based on pH, which is not a criteria for transport.

14.6 Special precautions for User: Not applicable

**14.7 Maritime transport in bulk according to IMO instruments:** Not applicable

## Section 15 Regulatory Information.

### 15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

### **US Regulations**

**SARA Section 313 (40 CFR 372):** This product contains the following toxic chemical(s) subject to reporting requirements of SARA 313: None

SARA Section 311/312 (40 CFR 370) Hazard Categories: Refer to Section 2 for the OSHA Hazard Classification.

**Comprehensive Environmental Response and Liability Act of 1980 (CERCLA):** This product has a Reportable Quantity (RQ) of 100,000 lbs. based on the RQ for sodium hydroxide of 1,000 lbs. Releases above the RQ must be reported to the National Response Center. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

**Toxic Substances Control Act (TSCA):** All of the components of this product are listed on the US Toxic Substances Control Act (TSCA) inventory

**California:** This product contains the following substances known to the state of California to cause cancer and/or reproductive toxicity: None

#### **International Chemical Inventories**

Australia: All of the components in this product are listed on the Australian Inventory of Chemical Substances (AICS) or exempt.

**Canadian Environmental Protection Act:** All of the components of this product are listed on the Canadian Domestic Substances List (DSL) or exempt.

**China:** All of the components in this product are listed on the Inventory of Existing Chemical Substances in China (IECSC) or exempt.

European Union: All the components in this product are listed on the EINECS inventory or exempt.

**Japan:** All of the components in this product are listed on the Japanese New and Existing Chemicals Substances (ENCS) Inventory.

Korea: All of the components in this product are listed on the Korean Existing Chemicals List (KECL) or exempt.

**New Zealand:** All of the components in this product are listed on the New Zealand Inventory of Chemicals (NZIoC) or exempt.

**Philippines:** All of the components of this product are listed on the Philippines Inventory of Chemicals and Chemical Substances (PICCS) or exempt.

15.2 Chemical Safety Assessment: None required.

#### Section 16. Other Information.

HMIS Rating: Health 3\* Flammability 0 Physical Hazard 0 Hazard: 4-Severe; 3-Serious; 2-Moderate; 1-Slight; 0-Minimum \*Chronic health hazard

Date Revised: March 23, 2022 SDS Revision History: Updated SDS format to comply with Reg (EU) 2020/878. Updated Section 8 OELS and Section 16 HMIS rating. Supersedes Date: January 14, 2019

<u>CLP/GHS Classification and H Phrases for Reference (See Section 3)</u> Acute Tox. 4 Acute Toxicity Category 4 Eye Dam. 1 Eye Damage Category 1 Eye Irrit. 2 Eye Irritation Category 2 Skin Corr. 1 Skin Corrosion Category 1

Skin Irrit. 2 Skin Irritation Category 2 Met Corr. 1 Metal Corrosion Category 1		
STOT RE 2 Specific Target Organ Toxicity Repeat Exposur	e Category 2	
H290 May be corrosive to metals		
H302 Harmful if swallowed		
H314 Causes severe skin burns and eye damage		
H318 Causes serious eye damage		
H332 Harmful if inhaled		
H373 May cause damage to organs through prolonged or repeated exposure.		
Key literature references and sources for data: ECHA database, GESTIS, eChemPortal, TOXNET		
Classification and procedure used to derive the classification and procedure used to derive the classification method		
Classification and procedure used to derive the classifi		
Classification and procedure used to derive the classifi		

Date:

Date: March 23, 2022