

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name:	ORTHOPRINT
Manufacturer:	Zhermack S.p.a
SDS Expiry:	11 April 2028
Supplier Details:	Henry Schein New Zealand 243-249 Bush Road, Rosedale, Auckland, 0632 PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz
Emergency Contacts:	Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police
HSNO Class/Category:	6/9
HSNO Group Standard:	Dental Products Subsidiary Hazard Group Standard 2020 HSR002558
Statements/Pictograms:	As per attached Safety Data Sheet (SDS)
Date Prepared:	This coversheet was prepared – August 2023

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.



Revision nr. 5 Dated 11/04/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification: Product Name: Code:

ORTHOPRINT C302145, C302145., C302161, C302171

1.2. Relevant identified uses of the substance or mixture and uses advised against For professional use only. Alginate for dental impression.

1.3. Details of the supplier of the safety data sheet

Name

Zhermack S.p.a Via Bovazecchino 100 45021 Badia Polesine (RO) Italy tel. +39 0425-597611 fax +39 0425-597689 Competent person responsible for the safety data sheet:

msds@zhermack.com

1.4. Emergency telephone number

UK Emergency number: 999 (24 hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

STOT RE 2, H373 May cause damage to organs through prolonged or repeated exposure. Aquatic Chronic 3, H412 Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

The Regulation EC 1272/2008, on classification, labelling and packaging of substances and mixtures (CLP), shall not apply to a medical device in the finished state used in direct physical contact with the human body according to art. 1.5, letter d). Therefore the product is exempted from the CLP labeling requirements.

Hazard pictograms:



Warning

Hazard statements:

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P260 Do not breathe dust.

P273 Avoid release to the environment.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents/container in accordance with applicable regulations.

Revision nr. 5 Page n. 1 of 13

Zhermack //

Special Provisions: None Contains Cristobalite

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

Classification of the mixture is based on the results of an in vitro assay conducted in accordance with the guidelines provided by OCSE (OECD Test Guideline 437 resp. EU Method B.47 – Bovine Corneal Opacity and Permeability (BCOP) Test Method) and GLP certified - Good Laboratory Practices. For more information refer to section 11.

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Not Applicable

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb	er	Classification
>= 5% -	Cristobalite	CAS:	14464-46-1	STOT RE 1 H372 Causes damage
< 8%		EC:	238-455-4	to organs (lungs) through
				prolonged or repeated exposure if inhaled.
>= 1% -	Dipotassium	CAS:	16919-27-0	Acute Tox. 4 H302 Harmful if
< 3%	exafluorotitanate	EC:	240-969-9	swallowed.
		REACH No.:	01-21199782	Eye Dam. 1 H318 Causes serious
			68-20-XXXX	eye damage.
				Acute Toxicity Estimate:
				ATE - Oral 324 mg/kg bw
>= 0,5%	zinc oxide	Index	030-013-00-7	Aquatic Acute 1 H400 Very toxic to
- < 2,5%		number:		aquatic life. M=1.
		CAS:	1314-13-2	Aquatic Chronic 1 H410 Very toxic
		EC:	215-222-5	to aquatic life with long lasting
		REACH No.:	01-21194638	effects. M=1.
			81-32-XXXX	
>= 0,5%	Paraffin oil	CAS:	8042-47-5	Asp. Tox. 1 H304 May be fatal if
- < 2,5%		EC:	232-455-8	swallowed and enters airways.
		REACH No.:	01-21194870	
			78-27-XXXX	

Substances in nanoform:

>= 1% - < 3% Dipotassium exafluorotitanate

REACH No.: 01-2119978268-20-XXXX, CAS: 16919-27-0, EC: 240-969-9

>= 0,5% - < 2,5% Magnesium oxide CAS: 1309-48-4, EC: 215-171-9

Revision nr. 5 Page n. 2 of 13

Zhermack //

<0,1% Silicon dioxide, amorphous REACH No.: 01-2119379499-16-XXXX, CAS: 7631-86-9, EC: 231-545-4

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash with plenty of water and soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediatley and dispose off safely.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non emergency personnel: Wear personal protection equipment. Remove persons to safety. See protective measures under point 7 and 8. For emergency responders:

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

Zhermack //

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed. Incompatible materials: See section 10.5. Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

See section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters ORTHOPRINT

Cristobalite - CAS: 14464-46-1

OEL Type	TWA	Duratio	STEL	Duratio	Notes	Country
		n		n		
EU	0.1 mg/m3	8h			Respirable	
TLV	0.1 mg/m3	8h			Respirable	ITALY
ACGIH	0.025 mg/m3	8h			(R), A2 - Pulm fibrosis, lung cancer	

Dipotassium exafluorotitanate - CAS: 16919-27-0

OEL Type	TWA	Duratio	STEL	Duratio	Notes	Country
		n		n		
No data available						

zinc oxide - CAS: 1314-13-2

OEL Type	TWA	Duratio	STEL	Duratio	Notes	Country
		n		n		
VLA	2	8h	10	15min		SPAIN

Zhermack //

	mg/m3		mg/m3			
MV	5	8h	20	15min	Respirable	SLOVENIA
	mg/m3		mg/m3		•	
VME/VLE	3	8h	3	15min	Respirable	SWITZERLA
	mg/m3		mg/m3			ND
MAK	2	8h	4	15min	Inhalable	GERMANY
	mg/m3		mg/m3			
MAK	0.1	8h	0.4	15min	Respirable	GERMANY
N 4 A 1 Z	mg/m3	01	mg/m3	45	Deschalte	
MAK	3	8h	3	15min	Respirable	SWITZERLA
AK	mg/m3 5	8h	mg/m3 20	15min	Despirable	ND HUNGARY
AN	o mg/m3	on	20 mg/m3	romin	Respirable	HUNGAR
GVI/KGVI	2	8h	10	15min	Respirable	CROATIA
GVI/KGVI	z mg/m3	on	mg/m3		Respirable	CILOATIA
HTP	2	8h	10	15min		FINLAND
	mg/m3	OIT	mg/m3			
MAK	5	8h			Respirable	AUSTRIA
	mg/m3	0.11				
NDS/NDSCh	5	8h	10	15min	Inhalable	POLAND
	mg/m3		mg/m3			
NGV/KGV	5	8h				SWEDEN
	mg/m3					
NPEL	1	8h	1	15min	Respirable	SLOVAKIA
	mg/m3		mg/m3			(Slovak
			_			Republic)
OELV	2	8h			Respirable	IRELAND
	mg/m3					
RD	5	8h				LITHUANIA
	mg/m3					
RV	0.5	8h				LATVIA
	mg/m3					
TLV	5	8h				ESTONIA
T 1.) (mg/m3					
TLV	5	8h				NORWAY
TLV	mg/m3 5	8h	10	15min		ROMANIA
	mg/m3	011	mg/m3	romin		ROMANIA
TLV	2	8h	5	15min		CZECH
	mg/m3	on	mg/m3			REPUBLIC
TLV	4	8h	ing/ino			DENMARK
	mg/m3	0.11				
TLV	5	8h	10	15min		BULGARIA
	mg/m3	0.11	mg/m3			
TLV	5	8h	10	15min		GREECE
	mg/m3		mg/m3			
VLEP	5	8h				FRANCE
	mg/m3					
VLEP	2	8h	10	15min	Respirable	BELGIUM
	mg/m3		mg/m3			
TLV-ACGIH	2	8h	10	15min	(R) - Metal	
	mg/m3		mg/m3		fume fever	
ACGIH	2	8h	10		(R) - Metal	
	mg/m3		mg/m3		fume fever	

Revision nr. 5 Page n. 5 of 13

Zhermack //

OEL Type	TWA	Duratio n	STEL	Duratio n	Notes	Country
AGW	5 mg/m3	8h	20 mg/m3	15min	Respirable	GERMANY
MAK	5 mg/m3	8h	20 mg/m3	15min	Respirable	GERMANY
TLV	5 mg/m3	8h	10 mg/m3	15min		ROMANIA
MAK	5 mg/m3	8h			Inhalable	SWITZERL ND
V T V T V T V T V T V T V V T C S S Zinc oxi C S S Zinc oxi C S S Zinc oxi C S S Z S Z S S Z S S C S S S S S S S S	Vorker Profess Ferm, local effe Vorker Profess Ferm, systemic Vorker Profess Ferm, systemic Vorker Profess Ferm, systemic Vorker Profess Ferm, systemic Consumer: 37.5 Systemic effects Consumer: 0.83 Steffects Consumer: 2.5 Systemic effects Vorker Profess Systemic effects Vorker Profess Systemic effects Vorker Profess Systemic effects Consumer: 87 r Steffects Vorker Profess Systemic effects Consumer: 93 r Steffects Consumer: 35 r Steffects Consumer: 35 r Steffects Consumer: 40 r Steffects Vorker Profess Steffects Consumer: 40 r Steffects Vorker Profess Steffects Consumer: 40 r	ional: 5.2 mg/m3 - effects ional: 5.2 mg/m3 - effects ional: 75 mg/kg bw effects ional: 75 mg/kg bw effects ional: 75 mg/kg bw effects iong/kg bw/d - Exp ional: 5 mg/m3 - Exposure ional: 5 mg/m3 - E ional: 5 mg/m3 - E ional: 87 mg/kg/d - ional: 8	Exposure: H Exposure: H Exposure: H //d - Exposur //d - Ex	uman Inhalation uman Inhalation e: Human Derma e: Human Derma in Dermal - Freq in Dermal - Freq oral - Frequency: alation - Frequency luman Dermal - rmal - Frequency lation - Frequency al - Frequency: L Human Dermal	- Frequency - Frequency al - Frequency al - Frequency uency: Short uency: Long Long Term, ncy: Long Term Frequency: L /: Long Term Frequency: L /: Long Term cy: Long Term cy: Long Term, sy - Frequency:	: Long : Short :y: Long :y: Short Term, Term, systemic m, .ong Term, , systemic .ong Term, , systemic .ong Term, , systemic .ong Term, , systemic Long
ד PNEC Exposu	erm, systemic ure Limit Value	S		luman Inhalatior	n - Frequency	/: Long
		titanate - CAS: 16 /ater - Value: 0.13				

Revision nr. 5 Page n. 6 of 13

Zhermack //

Target: Freshwater sediments - Value: 24.45 03

Target: Marine water sediments - Value: 4.89 03

Target: Microorganisms in sewage treatments - Value: 1.5 mg/l

Target: Soil (agricultural) - Value: 19.1 mg/kg

Target: intermittent release - Value: 0.108 mg/l

zinc oxide - CAS: 1314-13-2

Target: Fresh Water - Value: 117 mg/l

Target: Marine water - Value: 0.0061 mg/l

Target: Freshwater sediments - Value: 117 mg/kg

Target: Marine water sediments - Value: 56.5 mg/kg

Target: Microorganisms in sewage treatments - Value: 0.052 mg/l

Target: Soil (agricultural) - Value: 35.6 mg/kg

8.2. Exposure controls

Precautionary measures:

Give adequate ventilation to the premises where the product is stored and/or handled. Eye protection:

Wear airtight protective goggles (EN 166).

Protection for skin:

Wear professional overalls and safety footwear (EN 14605).

Protection for hands:

Protect hands with work gloves (EN 374).

The following should be considered when choosing work glove material (EN 374):

compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

Respiratory protection:

Mask with filter "P2 or P3".

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered (e.g. TLV-TWA).

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Solid		
Colour:	Yellow		
Odour:	vanilla		
Melting point/freezing point:	Not Relevant		
Boiling point or initial boiling point and boiling range:	Not Relevant		
Flammability:	Not available		
Lower and upper explosion limit:	Not available		
Flash point:	Not Relevant		
Auto-ignition temperature:	Not available		



Decomposition	Not available				
temperature:					
pH:	Not Relevant				
Kinematic viscosity:	Not available				
Solubility in water:	Partially soluble				
Solubility in oil:	Not available				
Partition coefficient	Not available				
n-octanol/water (log value):					
Vapour pressure:	Not Relevant				
Density and/or relative	0.2-0.5 g/cm3				
density:					
Relative vapour density:	Not available				
	Particle characteristics:				
Particle size:	Not available				

9.2. Other information

No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

- Stable under normal conditions
- 10.2. Chemical stability
- Stable under normal conditions 10.3. Possibility of hazardous reactions None
- **10.4. Conditions to avoid** Avoid moisture and high temperature.
- **10.5. Incompatible materials** None in particular.
- **10.6. Hazardous decomposition products** None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Toxicological information of the product: ORTHOPRINT a) acute toxicity Not classified
 - b) skin corrosion/irritation Not classified
 - c) serious eye damage/irritation

Not classified

Test: In vitro - Based on available data, the classification criteria are not met - Source: (Bridging principle, OECD 437 resp. EU Method B.47, GLP, study report 2019).

- d) respiratory or skin sensitisation Not classified
- e) germ cell mutagenicity Not classified

Revision nr. 5 Page n. 8 of 13

Zhermack 🖊

f) carcinogenicity Not classified g) reproductive toxicity Not classified h) STOT-single exposure Not classified i) STOT-repeated exposure The product is classified: STOT RE 2 H373 i) aspiration hazard Not classified Toxicological information of the main substances found in the product: Cristobalite - CAS: 14464-46-1 i) STOT-repeated exposure: Route: Inhalation - Notes: Silicosis, pulmonary fibrosis; Target organ: lungs - Source: (MSDS supplier). Dipotassium exafluorotitanate - CAS: 16919-27-0 a) acute toxicity ATE - Oral 324 mg/kg bw Test: LD50 - Route: Oral - Species: Rat 324 mg/kg - Source: (OECD 401, ECHA dossier). b) skin corrosion/irritation: Species: Rabbit - Based on available data, the classification criteria are not met -Source: (OECD 404, MSDS supplier). c) serious eye damage/irritation: Species: Rabbit - Eye Corrosive - Source: (OECD 405, MSDS supplier). d) respiratory or skin sensitisation: Test: Skin Sensitization - Species: Guinea pig - Based on available data, the classification criteria are not met - Source: (OECD 406, MSDS supplier). e) germ cell mutagenicity: Test: In vitro - Species: Salmonella Typhimurium - Negative - Source: (OECD 471, MSDS supplier). Test: In vitro - Positive - Source: (OECD 487, MSDS supplier). Test: In vitro - Negative - Source: (OECD 476, MSDS supplier). Test: In vivo - Species: Rat - Negative - Source: (OECD 474, MSDS supplier). zinc oxide - CAS: 1314-13-2 a) acute toxicity: Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Source: (OECD 402, GLP, ECHA dossier). Test: LC50 - Route: Inhalation - Species: Rat > 5.7 mg/l - Source: (OECD 403, ECHA dossier). Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg - Source: (OECD 401, ECHA dossier). b) skin corrosion/irritation: Species: Rabbit - Based on available data, the classification criteria are not met -Source: (ECHA dossier). c) serious eye damage/irritation: Species: Rabbit - Based on available data, the classification criteria are not met -Source: (ECHA dossier). d) respiratory or skin sensitisation: Test: Skin Sensitization - Species: Guinea pig - Based on available data, the classification criteria are not met - Source: (ECHA dossier). e) germ cell mutagenicity:

Revision nr. 5 Page n. 9 of 13

Zhermack 🖊

Test: In vitro - Negative - Source: (OCDE 471, ECHA dossier).

Test: In vivo - Species: Mouse - Negative - Source: (OCDE 474, GLP, ECHA dossier). Paraffin oil - CAS: 8042-47-5

a) acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat > 5 mg/l - Duration: 4h - Source: (OECD 403, ECHA dossier).

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg - Source: (similar or equvalent to OECD 402, ECHA dossier).

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg - Source: (similar or equivalent to OECD 401, ECHA dossier).

j) aspiration hazard:

Positive - Source: (MSDS supplier).

11.2. Information on other hazards

Endocrine disrupting properties: No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. ORTHOPRINT

The product is classified: Aquatic Chronic 3 - H412

Dipotassium exafluorotitanate - CAS: 16919-27-0

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 172 mg/l - Duration h: 96h (OECD 203, Danio rerio, ECHA dossier).

Endpoint: EC50 - Species: Daphnia 48.2 mg/l - Duration h: 48h (OECD 203, Daphnia magna, ECHA dossier).

Endpoint: IC50 - Species: Algae 10.81 mg/l - Duration h: 72h (OECD 201,

Pseudokirchneriella subcapitata, ECHA dossier).

Endpoint: NOEC - Species: Algae 1.31 mg/l (OECD 201, Pseudokirchneriella subcapitata, ECHA dossier).

zinc oxide - CAS: 1314-13-2

a) Aquatic acute toxicity:

Endpoint: IC50 - Species: Algae 0.17 mg/l - Duration h: 72h (Pseudokirchnerella subcapitata, MSDS supplier).

Endpoint: LC50 - Species: Fish 320 mg/l - Duration h: 96h (Lepomis macrochirus, MSDS supplier).

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Algae 0.017 mg/l (Pseudokirchnerella subcapitata, MSDS supplier).

12.2. Persistence and degradability

Cristobalite - CAS: 14464-46-1

- Biodegradability: Non-readily biodegradable
- Dipotassium exafluorotitanate CAS: 16919-27-0 Biodegradability: Non-readily biodegradable
- zinc oxide CAS: 1314-13-2
 - Biodegradability: Non-readily biodegradable
- Paraffin oil CAS: 8042-47-5

Biodegradability: Persistent and Biodegradable

12.3. Bioaccumulative potential

Cristobalite - CAS: 14464-46-1

Not bioaccumulative

12.4. Mobility in soil

- Not available
- 12.5. Results of PBT and vPvB assessment

Revision nr. 5 Page n. 10 of 13

Zhermack //

- vPvB Substances: None PBT Substances: None
- 12.6. Endocrine disrupting properties
 - No endocrine disruptor substances present in concentration >= 0.1%
- 12.7. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number or ID number	
	the meaning of transport regulations.
14.2. UN proper shipping name	
Not available	
14.3. Transport hazard class(es)	
Not available	
14.4. Packing group	
Not available	
14.5. Environmental hazards	
ADR-Enviromental Pollutant:	No
IMDG-Marine pollutant:	No
14.6. Special precautions for user	

Not available

14.7. Maritime transport in bulk according to IMO instruments Not Applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) n. 2021/643 (ATP 16 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Revision nr. 5 Page n. 11 of 13

Zhermack //

Restrictions related to the product: No restriction. Restrictions related to the substances contained: Restriction 75

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

WGK Classification (Water hazard class - Verwaltungsvorschrift wassergefährdende Stoffe) WGK1 - Slightly hazardous for water

Lagerklasse according to TRGS 510: LGK 11: Combustible solids

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012: None.

California Proposition 65 Substance(s) listed under California Proposition 65: Cristobalite - Listed as carcinogen.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture. Substances for which a Chemical Safety Assessment has been carried out: Dipotassium exafluorotitanate zinc oxide

SECTION 16: Other information

Hazard class and hazard category	Code	Description
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
STOT RE 1	3.9/1	Specific target organ toxicity - repeated exposure, Category 1
STOT RE 2	3.9/2	Specific target organ toxicity - repeated exposure, Category 2
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
STOT RE 2, H373	Calculation method
Aquatic Chronic 3, H412	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

Revision nr. 5 Page n. 12 of 13

Zhermack //

ECHA – European Chemical Agency GESTIS - Information system on hazardous substances of the German Social Accident Insurance IARC – International Agency for Research on Cancer IPCS INCHEM – International Programme on Chemical Safety ISS – Istituto Superiore di Sanità PubChem - open chemistry database at the National Institutes of Health (NIH)

A safety data sheet is not required for this product under article 31 of Regulation 1907/2006/EC. This safety data sheet has been created on a voluntary basis.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical
0/10.	Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport
	Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization"
	(ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods
	by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.